

INDC(JAP) - 27G

NEANDC(J) - 40 AL

701

JAERI- M

6001

JNDC FISSION PRODUCT GROUP CONSTANTS  
— PRELIMINARY VERSION —

February 1975

Y. KIKUCHI, A. HASEGAWA, K. TASAKA  
H. NISHIMURA, I. OTAKE<sup>\*</sup> and S. KATSURAGI

日本原子力研究所  
Japan Atomic Energy Research Institute

この報告書は、日本原子力研究所が JAERI-M レポートとして、不定期に刊行している研究報告書です。入手、複製などのお問合わせは、日本原子力研究所技術情報部（茨城県那珂郡東海村）あて、お申しこしください。

JAERI-M reports, issued irregularly, describe the results of research works carried out in JAERI. Inquiries about the availability of reports and their reproduction should be addressed to Division of Technical Information, Japan Atomic Energy Research Institute, Tokai-mura, Naka-gun, Ibaraki-ken, Japan.

## JNDC Fission Product Group Constants

## - Preliminary Version -

Yasuyuki KIKUCHI, Akira HASEGAWA, Kanji TASAKA,  
Hideo NISHIMURA, Iwao OTAKE\* and Satoru KATSURAGI

Japanese Nuclear Data Committee, JAERI

( Received February 5, 1975 )

A set of group constants was produced from the preliminary version of JNDC evaluated data for the 28 important nuclides, and various tests were performed to confirm the reliability of the set.

The resonance structure was neglected in this preliminary version and the statistical model was applied down to 100 eV. In spite of this rough treatment the error was found to be reasonably small for the lumped cross sections. Various problems concerning the lumped cross sections were examined. The lumped capture cross section increases about 5% during the burn-up from 30 days to 300 days. The release of gaseous FP nuclides might decrease the cross section by 10%. The effect of concentration change due to neutron capture transformation was found to be negligible.

The JNDC group constants were compared with the group constants based on the Cook's evaluation. The one-group JNDC capture cross section is about 25% larger than the Cook's cross section. The difference of 25% in the FP group constants causes the uncertainty of 10% in the reactivity life, of 0.6% in the effective multiplication factor and of 10% in the sodium void coefficient for the large fast reactor.

The JNDC group constants were checked by the use of integral measurements performed at RCN. The reactivity worths of FP mixtures and some separated isotopes were calculated with the JNDC set and compared with the experimental values. The agreements were fairly well.

---

\* Fuji Electric Co., Ltd.

but also on the concentration of each nuclide. The approximations adopted in calculating the concentrations are discussed in section 5.

The uncertainty of the evaluated FP cross sections is considerably large, since most of FP nuclides are radioactive and the experimental data are scarce. The data evaluated by JNDC are fairly different from those by Cook. The difference of the lumped capture cross section is more than 25% between those generated from JNDC data and Cook's data, when collapsed to one group with neutron spectrum of a typical fast reactor. The effects of this difference were examined on  $k_{\text{eff}}$ , burn-up life, reactivity worth and sodium void coefficient. The detailed discussion was given in Ref. 5, and only the results are described in section 6.

The choice of 28 important nuclides were based on the fact that these nuclides take more than 80% of total capture by fission products. The contribution of each nuclide to the total capture is discussed in section 7, and the secondly important nuclides are selected.

The JNDC group constants were checked with the integral measurements performed at STEK facility in RCN, Petten, the Netherlands.<sup>6,7,8,9)</sup> The reactivity worths were calculated with the JNDC group constants for three FP mixtures and for some separated isotopes. The results are compared with the experimental values in Section 8.

2. Preliminary Version of JNDC FP Evaluated Data<sup>1)</sup>

At the first stage of evaluation, the following 28 nuclides were selected as the most important nuclides;

Sr-90, Zr-93, Mo-95, Mo-97, Tc-99,  
Ru-101, Ru-102, Rh-103, Ru-104, Pd-105,  
Ru-106, Pd-107, Ag-109, I-129, Xe-131,  
Cs-133, Cs-135, Cs-137, Nd-143, Ce-144,  
Nd-144, Nd-145, Pm-147, Sm-147, Sm-149,  
Sm-151, Eu-153, Eu-155.

These nuclides were selected, with a preliminary study, so as to cover 80% of total capture by FP nuclides in the equilibrium core of a typical fast reactor.

The reaction types evaluated are the total, elastic scattering, inelastic scattering and radiative capture cross sections and the angular distribution of elastic scattering. The energy range is limited between 100 eV and 15 MeV. No evaluation of the resolved resonance parameters was performed for the preliminary version. The spherical optical model and the statistical model were applied to the full energy range. It may sound rather rough, but the error due to the statistical fluctuation is reasonably small for the lumped capture cross section as discussed in section 4. More sophisticated models are adopted and the resonance structure is taken into account in the evaluation of the revised version.

### 3. Production of Group Constants

The group constants of JAERI-Fast set type were produced with the PROF-GROUCH-G<sup>10)</sup> code. The same assumptions are adopted as in the production of the FP group constants from the Cook's evaluated data.

The weighting flux is assumed to be 1/E spectrum below 1 MeV and to be fission spectrum above 1 MeV. The fission spectrum is assumed as:

$$\phi(E) = A_0 \exp(-E/A_1) \sinh \sqrt{A_2 E},$$

where  $A_0$ ,  $A_1$  and  $A_2$  are  $4.84 \times 10^{-7}$ ,  $1 \times 10^6$  eV and  $2 \times 10^{-6}$  eV<sup>-1</sup> respectively, and energy is in eV unit. The angular distribution of elastic scattering was not processed, and the isotropic scattering in the center of mass system was assumed. As for the inelastic scattering matrix, the energy distribution was determined with the evaporation model as<sup>\*</sup>:

$$F(E) dE = \frac{E}{T^2} \exp(-E/T) dE.$$

\* The energy distributions in the inelastic scattering were evaluated by JNDC and are given in Ref. 2. In the present work, however, these values were not used. We used the evaporation model with which the Cook's data were processed.

The same nuclear temperature (T) was taken for all the nuclides and was determined to be 0.638 MeV with averaging the values recommended by Gilbert and Cameron<sup>11)</sup>.

JNDC did not provide the data below 100 eV. Then the Cook's data are adopted in this energy range.

The group constants of an individual FP nuclide are generally lumped to those of a few pseudo FP nuclides by using the concentration of each nuclide as the weighting factor. The concentrations were calculated with the FP-S code<sup>12)</sup> which solves the beta-decay chain with Bateman's equation. The transfer from one beta-decay chain to another chain by neutron capture is neglected in this code. The fission yield data were taken from the compilation by Meek and Rider<sup>13)</sup>. As the number of nuclides evaluated by JNDC is not enough for production of the lumped cross section, the Cook's group constants are supplementarily used for the other 164 nuclides. In the following discussion, "the JNDC lumped group constants" means the constants lumped with the JNDC group constants for 28 nuclides and the Cook's constants for 164 nuclides.

Three types of the lumped group constants were produced. They correspond to the fission products due to  $^{235}\text{U}$  fission with thermal neutrons, to  $^{239}\text{Pu}$  fission with thermal neutrons and to  $^{238}\text{U}$  fission with fission spectrum neutrons. The lumped group constants varies in the course of burn-up because of the change of the concentration of each nuclide. Therefore we calculated them for burn-up of 1, 30, 60, 180, 360 and 720 days.

The multi-group cross sections of the 28 nuclides are tabulated in Appendix 1, the JNDC lumped group constants for burn-up of 360 days in Appendix 2 and the inelastic scattering matrices in Appendix 3.

## 4. Statistical Error of Lumped Group Cross Section

In evaluating the 28 important nuclides, the statistical model was applied down to 100 eV. It may sound rather rough, as the resonance structure cannot be neglected in the energy range below a few keV. Then it is necessary to estimate the uncertainty of the group cross sections caused by neglecting the resonance structure.

The expectation and the variance are expressed as Eqs.(1) and (2) for the cross section of reaction  $x$  averaged over energy range  $\Delta E$ ,

$$\bar{\sigma}_x = \frac{2\pi^2 \chi^2}{\Delta E} \sum_{J\pi} g_J \langle N_{J\pi} \rangle \left\langle \frac{\Gamma_n \Gamma_x}{\Gamma} \right\rangle \quad (1)$$

$$\text{Var}(\sigma_x) = \left( \frac{2\pi^2 \chi^2}{\Delta E} \right)^2 \sum_{J\pi} g_J^2 \left[ \langle N_{J\pi} \rangle \left\langle \frac{\Gamma_n^2 \Gamma_x^2}{\Gamma^2} \right\rangle - \left\langle \frac{\Gamma_n \Gamma_x}{\Gamma} \right\rangle^2 \right] \\ + \left\langle \frac{\Gamma_n \Gamma_x}{\Gamma} \right\rangle^2 \left[ \left\langle \langle N_{J\pi} \rangle^2 \right\rangle - \left\langle \langle N_{J\pi} \rangle \right\rangle^2 \right] \quad (2)$$

where  $J\pi$  is the spin-parity,  $N_{J\pi}$  the number of levels of  $J\pi$  state in  $\Delta E$ , and the other notations are of common usage. The bracket  $\langle \rangle$  denotes the mean value over the statistical distribution.

If  $N_{J\pi}$  is large enough,  $N_{J\pi}/\Delta E$  is approximately put as  $1/D_{J\pi}$ , where  $D_{J\pi}$  is the average level spacing of  $J\pi$  state. The variance can be expressed analytically in this case. It is difficult, however, to obtain the variance analytically, if the fluctuation of  $N_{J\pi}$  must be considered. In the present case,  $N_{J\pi}$  is not large enough for the lower energy group of JAERI-Fast set. For example, the 17th group of 25 group structure covers the energy range from 100 to 215 eV, and the

mean level spacing is more than a few keV for some FP nuclides. Hence the Monte Carlo method was used for the nuclides with large level spacing.

The statistical fluctuation of the average cross section is independent for each nuclide. Hence the expectation and the variance of the lumped cross section are given as

$$\sigma_x^{\text{lump}} = \sum_i y_i \sigma_x^i \quad (3)$$

$$\text{Var}(\sigma_x^{\text{lump}}) = \sum_i (y_i)^2 \text{Var}(\sigma_x^i), \quad (4)$$

where the suffix i represents the nuclide and  $y_i$  the concentration. As  $y_i$  is much smaller than unity, the variance decreases by lumping.

The expectations and the variances were calculated for the 28 nuclides. They are given in Table 1 as the ratio of standard deviation to expectation for some nuclides as well as those of the lumped cross sections. The ratio reaches a factor of 10 at the 17th group (100 eV-215 eV) for Sr-90. After lumping, however, the ratio is about 10% for capture and 70% for elastic scattering. It can be concluded that the uncertainty caused by neglecting the resonance structure is reasonably small for the lumped capture cross section considering the uncertainty of the experimental data of the resonance parameters themselves.

## 5. Problems Concerning Lumping

As mentioned in the previous section, the errors become small with lumping. The lumped cross section has, however, another source of errors, i.e., the errors caused by the uncertainty of the concentration of each nuclide. This problem is discussed in this section.

### 5.1 Errors due to Uncertainty of Fission Yield

The concentration of each FP nuclide depends directly on its fission yield data whose uncertainties are yet fairly large. JNDC did not evaluate the yield data, but used the evaluation by Meek and Rider. Meek and Rider evaluated the fission yield data twice<sup>13,14)</sup>, and these two versions are fairly different from each other. Here we examine the effect of the uncertainties of the yield, by comparing the results calculated with the old and new versions.

The difference of the cross sections are shown in Table 2 for various burn-up stages. The effect on the capture cross section is predominant (2% for thermal fission of  $^{239}\text{Pu}$ , 1% for thermal fission of  $^{235}\text{U}$  and 1% for fast fission of  $^{238}\text{U}$ ). The effects on the other cross sections are small.

It should be noted, however, that both of these two yield data were evaluated by the same evaluators. Hence the discrepancies among the other evaluations might be larger and therefore the uncertainty of the lumped cross sections is expected to be a little larger.

## 5.2 Burn-up Dependence of Lumped Cross Section

The lumped cross section varies through burn-up accompanied with the change of the concentration of each nuclide, as the microscopic cross sections of isobars are different. This makes the treatment of the FP group constants difficult. The burn-up dependence is caused mainly by several beta-decay chains. The change of the lumped capture cross section is about 5% for burn up from 30 days to 300 days. Hence the problem of time dependence may not be severe, considering the errors from other origins.

## 5.3 FP Gas Release from Fuel

In the calculation of concentration it is assumed that all the FP nuclides stay in the fuel. Some of gaseous fission products are, however, released to the plenum in the power reactor. This reduces the number densities of FP nuclides and thus affects the lumped cross sections.

It is not easy to estimate the amount of released FP nuclides, as this behavior is not a simple diffusion. We simply assumed that 100% of the rare gas nuclei and 50% of halogen and alkali metal nuclei were lost from the core. The detailed discussion is given in Ref. 5. With this assumption, the lumped capture cross sections are reduced by about 10%.

#### 5.4 Effect of Concentration Change due to Neutron Capture

As described in section 3, the transfer from one beta-decay chain to another is neglected in calculating the concentration of each FP nuclide. It was tested by Tasaka whether this assumption is valid or not under irradiation by high neutron flux.

The FP-S code<sup>12)</sup> was modified so as to treat the capture reaction during burn-up for 63 FP nuclides, which provide more than 90% of total capture. The calculation was performed for a typical 1000 MWe commercial fast reactor with using the Cook's group constants. The changes of the lumped one group capture cross section are tabulated in Table 3 for various flux and for various burn-up time.

The lumped capture cross section decreases, if the capture transformation is taken into account. This is reasonable, because odd-A nuclides with large capture cross section mainly capture neutrons and then change to even-A nuclides whose capture cross section is much smaller. The effect is, however, small (less than 1% under most of reasonable conditions). More than 60% of the change is caused by the neutron capture by Ru-101. It was found that the change of the lumped one-group capture cross section could be approximately expressed in this case as

$$\frac{\sigma_c(\phi) - \sigma_c(0)}{\sigma_c(0)} = -2.0 \times 10^{-25} \times \int \phi dt, \quad (5)$$

where  $\sigma_c(\phi)$  is calculated with taking account of capture transformation under irradiation by flux  $\phi$  and  $\sigma_c(0)$  with neglecting it.

As a conclusion, the effect of concentration change due to neutron capture is negligible.

## 6. Effects of Uncertainties of FP Group Constants on Fast Reactor Calculations

The most portion of uncertainty of the lumped group constants is attributed to that of cross section of the individual nuclide, though we discussed various other origins in the previous section. To understand the disagreements among various evaluated data, the JNDC and the Cook's capture cross sections are lumped with the same concentrations and they are compared in Fig. 1. The JNDC capture cross section is 25% larger than the Cook's cross section when collapsed to one group with the spectrum of a typical fast reactor.

The effects of the uncertainties of FP group constants were examined by comparing various reactor characteristics calculated with the two sets for two typical fast reactors; a 300 MW (e) prototype reactor and a 1500 MW (e) commercial reactor. The detailed discussion is given in Ref. 5, and only the results are briefly described here.

### 6.1 Burn-up Characteristics

The reactivity life calculated with the JNDC constants is 10% shorter than that with the Cook's constants for both reactors. Neither breeding ratio nor peaking factor is much affected.

## 6.2 Criticality of Equilibrium Core

The effective multiplication factor calculated with the JNDC constants is 0.6% less reactive. In order to compensate this difference, the outer core volume must be increased by 3.5% or the Pu enrichment of fuels by 1.4%.

## 6.3 Sodium void coefficient

The sodium void coefficient calculated with the JNDC constants is 11% larger for the 1500 MW (e) reactor when all the amount of sodium are removed from the core.

## 7. Selection of the Secondly Important Nuclides

The contribution of the 28 nuclides to the total capture was calculated in order to confirm that these 28 nuclides are really important. The results are given in Tables 4.1 to 4.3 for burn up of 360 days. The contributions of the 28 important nuclides, which bear a mark \*, are calculated with the JNDC constants and the contributions of the other nuclides with the Cook's constants.

It is verified that the 28 nuclides provide more than 80% of total capture for any type of fission, though some of the 28 nuclides was found not very important for capture contribution. The secondly important nuclides are chosen from these tables as follows:

Br-81,	Kr-83,	Rb-85,	Rb-87
Zr-91,	Zr-92,	Zr-94,	Zr-95
Zr-96,	Nb-95,	Mo-98,	Mo-100
Ru-103,	Pd-106,	Pd-108,	I-127
Xe-132,	Xe-134,	Ba-140,	La-139
Ce-140,	Ce-141,	Ce-142,	Pr-141
Pr-143,	Nd-146,	Nd-147,	Nd-143
Sm-150,	Sm-152.		

The evaluation for these nuclides are now under preparation. Adding these 30 nuclides to the 28 nuclides, more than 95% of total capture are covered.

## 8. Test of FP Group Constants with Integral Data

There remains considerable ambiguity in the evaluated FP cross sections, since most of FP nuclides are radioactive and therefore the experimental data are scarce. Hence it is not easy to say which set of evaluated data is most reliable, in spite of the fact that the difference between the JNDC and the Cook's constants is more than 25%.

On the other hand, the central reactivity worths of the FP mixtures and of some FP isotopes were measured at four different STEK cores in Petten, the Netherlands. The detailed descriptions of the experiments are given in Ref. 6 and 7.\* The preliminary results of the experiments were already published.<sup>6,7,8,9)</sup> Hence it seems very helpful to perform the benchmark test using various FP group constants, in order to select a better data set.

### 8.1 Mixture of Fission Products

The central reactivity worths were measured at 4 STEK cores for two irradiated FP mixture samples; HFR-101 (with a burn-up of 60% FIMA) and HFR-102 (with 30% FIMA), and a mock-up sample (KFK-sample). The experimental values were reported in Ref. 6 and 7 with the calculated ones with the RCN-set<sup>15)</sup>.

---

\* The fluxes and the adjoint fluxes of STEK cores are still noted to be preliminary.

The reactivity worths due to capture were calculated with the JNDC constants set and the Cook's set, using the number densities and the normalized product of flux and adjoint flux given in Ref. 7.

The calculated results are compared in Table 5 with the experimental values. The ratios of calculated value to experimental one are illustrated in Fig. 2. The followings can be pointed out from this comparison:

- 1) The JNDC set overestimates the reactivities by 10% for the HFR-101 sample, while the RCN and the Cook's sets underestimate them by 10%.
- 2) The results with the JNDC set agree very well with the experimental values of the HFR-102 sample, while the RCN and the Cook's sets give 20% of underestimation.
- 3) The results with the JNDC and the Cook's sets depend on the core for the KFK-sample, while the results with the RCN set do not.
- 4) The Cook's set always underestimates the reactivity.

It may be said from the above observations that the capture cross sections of the Cook's set are too small. But it is not clear why one set gives good results for a sample and it does not for another sample, and why such a strong core dependence appears when calculated with the JNDC and the Cook's sets for the KFK sample. It is difficult to say which set is most reliable from the integral measurements of fission product mixtures.

## 8.2 Pseudo FP Nuclides

Some integral quantities of pseudo-fission product mixtures were calculated by RCN for SNR-300 with different cross section sets and are given in Ref. 7. Hence the same quantities were calculated with the JNDC set and the Cook's set and are compared with the values calculated by RCN in Table 6. The concentrations for these pseudo-fission product mixtures are given in Ref. 7 with the flux and the adjoint flux of SNR-300. The Cook's set and the Australian set in Table 6 are based on the same evaluated data and the difference between them might be caused by the different weighting flux used in producing the group cross sections.

It is evident from these comparisons that the JNDC set has larger capture cross section than the other sets. It should be noted, however, that the capture cross section of the revised JNDC set will be a little lower, because the Porter-Thomas fluctuation will be taken into account.

## 8.3 Reactivity Worths of FP isotopes

It is rather difficult to discuss the reliability of the cross section set from the integral data of the mixture, as the mixture is composed of so many isotopes. Hence the integral data for the separated isotopes seems more helpful.

The reactivity worths of 57 isotope samples were also measured at STEK cores, and the preliminary results were already published in Refs. 8 and 9. The correction of self-shielding effect is difficult in these experiments, and the results in Refs. 8 and 9 are noted to be preliminary. It is,

however, worthwhile to check our set with these integral data\*. The results reported in Refs. 8 and 9 are the total reactivity worths. The flux and the adjoint flux are independently required in order to calculate the reactivity worths due to elastic and inelastic scattering. They were informed as a private communication<sup>16)</sup> but must be considered as preliminary ones.

The calculated reactivities with the JNDC set are compared with the experimental data in Table 7. The result with the Cook's set are given in Appendix 4. The followings can be said from Table 7:

- 1) The calculated values with the JNDC set are a little larger than the experimental ones for  
Mo-95, Mo-97, Ru-101, Cs-133, Nd-143,  
Nd-145, Pm-147, Sm-147, Eu-153 (category 1).
- 2) The calculated values are a little smaller for  
Tc-99, Rh-103, Pd-105, Pd-107, Ag-109,  
Sm-149 (category 2).

---

\* The reactivity worths for other nuclides were also measured. The calculation was also performed for B and  $^{235}\text{U}$  using the JAERI-Fast set, in order to confirm that there are no systematic errors in the measurements at STEK. The calculated results agree very well with the experimental ones for these cases.

- 3) The calculated values are much larger than the experimental ones for

Ru-102, Ru-104, I-129, Nd-144 (category 3).

- 4) The calculated values are much smaller for

Sm-151 (category 4).

- 5) The core dependence of the calculated values does not

agree at all with the experimental ones for

Zr-93, Cs-135 (category 5).

It can be said that the agreement is satisfactory for the nuclides of categories 1 and 2. The tendency of these slight disagreements is taken into account in the revision work for these nuclides so as to improve the agreement.

The disagreement for the nuclides of category 3 may be partly explained with our rough treatment of inelastic scattering. The adjoint flux of STEK decreases with increasing energy. Hence the contribution of the inelastic scattering is fairly large; the reactivity ( $\Delta\rho/\rho$ ) due to inelastic scattering is from 0.02 to 0.08. Our inelastic scattering matrix is calculated, however, rather roughly using the simple evaporation model as described in section 3. This might cause considerable errors for the nuclides of category 3, whose capture component is relatively small. But the results calculated with the Cook's constants are also larger except for I-129.

As for Sm-151, the JNDC evaluated curve is much lower than the other evaluated data. The results with the Cook's set is, however, much smaller than the experimental values.

The disagreement of the core dependence for the nuclides of category 5 is not understandable. As a conclusion, the disagreement for the nuclides of categories 3, 4 and 5 seems too large to be explained as due to the error of the nuclear data.

It should be noted that these comparisons were performed with the preliminary experimental data and that the fluxes and the adjoint fluxes used in calculation were also preliminary. The tendency will be changed, if the flux and the adjoint fluxes are changed. Therefore it seems dangerous to make any adjustment of the group constants with these comparisons.

## 9. Conclusion

A set of group constants was generated based on the preliminary version of JNDC evaluated data for the 28 important FP nuclides, and various tests were performed to confirm their reliability. The followings can be pointed out as conclusions.

The errors caused by neglecting the resonance structure are proved to be reasonably small for the lumped cross sections, though they are very large for the cross sections of the individual nuclides at the low energy groups.

The assumptions adopted in calculating the concentrations of FP nuclides are examined. The change of the lumped cross section is about 5% during the burn-up from 30 days to 300 days. The release of gaseous FP nuclides might decrease the lumped capture cross section by 10%. The effect of concentration change due to neutron capture transformation is very weak in the normal condition of fast reactors.

The one-group JNDC capture cross section is about 25% larger than the Cook's cross section. The uncertainty of 25% in the FP group constants causes the uncertainty of 10% in the reactivity life, of 0.6% in the effective multiplication factor and of 10% in the sodium void coefficient for the large fast reactor.

The JNDC group constants and the Cook's constants were checked by the integral measurements performed at RCN. It is difficult to say which set is more reliable from the integral check of the FP mixtures, as the number of composed nuclides are so large. As for the integral check for the

separated isotopes, the JNDC set gives fairly good agreement for most of nuclides. For some nuclides, however, the calculated results do not agree at all with the measured ones. This point should be further investigated.

#### Acknowledgment

The authers thank to the member of FP Reactor Constants Working Group and of FP Nuclear Data Working Group of JNDC for their helpful discussion. They also wish to thank to Dr. Dragt in RCN, Petten for sending us a lot of invaluable information about the experiments at STEK.

## References

- 1) JNDC; Evaluation of Fission Product Nuclear Data for Fast Reactor, JAERI-M-5752 (1974)
- 2) S. Katsuragi et al; JAERI-Fast Reactor Group Constants Systems, JAERI-1195 and JAERI-1199 (1970)
- 3) J. L. Cook; Fission Product Cross Sections, AAEC/TM-549 (1969)
- 4) Y. Kikuchi, K. Tasaka, H. Nishimura, A. Hasegawa and S. Katsuragi; Production of FP Group Constants for Fast Reactors with Cook's evaluated Data, JAERI-M-5492 (1973)
- 5) Y. Kikuchi, I. Otake, K. Tasaka, H. Nishimura, A. Hasegawa and S. Katsuragi; Group Constants set of Fission Products, B-4, Proceedings of International Symposium on Physics of Fast Reactors held at Tokyo, in October, 1973.
- 6) M. Bustraan et. al. ; Experiences with STEK: Derivation of Fission Product Cross Sections and Their Improvement by Statistical Adjustment Using Sample Reactivity Worths, B-26, Proceedings of International Symposium on Physics of Fast Reactors held at Tokyo, in October, 1973.
- 7) H. Gruppelaar et.al. ; RCN-1 Pseudo Fission-Product Capture Group Cross Sections, RCN-205 (1974)
- 8) E. K. Hoekstra; Fast Reactor Programme, Second Quarter 1973, Progress Report. RCN-190 (1973)

- 9) E. K. Hoekstra; Fast Reactor Programme, Third Quarter 1973,  
Progress Report. RCN-199 (1973)
- 10) T. Tone and S. Katsuragi; PROF-GROUCH-G, JAERI-1192 (1970)
- 11) A. Gilbert and A.G.W. Cameron; Can. J. Phys. 43 (1965)
- 12) K. Tasaka and N. Sasamoto; FP-S, JAERI-1198 (1970)
- 13) M. E. Meek and B. F. Rider; Compilation of Fission Product  
Yields, NEDO-12154 (1972)
- 14) M. E. Meek and B. F. Rider; APED-5398-A (1968)
- 15) G. Lautenbach; Calculated Neutron Absorption Cross Section  
of 75 Fission Products, RCN-191 (1973)
- 16) J. Dragt, a Private Communication 1974.
- 17) L. P. Abagyan et al. ; Group Constants for Nuclear Reactor  
Calculations, New York, Consultants Bureau, 1964.

- 26 -




Fig. 1. The lumped capture cross sections for burn-up of 360 days




Fig. 2 The ratio of the calculated value to the experimental one for the reactivity worth of FP samples in various STEK cores.

Table 1. Group Cross Sections and Standard Deviations of  $^{90}\text{Sr}$ ,  $^{95}\text{Mo}$ ,  $^{137}\text{Cs}$  and  $^{144}\text{Ce}$   
and Those of the Lumped Group Constants

Energy Range (keV)		$^{90}\text{Sr}$		$^{95}\text{Mo}$		$^{137}\text{Cs}$		$^{144}\text{Ce}$		Lump	
		$\bar{\sigma}$ (b)	$\Delta\sigma/\bar{\sigma}^*$								
10 - 4.65	$\bar{\sigma}_c$	0.076	0.63	1.10	0.075	0.093	0.18	0.185	0.18	1.43	0.004
	$\bar{\sigma}_s$	9.20	0.78	7.66	0.066	13.45	0.42	19.00	0.46	9.60	0.050
4.65 - 2.15	$\bar{\sigma}_c$	0.127	1.10	1.54	0.133	0.148	0.30	0.249	0.28	2.04	0.009
	$\bar{\sigma}_s$	9.91	1.50	7.78	0.124	17.49	0.73	25.67	0.76	11.3	0.091
2.15 - 1.0	$\bar{\sigma}_c$	0.206	1.70	2.33	0.231	0.243	0.60	0.396	0.51	3.33	0.020
	$\bar{\sigma}_s$	11.55	2.78	8.26	0.262	24.48	1.30	37.05	1.25	14.0	0.176
1.0 - 0.465	$\bar{\sigma}_c$	0.299	2.94	3.89	0.421	0.455	1.08	0.803	0.97	5.96	0.034
	$\bar{\sigma}_s$	14.08	4.53	8.86	0.525	35.36	2.02	54.62	1.90	17.9	0.293
0.465 - 0.215	$\bar{\sigma}_c$	0.411	4.28	5.97	0.761	0.784	1.83	1.46	1.62	9.52	0.058
	$\bar{\sigma}_s$	17.18	8.79	9.32	0.902	48.17	2.99	75.28	3.03	22.0	0.518
0.215 - 0.1	$\bar{\sigma}_c$	0.690	7.16	9.96	1.25	0.162	2.70	3.08	2.84	16.0	0.095
	$\bar{\sigma}_s$	22.78	10.4	9.89	1.46	69.84	3.80	110.1	4.29	28.0	0.683

\* Standard deviations are given as ratios to the group cross sections.

Table 2. Effect of Yield Data on Lumped Cross Sections,  
Collapsed with Flux of 1500 MW (e) Fast Reactor

$^{239}\text{Pu}$  ( Thermal Neutron Fission )

Burn - Up ( days )	Relative Error * ( % )			
	Total	Elastic	Inelastic	Capture
1	- 0.016	- 0.11	1.1	1.7
30	0.033	- 0.066	0.85	1.9
720	0.069	- 0.028	0.78	2.0

$^{235}\text{U}$  ( Thermal Neutron Fission )

Burn - Up ( days )	Relative Error * ( % )			
	Total	Elastic	Inelastic	Capture
1	0.059	0.027	0.30	1.1
30	0.070	0.037	0.32	0.92
720	0.065	0.029	0.32	0.97

$^{238}\text{U}$  ( Fission - Spectrum Neutron Fission )

Burn - Up ( days )	Relative Error * ( % )			
	Total	Elastic	Inelastic	Capture
1	0.002	- 0.016	0.27	0.44
30	0.15	0.12	0.34	0.86
720	0.18	0.13	0.25	0.38

$$* ( \bar{\sigma}_n - \bar{\sigma}_o ) / \bar{\sigma}_o$$

$\bar{\sigma}_n$  : calculated with the new version

$\bar{\sigma}_o$  : calculated with the old version

Table 3. Change of Capture Cross Section Caused by Neutron Capture Transformation

Tr day	$\tilde{\sigma}_c(0)$ barn	$-(\tilde{\sigma}_c(\phi) - \tilde{\sigma}_c(0)) / \tilde{\sigma}_c(0)$		
		$\phi = 10^{14}$	$\phi = 10^{15}$	$\phi = 10^{16}$
1	0.3912	$4.844 \times 10^{-6}$	$1.824 \times 10^{-5}$	$1.735 \times 10^{-4}$
30	0.3954	$5.132 \times 10^{-5}$	$5.051 \times 10^{-4}$	$5.584 \times 10^{-3}$
60	0.3987	$1.021 \times 10^{-4}$	$1.027 \times 10^{-3}$	$1.119 \times 10^{-2}$
180	0.3986	$3.110 \times 10^{-4}$	$3.150 \times 10^{-3}$	$3.245 \times 10^{-2}$
360	0.4002	$6.276 \times 10^{-4}$	$6.314 \times 10^{-3}$	$6.013 \times 10^{-2}$
720	0.4016	$1.276 \times 10^{-3}$	$1.261 \times 10^{-2}$	$1.040 \times 10^{-1}$

$\tilde{\sigma}_c(\phi)$  : with taking account of neutron capture transformation with flux  $\phi$

$\tilde{\sigma}_c(0)$  : without taking account of neutron capture transformation

Table 4.1. Contribution of Each FP Nuclide to Total Capture by  
 FP due to Pu-239 Fission, Collapsed with the Spectrum  
 of a Large Fast Reactor

NUCLIDE	SIG=0	CONCENTRATION	CONTRIBUTION (%)	CUMULATIVE (%)
1 RU101 *	0.98691E 00	0.60539E-01	0.82723E 01	0.62794E 01
2 CS133 *	0.84890E 00	0.66848E-01	0.79122E 01	0.16132E 02
3 PD105 *	0.10490E 01	0.53673E-01	0.78544E 01	0.24044E 02
4 TC 99 *	0.76618E 00	0.63723E-01	0.68106E 01	0.30893E 02
5 RH103 *	0.81745E 00	0.58825E-01	0.67045E 01	0.37550E 02
6 CS135 *	0.47697E 00	0.72269E-01	0.48022E 01	0.42350E 02
7 PM147 *	0.20220E 01	0.16502E-01	0.46521E 01	0.47012E 02
8 SM149 *	0.25435E 01	0.12365E-01	0.43823E 01	0.51397E 02
9 PD107 *	0.16393E 01	0.30646E-01	0.43537E 01	0.55751E 02
10 XE131 *	0.68023E 00	0.37633E-01	0.35720E 01	0.59326E 02
11 ND143 *	0.58419E 00	0.42062E-01	0.34260E 01	0.62752E 02
12 MO 97 *	0.40050E 00	0.55766E-01	0.31101E 01	0.65867E 02
13 ND145 *	0.71447E 00	0.30202E-01	0.30277E 01	0.68891E 02
14 RU102 *	0.32724E 00	0.61012E-01	0.27828E 01	0.71681E 02
15 AG109 *	0.11291E 01	0.13799E-01	0.21723E 01	0.73853E 02
16 EU153 *	0.36594E 01	0.38187E-02	0.19464E 01	0.75801E 02
17 I 129 *	0.76365E 00	0.16083E-01	0.17976E 01	0.75999E 02
18 MO 95 *	0.40943E 00	0.24901E-01	0.17110E 01	0.79310E 02
19 RU104 *	0.15111E 00	0.60489E-01	0.16118E 01	0.80922E 02
20 SM151 *	0.14631E 01	0.76035E-02	0.15511E 01	0.82479E 02
21 MO 98	0.18406E 00	0.57109E-01	0.14676E 01	0.83941E 02
22 ZR 93 *	0.26177E 00	0.37822E-01	0.13644E 01	0.85321E 02
23 PR141	0.16344E 00	0.52214E-01	0.11899E 01	0.86511E 02
24 MO100	0.12013E 00	0.68879E-01	0.11597E 01	0.87665E 02
25 SM150	0.71649E 00	0.10005E-01	0.49902E 00	0.85664E 02
26 XE132	0.11548E 00	0.51090E-01	0.82201E 00	0.89487E 02
27 RU103	0.50991E 00	0.11072E-01	0.78720E 00	0.90274E 02
28 RU106 *	0.14593E 00	0.30921E-01	0.62910E 00	0.90903E 02
29 SM147 *	0.20086E 01	0.21470E-02	0.60127E 00	0.91505E 02
30 SM152	0.72705E 00	0.57697E-02	0.58459E 00	0.92090E 02
31 ND148	0.23307E 00	0.16625E-01	0.55104E 00	0.92641E 02
32 LA139	0.53267E-01	0.58549E-01	0.47500E 00	0.93117E 02
33 PD108	0.12572E 00	0.25315E-01	0.44373E 00	0.93561E 02
34 EU155 *	0.15504E 01	0.17251E-02	0.39697E 00	0.93958E 02
35 ZR 96	0.56125E-01	0.49403E-01	0.38600E 00	0.94344E 02
36 I 127	0.50068E 00	0.48473E-02	0.37873E 00	0.94723E 02
37 ND146	0.97358E-01	0.24867E-01	0.33725E 00	0.95061E 02
38 CS137 *	0.36153E-01	0.64754E-01	0.32640E 00	0.95387E 02
39 CE144 *	0.91570E-01	0.25156E-01	0.32117E 00	0.95708E 02
40 CE142	0.44993E-01	0.49876E-01	0.31209E 00	0.96021E 02
41 ZR 91	0.10369E 00	0.18780E-01	0.27150E 00	0.96293E 02
42 PD106	0.16017E 00	0.11737E-01	0.26213E 00	0.96555E 02
43 ND144 *	0.13075E 00	0.12631E-01	0.23119E 00	0.96786E 02
44 KR 83	0.45086E 00	0.29287E-02	0.18411E 00	0.96970E 02
45 XE134	0.17995E-01	0.72413E-01	0.18169E 00	0.97152E 02
46 NB 95	0.18645E 00	0.65820E-02	0.17111E 00	0.97323E 02
47 PR143	0.49986E 00	0.23882E-02	0.16645E 00	0.97489E 02
48 ZR 95	0.94345E-01	0.12504E-01	0.16448E 00	0.97654E 02
49 CE140	0.20021E-01	0.51867E-01	0.14479E 00	0.97799E 02
50 CE141	0.13593E 00	0.75424E-02	0.14295E 00	0.97942E 02

## JAERI-M 6001

NUCL IDE	SIG+0	CONCENTRATION	CONTRIBUTION	CUMULATIVE
51 BR 81	0.55041E 00	0.18188E-02	0.13453E 00	0.98081E 02
52 SM154	0.30664E 00	0.27209E-02	0.11533E 00	0.98198E 02
53 RB 85	0.16004E 00	0.46637E-02	0.10407E 00	0.98302E 02
54 CD111	0.25579E 00	0.26420E-02	0.194225E-01	0.98396E 02
55 BA140	0.21249E 00	0.28224E-02	0.83621E-01	0.98479E 02
56 SR 90 *	0.28080E-01	0.21008E-01	0.82248E-01	0.98562E 02
57 GD157	0.76605E 00	0.75466E-03	0.80604E-01	0.98642E 02
58 ND147	0.62320E 00	0.85888E-03	0.75496E-01	0.98716E 02
59 ZR 94	0.12294E-01	0.43063E-03	0.73816E-01	0.98792E 02
60 GD155	0.14284E 01	0.34726E-03	0.72500E-01	0.98864E 02
61 TE128	0.53583E-01	0.84557E-02	0.63155E-01	0.98927E 02
62 BA138	0.74085E-02	0.57049E-01	0.59406E-01	0.98987E 02
63 TB159	0.17072E 01	0.22426E-03	0.53382E-01	0.99040E 02
64 GD156	0.47016E 00	0.77703E-03	0.51804E-01	0.99092E 02
65 ZR 92	0.12331E-01	0.29337E-01	0.50439E-01	0.99142E 02
66 PD110	0.48558E-01	0.74071E-02	0.50149E-01	0.99193E 02
67 KR 84	0.72092E-01	0.46942E-02	0.47518E-01	0.99240E 02
68 RB 87	0.30540E-01	0.95129E-02	0.44407E-01	0.99285E 02
69 Y 91	0.55568E-01	0.55591E-02	0.41521E-01	0.99326E 02
70 CD113	0.30307E 00	0.84136E-03	0.35552E-01	0.99362E 02
71 XE136	0.34398E-02	0.65683E-01	0.35105E-01	0.99397E 02
72 I 131	0.18010E 00	0.12577E-02	0.32634E-01	0.99430E 02
73 CD112	0.14966E 00	0.11697E-02	0.32563E-01	0.99462E 02
74 TE130	0.81851E-02	0.26856E-01	0.30649E-01	0.99493E 02
75 MO 99	0.24819E 00	0.72182E-03	0.29004E-01	0.99522E 02
76 KR 85	0.13386E 00	0.14675E-02	0.27390E-01	0.99549E 02
77 SB121	0.44586E 00	0.41391E-03	0.25721E-01	0.99575E 02
78 IN115	0.51910E 00	0.34939E-03	0.25288E-01	0.99600E 02
79 XE133	0.11457E 00	0.14477E-02	0.23125E-01	0.99623E 02
80 SB125	0.16611E 00	0.93667E-03	0.21740E-01	0.99642E 02
81 Y 89	0.11520E-01	0.13264E-01	0.21305E-01	0.99666E 02
82 GD158	0.32078E 00	0.42154E-03	0.20617E-01	0.99687E 02
83 PM149	0.14731E 01	0.11435E-03	0.20298E-01	0.99707E 02
84 SN117	0.34160E 00	0.35499E-03	0.15423E-01	0.99723E 02
85 SB123	0.33530E 00	0.32044E-03	0.15008E-01	0.99738E 02
86 SE 79	0.44312E 00	0.24789E-03	0.14624E-01	0.99752E 02
87 BA136	0.10451E 00	0.95592E-03	0.13930E-01	0.99766E 02
88 TE827	0.28998E 00	0.33117E-03	0.13389E-01	0.99780E 02
89 EU154	0.31571E 01	0.29870E-04	0.13149E-01	0.99793E 02
90 CD114	0.17273E 00	0.54268E-03	0.13064E-01	0.99806E 02
91 EU156	0.18410E 01	0.49358E-04	0.12669E-01	0.99818E 02
92 TE124	0.13360E 00	0.67413E-03	0.12558E-01	0.99831E 02
93 BA137	0.11569E 00	0.74412E-03	0.12003E-01	0.99843E 02
94 RH105	0.26104E 00	0.32390E-03	0.11769E-01	0.99855E 02
95 SN119	0.21750E 00	0.35934E-03	0.10897E-01	0.99866E 02
96 SB124	0.34350E 00	0.20903E-03	0.10011E-01	0.99876E 02
97 SR 88	0.48660E-02	0.13497E-01	0.91572E-02	0.99885E 02
98 TE126	0.76338E-01	0.77680E-03	0.82660E-02	0.99893E 02
99 SM153	0.16997E 01	0.30230E-04	0.71641E-02	0.99900E 02
100 DY161	0.11661E 01	0.43935E-04	0.71432E-02	0.99907E 02

**Table 4.2. Contribution of Each FP Nuclide to Total Capture by  
FP due to U-235 Fission, Collapsed with the Spectrum  
of a Large Fast Reactor**

NUCLIDE	SIG-G	CONCFNTRATION	CONTRIBUTION (%)	CUMULATIVE (%)
1 CS133 *	0.84890E 00	0.65930E-01	0.10043E 02	0.10043E 02
2 RU101 *	0.98091E 00	0.50967E-01	0.89714E 01	0.19015E 02
3 TC 99 *	0.76618E 00	0.60607E-01	0.83329E 01	0.27346E 02
4 PM147 *	0.20220E 01	0.19050E-01	0.69121E 01	0.34260E 02
5 ND143 *	0.58419E 00	0.56330E-01	0.59051E 01	0.40165E 02
6 CS135 *	0.47697E 00	0.67027E-01	0.57370E 01	0.45902E 02
7 ND145 *	0.71947E 00	0.39460E-01	0.50947E 01	0.50997E 02
8 SM149 *	0.25435E 01	0.10603E-01	0.43395E 01	0.55836E 02
9 MO 97 *	0.40050E 00	0.59247E-01	0.42551E 01	0.50094E 02
10 RH103 *	0.81745E 00	0.26112E-01	0.38304E 01	0.63929E 02
11 XE131 *	0.68023E 00	0.23612E-01	0.32724E 01	0.67195E 02
12 ZR 93 *	0.20177E 00	0.63962E-01	0.30046E 01	0.70202E 02
13 MO 95 *	0.40943E 00	0.40151E-01	0.29500E 01	0.70152E 02
14 RU102 *	0.32724E 00	0.42060E-01	0.24699E 01	0.75624E 02
15 MO 98	0.18406E 00	0.57883E-01	0.19118E 01	0.77534E 02
16 PD105 *	0.10490E 01	0.44008E-02	0.17697E 01	0.79304E 02
17 PR141	0.16344E 00	0.50833E-01	0.14904E 01	0.80795E 02
18 MO100	0.12013E 00	0.62833E-01	0.13549E 01	0.82149E 02
19 I 129 *	0.75363E 00	0.85160E-02	0.11670E 01	0.83316E 02
20 SM151 *	0.14631E 01	0.41502E-02	0.10974E 01	0.84415E 02
21 EU153 *	0.35594E 01	0.16228E-02	0.10607E 01	0.85481E 02
22 SM147 *	0.20086E 01	0.24785E-02	0.69335E 00	0.86374E 02
23 ZR 91	0.10369E 00	0.45608E-01	0.84833E 00	0.87223E 02
24 XE132	0.11548E 00	0.40703E-01	0.84349E 00	0.88066E 02
25 SM150	0.70649E 00	0.64933E-02	0.83467E 00	0.88401E 02
26 ND148	0.23807E 00	0.16694E-01	0.72173E 00	0.89623E 02
27 LA139	0.58267E-01	0.45629E-01	0.68831E 00	0.90311E 02
28 ZR 96	0.56125E-01	0.62790E-01	0.63240E 00	0.90944E 02
29 RU104 *	0.14111E 00	0.18316E-01	0.62815E 00	0.91574E 02
30 CE144 *	0.91570E-01	0.35204E-01	0.59491E 00	0.92151E 02
31 ND146	0.97358E-01	0.29963E-01	0.52349E 00	0.92690E 02
32 CE142	0.44993E-01	0.59520E-01	0.48056E 00	0.93171E 02
33 RU103	0.50991E 00	0.49150E-02	0.44974E 00	0.93620E 02
34 KR 83	0.45086E 00	0.53493E-02	0.43219E 00	0.94053E 02
35 ND144 *	0.13075E 00	0.18241E-01	0.42800E 00	0.94481E 02
36 CS137 *	0.30153E-01	0.61520E-01	0.39912E 00	0.94880E 02
37 PD107 *	0.10393E 01	0.19111E-02	0.35640E 00	0.95237E 02
38 SM152	0.72705E 00	0.26469E-02	0.34533E 00	0.95584E 02
39 RB 85	0.10004E 00	0.10088E-01	0.29830E 00	0.95880E 02
40 SR 90 *	0.24080E-01	0.58586E-01	0.24514E 00	0.96170E 02
41 NB 95	0.13645E 00	0.87180E-02	0.29149E 00	0.96467E 02
42 PR143	0.47986E 00	0.32248E-02	0.28926E 00	0.96751E 02
43 ZR 95	0.94345E-01	0.16562E-01	0.28049E 00	0.97037E 02
44 XE134	0.17995E-01	0.71876E-01	0.23211E 00	0.97269E 02
45 CE140	0.20021E-01	0.59911E-01	0.21301E 00	0.97483E 02
46 BR 81	0.55041E 00	0.19652E-02	0.19410E 00	0.97677E 02
47 CE141	0.12593E 00	0.77894E-02	0.19041E 00	0.97967E 02
48 RB 87	0.33540E-01	0.25332E-01	0.15367E 00	0.98021E 02
49 ZR 94	0.12294E-01	0.64483E-01	0.14226E 00	0.98163E 02
50 ZR 92	0.12331E-01	0.59872E-01	0.13245E 00	0.98295E 02

## JAERI-M 6001

NUCL IDE	SIG-G	CONCENTRATION	CONTRIBUTION	CUMULATIVE
51 KR 84	0.72692E-01	0.99724E-02	0.13004E-00	0.98425E-02
52 Y 91	0.53568E-01	0.13422E-01	0.129E-00	0.98555E-02
53 BA140	0.21249E-00	0.32291E-02	0.12313E-00	0.98676E-02
54 I 127	0.56068E-00	0.12013E-02	0.12087E-00	0.98799E-02
55 ND147	0.62320E-00	0.10031E-02	0.11213E-00	0.98911E-02
56 BA138	0.74685E-02	0.67418E-01	0.90355E-01	0.99001E-02
57 EU155 *	0.16504E-01	0.27692E-03	0.82014E-01	0.99033E-02
58 Y 89	0.11520E-01	0.38151E-01	0.76856E-01	0.99162E-02
59 RU106 *	0.14593E-00	0.28344E-02	0.74225E-01	0.99236E-02
60 KR 85	0.13386E-00	0.29648E-02	0.71217E-01	0.99307E-02
61 AG109 *	0.11291E-01	0.27339E-03	0.65393E-01	0.99363E-02
62 XE136	0.38398E-02	0.61167E-01	0.42147E-01	0.99402E-02
63 SE 79	0.42312E-00	0.55036E-03	0.41708E-01	0.99447E-02
64 SM154	0.30664E-00	0.71020E-03	0.39075E-01	0.99486E-02
65 TE128	0.53583E-01	0.40230E-02	0.38663E-01	0.99524E-02
66 MO 99	0.28819E-00	0.68614E-03	0.35547E-01	0.99560E-02
67 SR 88	0.45660E-02	0.36460E-01	0.31837E-01	0.99592E-02
68 PD106	0.16017E-00	0.10720E-02	0.30813E-01	0.99623E-02
69 I 131	0.18610E-00	0.80418E-03	0.29812E-01	0.99652E-02
70 TE130	0.81851E-02	0.26029E-01	0.29419E-01	0.99682E-02
71 XE133	0.11457E-00	0.14277E-02	0.29301E-01	0.99711E-02
72 PM149	0.12731E-01	0.98127E-04	0.2247E-01	0.99734E-02
73 SR 39	0.11368E-01	0.99419E-02	0.21174E-01	0.99753E-02
74 KR 86	0.53944E-02	0.19301E-01	0.18743E-01	0.99774E-02
75 PD108	0.12572E-00	0.70407E-03	0.15884E-01	0.99789E-02
76 BA137	0.11569E-00	0.72005E-03	0.14944E-01	0.99804E-02
77 GD155	0.14994E-01	0.55591E-04	0.14944E-01	0.99814E-02
78 SB121	0.44586E-00	0.17728E-03	0.14104E-01	0.99834E-02
79 GD156	0.47816E-00	0.12511E-03	0.10755E-01	0.99844E-02
80 IN115	0.51910E-00	0.99161E-04	0.92371E-02	0.99854E-02
81 SN117	0.31160E-00	0.16068E-03	0.89927E-02	0.99863E-02
82 GD157	0.70005E-00	0.64041E-04	0.68035E-02	0.99871E-02
83 TE827	0.20998E-00	0.16782E-03	0.67327E-02	0.99880E-02
84 CE143	0.14604E-00	0.32641E-03	0.86713E-02	0.99889E-02
85 SB123	0.32590E-00	0.13589E-03	0.81694E-02	0.99897E-02
86 CD111	0.25579E-00	0.17665E-03	0.61037E-02	0.99905E-02
87 SE 50	0.45578E-01	0.94644E-03	0.77411E-02	0.99913E-02
88 CD113	0.36307E-00	0.12790E-03	0.69557E-02	0.99920E-02
89 SB125	0.16011E-00	0.21606E-03	0.64444E-02	0.99926E-02
90 SE 82	0.11770E-01	0.24339E-02	0.51409E-02	0.99931E-02
91 SN119	0.21750E-00	0.12608E-03	0.49203E-02	0.99936E-02
92 PM151	0.12798E-01	0.13871E-04	0.46350E-02	0.99941E-02
93 SE 77	0.26034E-00	0.91073E-04	0.45815E-02	0.99945E-02
94 CD112	0.14966E-00	0.12723E-03	0.45565E-02	0.99950E-02
95 CD114	0.17273E-00	0.12935E-03	0.40092E-02	0.99954E-02
96 SM153	0.16997E-01	0.11869E-04	0.36262E-02	0.99958E-02
97 TB159	0.17072E-01	0.10877E-04	0.33324E-02	0.99961E-02
98 SF 78	0.84714E-02	0.20327E-03	0.30974E-02	0.99964E-02
99 SN118	0.12127E-00	0.14753E-03	0.2947E-02	0.99967E-02
100 GD158	0.35078E-00	0.42776E-04	0.26927E-02	0.99971E-02

Table 4.3. Contribution of Each FP Nuclide to Total Capture by  
FP due to U-238 Fission, Collapsed with the Spectrum  
of a Large Fast Reactor

NUCLIDE	SIG-G	CONCENTRATION	CONTRIBUTION (%)	CUMULATIVE (%)
1 RU101 *	0.98091E 00	0.63698E-01	0.90662E 01	0.90662E 01
2 CS133 *	0.84890E 00	0.63044E-01	0.77655E 01	0.16832E 02
3 TC 99 *	0.76618E 00	0.63436E-01	0.70524E 01	0.23884E 02
4 SM149 *	0.25435E 01	0.18243E-01	0.67329E 01	0.30617E 02
5 RH103 *	0.81745E 00	0.53759E-01	0.63765E 01	0.36993E 02
6 PM147 *	0.20220E 01	0.21666E-01	0.63504E 01	0.43350E 02
7 PD105 *	0.10490E 01	0.32052E-01	0.48787E 01	0.48229E 02
8 CS135 *	0.47697E 00	0.66467E-01	0.46001E 01	0.52829E 02
9 ND145 *	0.71947E 00	0.37274E-01	0.38912E 01	0.56720E 02
10 ND143 *	0.53419E 00	0.42554E-01	0.36071E 01	0.60321E 02
11 XE131 *	0.68023E 00	0.35405E-01	0.34945E 01	0.63821E 02
12 MO 97 *	0.40050E 00	0.59384E-01	0.34510E 01	0.67772E 02
13 RU102 *	0.32724E 00	0.63699E-01	0.30246E 01	0.70297E 02
14 EU153 *	0.36594E 01	0.40438E-02	0.21472E 01	0.72444E 02
15 MO 95 *	0.40943E 00	0.34045E-01	0.20220E 01	0.74467E 02
16 PD107 *	0.10393E 01	0.13054E-01	0.19685E 01	0.76435E 02
17 SM151 *	0.14631E 01	0.91603E-02	0.19447E 01	0.78380E 02
18 ZR 93 *	0.26177E 00	0.48139E-01	0.18205E 01	0.80208E 02
19 MO 98	0.18406E 00	0.60200E-01	0.16077E 01	0.81816E 02
20 SM150	0.71649E 00	0.12839E-01	0.13348E 01	0.83151E 02
21 RU104 *	0.19111E 00	0.45044E-01	0.12491E 01	0.84400E 02
22 PR141	0.16344E 00	0.47181E-01	0.11189E 01	0.85519E 02
23 MO100	0.12013E 00	0.63643E-01	0.11094E 01	0.86628E 02
24 XE132	0.11548E 00	0.52526E-01	0.88013E 00	0.87508E 02
25 SM147 *	0.20086E 01	0.28914E-02	0.54203E 00	0.88351E 02
26 I 127	0.56068E 00	0.99055E-02	0.80505E 00	0.89157E 02
27 RU103	0.50991E 00	0.10119E-01	0.74865E 00	0.89906E 02
28 ND148	0.23807E 00	0.21135E-01	0.73007E 00	0.90636E 02
29 I 129 *	0.76365E 00	0.63306E-02	0.70148E 00	0.91337E 02
30 SM152	0.72705E 00	0.58379E-02	0.61587E 00	0.91953E 02
31 ZR 91	0.10369E 00	0.34477E-01	0.51871E 00	0.92472E 02
32 ND146	0.47358E-01	0.33627E-01	0.47766E 00	0.92950E 02
33 LA139	0.58267E-01	0.53105E-01	0.44878E 00	0.93394E 02
34 ZR 96	0.56125E-01	0.54887E-01	0.44699E 00	0.93846E 02
35 AG109 *	0.11291E 01	0.26931E-02	0.44121E 00	0.94287E 02
36 RU106 *	0.14593E 00	0.20545E-01	0.43563E 00	0.94722E 02
37 CE144 *	0.91570E-01	0.30192E-01	0.40115E 00	0.95123E 02
38 CS137 *	0.36153E-01	0.58777E-01	0.30830E 00	0.95434E 02
39 CE142	0.44993E-01	0.46917E-01	0.30630E 00	0.95730E 02
40 ND144 *	0.13075E 00	0.15181E-01	0.28833E 00	0.96020E 02
41 EU155 *	0.16504E 01	0.11567E-02	0.27701E 00	0.96303E 02
42 KR 83	0.45086E 00	0.41192E-02	0.26948E 00	0.96572E 02
43 NB 95	0.18645E 00	0.74748E-02	0.20223E 00	0.96774E 02
44 XE134	0.17995E-01	0.75211E-01	0.19659E 00	0.96971E 02
45 ZR 95	0.94345E-01	0.14205E-01	0.19447E 00	0.97165E 02
46 PD106	0.16017E 00	0.77750E-02	0.18070E 00	0.97346E 02
47 PR143	0.44993E 00	0.24675E-02	0.17896E 00	0.97525E 02
48 CE140	0.20021E-01	0.55951E-01	0.16294E 00	0.97687E 02
49 RB 85	0.16004E 00	0.43316E-02	0.14703E 00	0.97834E 02
50 CE141	0.13593E 00	0.72302E-02	0.14260E 00	0.97977E 02

## JAERI-M 6001

NUCLIDE	SIG-G	CONCENTRATION	CONTRIBUTION	CUMULATIVE
51 SR 90 *	0.28080E-01	0.32387E-01	0.13196E 00	0.98109E 02
52 BR 81	0.55041E 00	0.15884E-02	0.12686E 00	0.98236E 02
53 PD108	0.12572E 00	0.64052E-02	0.11684E 00	0.98353E 02
54 SM154	0.30664E 00	0.24456E-02	0.10861E 00	0.98461E 02
55 ND147	0.62320E 00	0.11399E-02	0.10308E 00	0.98565E 02
56 BA140	0.21249E 00	0.30470E-02	0.93947E-01	0.98658E 02
57 ZR 94	0.12294E-01	0.51354E-01	0.91608E-01	0.98750E 02
58 KR 84	0.72692E-01	0.84880E-02	0.89529E-01	0.98840E 02
59 Y 91	0.53568E-01	0.10455E-01	0.81265E-01	0.98921E 02
60 ZR 92	0.12331E-01	0.39052E-01	0.69874E-01	0.98991E 02
61 RB 87	0.33540E-01	0.14145E-01	0.68839E-01	0.99060E 02
62 BA138	0.74685E-02	0.59120E-01	0.64067E-01	0.99124E 02
63 GD155	0.14984E 01	0.23213E-03	0.50469E-01	0.99174E 02
64 GD156	0.47816E 00	0.70141E-03	0.48665E-01	0.99223E 02
65 GD157	0.76605E 00	0.37782E-03	0.41996E-01	0.99265E 02
66 Y 89	0.11520E-01	0.23896E-01	0.39443E-01	0.99305E 02
67 IN115	0.51910E 00	0.50109E-03	0.37745E-01	0.99342E 02
68 XE136	0.33398E-02	0.67472E-01	0.37592E-01	0.99380E 02
69 CD111	0.25579E 00	0.49728E-03	0.37044E-01	0.99417E 02
70 KR 85	0.13386E 00	0.18056E-02	0.35070E-01	0.99452E 02
71 I 131	0.18610E 00	0.11800E-02	0.31866E-01	0.99484E 02
72 PM149	0.12731E 01	0.16856E-03	0.31137E-01	0.99515E 02
73 TE827	0.28938E 00	0.73846E-03	0.31042E-01	0.99546E 02
74 MO 99	0.28619E 00	0.71825E-03	0.30034E-01	0.99576E 02
75 CD112	0.19966E 00	0.86221E-03	0.25559E-01	0.99602E 02
76 SE 79	0.42312E 00	0.41050E-03	0.25203E-01	0.99627E 02
77 SB121	0.44586E 00	0.37408E-03	0.24201E-01	0.99651E 02
78 TE128	0.53583E-01	0.30948E-02	0.24061E-01	0.99675E 02
79 CD113	0.30307E 00	0.54577E-03	0.24006E-01	0.99699E 02
80 SB125	0.18611E 00	0.96232E-03	0.23195E-01	0.99722E 02
81 XE133	0.11457E 00	0.13651E-02	0.22674E-01	0.99745E 02
82 TB159	0.17072E 01	0.87231E-04	0.21604E-01	0.99767E 02
83 SN117	0.31160E 00	0.40075E-03	0.18119E-01	0.99785E 02
84 TE130	0.81851E-02	0.14675E-01	0.17424E-01	0.99802E 02
85 EU156	0.18410E 01	0.44934E-04	0.12003E-01	0.99814E 02
86 SR 88	0.48660E-02	0.16757E-01	0.11831E-01	0.99826E 02
87 SN119	0.21750E 00	0.36926E-03	0.11623E-01	0.99838E 02
88 SB123	0.33590E 00	0.23811E-03	0.11606E-01	0.99849E 02
89 BA137	0.11569E 00	0.67267E-03	0.11242E-01	0.99861E 02
90 SR 89	0.11868E-01	0.62271E-02	0.10724E-01	0.99871E 02
91 KR 86	0.53949E-02	0.13626E-01	0.10607E-01	0.99882E 02
92 CD114	0.17273E 00	0.42010E-03	0.10529E-01	0.99893E 02
93 PD110	0.48558E-01	0.14170E-02	0.99842E-02	0.99901E 02
94 GD158	0.35078E 00	0.17386E-03	0.86472E-02	0.99911E 02
95 PM151	0.12998E 01	0.43507E-04	0.82056E-02	0.99920E 02
96 SM153	0.16997E 01	0.32050E-04	0.79044E-02	0.99928E 02
97 RH105	0.26104E 00	0.19019E-03	0.72036E-02	0.99935E 02
98 SN118	0.11127E 00	0.36875E-03	0.59534E-02	0.99941E 02
99 SE 80	0.45578E-01	0.48167E-03	0.58305E-02	0.99947E 02
100 CE143	0.14604E 00	0.25126E-03	0.53972E-02	0.99952E 02

Table 5. Comparison of Sample Reactivity Worth for Mixture

Core	Sample	Exp.	RCN		Cook		JNDC	
			Value	C/E	Value	C/E	Value	C/E
STEK 1000	HFR-101	0.280	0.254	0.907	0.250	0.892	0.313	1.118
	HFR-102	0.320	0.261	0.813	0.259	0.807	0.327	1.019
	KFK	0.267	0.304	1.138	0.2785	1.043	0.3353	1.256
STEK 2000	HFR-101	0.341	0.302	0.886	0.292	0.856	0.375	1.100
	HFR-102	0.407	0.311	0.764	0.304	0.747	0.393	0.966
	KFK	0.350	0.364	1.04	0.3253	0.929	0.3984	1.138
STEK 3000	HFR-101	0.401	0.360	0.898	0.343	0.855	0.436	1.087
	HFR-102	0.451	0.374	0.829	0.361	0.800	0.460	1.020
	KFK	0.434	0.460	1.06	0.3940	0.903	0.4762	1.097
STEK 4000	HFR-101	0.495	0.465	0.939	0.429	0.867	0.520	1.050
	HFR-102	0.560	0.492	0.878	0.460	0.821	0.555	0.991
	KFK	0.631	0.679	1.08	0.5486	0.869	0.6296	0.998

Table 6. Calculated Integral Quantities of Pseudo FP Mixtures in SNR-300  
for Different cross Section Sets

mixture	capture rate per fission per sec ( $\times 10^9$ )						
	RCN-I *	ABBN *	UKNDL *	Australian *	Benzi et al. *	Cook **	JNDC **
$^{235}\text{U}$	1.96 $\pm$ 9%	2.19	2.08	1.95	1.94	1.98	2.40
$^{238}\text{U}$	2.43 $\pm$ 10%	-	2.66	2.38	2.42	2.42	2.90
$^{239}\text{Pu}$	2.65 $\pm$ 10%	2.64	2.89	2.47	2.57	2.50	3.09
$^{241}\text{Pu}$	2.84 $\pm$ 10%	-	3.06	2.49	2.70	2.52	3.23

mixture	negative reactivity due to capture (arbitrary units)						
	RCN-I *	ABBN *	UKNDL *	Australian *	Benzi et al. *	Cook **	JNDC **
$^{235}\text{U}$	0.905 $\pm$ 9%	1.02	0.973	0.898	0.898	0.912	1.11
$^{238}\text{U}$	1.12 $\pm$ 9%	-	1.24	1.09	1.12	1.11	1.35
$^{239}\text{Pu}$	1.22 $\pm$ 10%	1.23	1.35	1.13	1.19	1.15	1.43
$^{241}\text{Pu}$	1.31 $\pm$ 10%	-	1.43	1.14	1.25	1.16	1.49

\* Taken from Ref. 7.

\*\* Presently calculated

# JAERI-M 6001

Table 7. Comparison between the Measured and Calculated Reactivity  
Worths with the JNDC Set. (The \* marks denote the nuclides  
where disagreement is larger than the quoted experimental error.)

### NUCLIDE = ZR 93

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.540000	0.388889	-0.500051	0.96019	
2 STEK3000	-0.305000	0.124590	-0.522749	1.713930 *	6
3 STEK2000	-0.242000	0.190083	-0.488543	2.018771 *	6
4 STEK1000	-0.100000	0.225000	-0.388440	0.971100	

### NUCLIDE = MO 95

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.694000	0.077810	-1.368169	1.711425 *	13
2 STEK3000	-0.556000	0.093525	-1.032106	1.856310 *	10
3 STEK2000	-0.607000	0.153213	-0.719747	1.284592 *	2
4 STEK1000	-0.495000	0.086869	-0.686003	1.274249 *	3

### NUCLIDE = MO 97

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.760000	0.114286	-0.748552	1.336700 *	3
2 STEK3000	-0.472000	0.067797	-0.763793	1.618206 *	10
3 STEK2000	-0.680000	0.235294	-0.711070	1.045691	
4 STEK1000	-0.441000	0.047619	-0.577006	1.308404 *	7

### NUCLIDE = TC 99

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-1.700000	0.068027	-1.370940	0.932612	
2 STEK3000	-1.300000	0.076923	-1.223796	0.941343	
3 STEK2000	-1.300000	0.115385	-1.174364	0.903510	
4 STEK1000	-1.600000	0.126984	-1.045057	0.829410 *	2

### NUCLIDE = PU101

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.190000	0.075630	-1.451715	1.219928 *	3
2 STEK3000	-1.420000	0.062500	-1.457392	1.283366 *	5
3 STEK2000	-1.190000	0.067227	-1.392972	1.170565 *	3
4 STEK1000	-1.700000	0.094017	-1.255696	1.073246	

### NUCLIDE = PU102

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.498000	0.222222	-0.398929	2.014792 *	5
2 STEK3000	-0.439000	0.263830	-0.444424	1.891167 *	4
3 STEK2000	-0.210000	0.138095	-0.449874	2.142259 *	5
4 STEK1000	-0.110000	0.181818	-0.394763	3.588936 **5	

### NUCLIDE = PU104

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.155000	0.335464	-0.272375	1.755966 *	3
2 STEK3000	-0.140000	0.214286	-0.286724	2.048031 *	5
3 STEK2000	-0.140000	0.214286	-0.274765	1.762611 *	5
4 STEK1000	-0.085000	0.317647	-0.211962	2.493675 *	5

### NUCLIDE = PH103

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-2.650000	0.037736	-2.427463	0.916024 *	3
2 STEK3000	-1.370000	0.056446	-1.306663	0.953914 *	2
3 STEK2000	-1.190000	0.125210	-1.156648	0.91973 *	2
4 STEK1000	-1.050000	0.028571	-1.047766	0.997874	

### NUCLIDE = PD105

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-1.455000	0.055657	-1.415222	0.865579 *	3
2 STEK3000	-2.110000	0.099526	-1.426326	0.875983 *	4
3 STEK2000	-1.100000	0.068329	-1.403715	0.81874 *	2
4 STEK1000	-1.375000	0.046345	-1.284786	0.924365 *	2

# JAERI-M 6001

NUCLIDE = **Sc107**

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-1.480000	0.101810	-1.331396	0.672423	* 2
2 STEK3000	-1.400000	0.178947	-1.361724	0.746697	
3 STEK2000	-2.450000	0.177511	-1.360641	0.543960	* 2
4 STEK1000	-1.440000	0.187500	-1.445907	0.485269	

NUCLIDE = **Ag109**

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-2.100000	0.067729	-3.879999	1.593426	* 9
2 STEK3000	-3.000000	0.133333	-2.008893	0.669964	* 3
3 STEK2000	-1.000000	0.217776	-1.30437	0.815706	
4 STEK1000	-1.400000	0.142857	-1.351251	0.705160	

NUCLIDE = **I 129**

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.540000	0.240741	-1.186712	2.197615	* 5
2 STEK3000	-0.630000	0.265714	-1.210293	1.921161	* 4
3 STEK2000	-0.700000	0.271429	-1.105203	1.578947	* 3
4 STEK1000	-0.210000	0.333333	-0.879481	4.168004	*10

NUCLIDE = **CS133**

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-1.600000	0.660241	-1.952212	1.176031	* 3
2 STEK3000	-1.100000	0.545454	-1.527684	1.368802	* 8
3 STEK2000	-0.500000	0.63196	-1.250003	1.315856	* 6
4 STEK1000	-0.134000	0.29973	-0.967834	1.318575	*11

NUCLIDE = **CS135**

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.490000	0.655914	-0.767943	-0.825745	-
2 STEK3000	0.100000	5.333333	-0.768098	-6.400815	-
3 STEK2000	-0.240000	2.16666	-0.678636	2.827651	
4 STEK1000	-0.880000	0.618162	-0.516653	0.507105	

NUCLIDE = **ND143**

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.490000	0.655914	-0.767943	1.343458	* 3
2 STEK3000	-0.630000	0.131387	-1.003889	1.465531	* 4
3 STEK2000	-0.500000	0.266897	-0.834372	1.438487	* 3
4 STEK1000	-0.351000	0.099715	-0.633105	1.803718	* 9

NUCLIDE = **ND144**

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.495000	0.315789	-0.134861	1.419592	* 2
2 STEK3000	-0.510000	0.245110	-0.131044	2.569499	* 6
3 STEK2000	-0.390000	0.398974	-0.117235	3.006021	* 6
4 STEK1000	-0.200000	0.400000	-0.084699	4.234958	* 9

NUCLIDE = **ND145**

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-1.650000	0.200000	-1.761296	1.079573	
2 STEK3000	-0.650000	0.117647	-1.375735	1.018533	* 6
3 STEK2000	-0.800000	0.120482	-1.049736	1.264745	* 3
4 STEK1000	-0.645000	0.133333	-0.769889	1.193627	* 2

NUCLIDE = **PM147**

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-4.100000	0.145833	-6.352480	1.323433	* 3
2 STEK3000	-3.380000	0.150888	-6.045434	1.196874	* 2
3 STEK2000	-4.000000	0.260000	-2.967215	0.741804	* 2
4 STEK1000	-2.000000	0.100000	-2.249840	1.124905	* 2

NUCLIDE = **SM147**

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-3.150000	0.106667	-4.752154	1.287241	* 3
2 STEK3000	-2.620000	0.105660	-3.847010	1.451702	* 5
3 STEK2000	-2.270000	0.174890	-2.992118	1.318114	* 5
4 STEK1000	-1.000000	0.072222	-2.246275	1.247931	* 4

**JAERI-M 6001**

NUCLIDE = SM149

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-7.110000	0.002982	-7.044002	1.117311	* 2
2 STEK3000	-7.090000	0.005868	-4.908987	0.578173	* 2
3 STEK2000	-5.910000	0.005808	-3.728666	0.744249	* 3
4 STEK1000	-3.720000	0.00645	-2.837256	0.762698	* 3

NUCLIDE = SM151

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-16.40000	0.047561	-14.9647	0.223027	* 3
2 STEK3000	-10.40000	0.013462	-2.081343	0.200129	* 2
3 STEK2000	-4.400000	0.02727	-1.519682	0.345382	* 2
4 STEK1000	-6.200000	0.043871	-1.319382	0.212804	* 2

NUCLIDE = EV153

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-6.140000	0.066775	-7.00709	1.141212	* 3
2 STEK3000	-5.050000	0.095054	-5.808242	1.150143	* 2
3 STEK2000	-4.440000	0.094545	-4.929917	1.110342	* 2
4 STEK1000	-3.410000	0.070381	-3.897133	1.142854	* 3

\* END OF FORTRAN \*

## Appendix 1. Group Cross Sections of 28 Nuclides

\*\*\* NUCLIDE GRP 90 \*\*\*

26 GROUP STRUCTURE					25 GROUP STRUCTURE				
GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.36494E 01	2.26478E 00	1.72467E 00	4.26519E-05	1	4.26508E 00	2.49493E 00	1.76995E 00	1.82269E-04
2	4.23078E 00	2.44646E 00	1.78092E 00	2.07629E-04	2	3.81129E 00	2.68745E 00	1.82905E 00	6.10875E-04
3	4.01139E 00	2.23296E 00	1.80812E 00	4.16674E-04	3	3.84467E 00	2.12186E 00	1.87699E 00	1.7926E-03
4	4.27560E 00	2.06148E 00	1.81328E 00	7.18032E-04	4	4.54944E 00	3.04547E 00	1.50345E 00	4.17193E-03
5	7.77040E 00	2.05997E 00	1.91420E 00	1.24737E-03	5	5.84905E 00	4.94120E 00	8.85653E-01	4.79246E-03
6	5.91460E 00	2.10503E 00	1.83579E 00	2.22302E-03	6	7.43601E 00	7.42471E 00	0.0	1.12966E-02
7	4.05578E 00	2.16627E 00	1.66019E 00	4.19661E-03	7	4.46272E 00	8.49098E 00	0.0	1.17412E-02
8	5.17148E 00	3.40070E 00	1.41225E 00	4.16830E-03	8	8.64402E 00	8.63675E 00	0.0	1.12667E-02
9	5.17625E 00	4.25218E 00	1.22103E 00	5.61177E-03	9	5.70703E 00	8.49504E 00	0.0	1.19908E-02
10	4.19153E 00	5.58124E 00	5.74652E-01	5.83874E-03	10	8.42361E 00	8.40417E 00	0.0	1.85212E-02
11	7.49527E 00	6.92121E 00	0.0	1.19789E-02	11	8.36000E 00	8.32539E 00	0.0	3.27503E-02
12	7.47981E 00	7.46601E 00	0.0	1.20000E-02	12	9.28716E 00	9.19928E 00	0.0	7.61042E-02
13	7.49277E 00	7.91137E 00	0.0	1.00906E-02	13	1.00906E 01	9.91277E 00	0.0	1.26038E-01
14	8.27039E 00	8.25964E 00	0.0	1.17521E-02	14	1.17649E 01	1.15539E 01	0.0	2.05888E-01
15	8.49433E 00	9.48178E 00	0.0	1.18283E-02	15	1.43803E 01	1.40815E 01	0.0	2.98799E-01
16	4.19230E 00	6.63113E 00	0.0	1.16661E-02	16	1.75958E 01	1.71816E 01	0.0	4.10829E-01
17	4.06327E 00	8.63116E 00	0.0	1.14971E-02	17	2.30909E 01	2.27822E 01	0.0	6.89377E-01
18	4.66482E 00	9.63675E 00	0.0	1.12666E-02	18	5.48300E 00	5.46944E 00	0.0	1.35838E-02
19	4.67831E 00	9.62171E 00	0.0	1.11452E-02	19	5.49065E 00	5.46929E 00	0.0	2.13490E-02
20	4.57880E 00	9.57439E 00	0.0	1.14074E-02	20	5.50152E 00	5.46927E 00	0.0	3.22722E-02
21	4.51554E 00	9.50106E 00	0.0	1.14814E-02	21	5.51718E 00	5.46914E 00	0.0	4.80328E-02
22	8.46255E 00	8.46014E 00	0.0	1.24044E-02	22	5.44031E 00	5.46915E 00	0.0	7.11548E-02
23	4.38881E 00	8.42425E 00	0.0	5.54949E-02	23	5.57391E 00	5.46915E 00	0.0	1.04756E-01
24	4.47269E 00	8.40753E 00	0.0	1.87573E-02	24	5.62302E 00	5.46914E 00	0.0	1.53886E-01
25	4.11680E 00	8.39397E 00	0.0	2.19227E-02	25	5.69359E 00	5.46914E 00	0.0	2.26235E-01
26	8.46334E 00	8.41469E 00	0.0	2.15535E-02					
27	8.50552E 00	8.51176E 00	0.0	3.32720E-02					
28	8.62500E 00	8.55659E 00	0.0	3.99025E-02					
29	8.67556E 00	8.51497E 00	0.0	5.36415E-02					
30	9.21469E 00	9.13591E 00	0.0	7.78620E-02					
31	9.47356E 00	9.37830E 00	0.0	9.52529E-02					
32	9.67477E 00	9.56651E 00	0.0	1.04264E-01					
33	9.48233E 00	9.74598E 00	0.0	1.19735E-01					
34	1.05278E 01	1.01724E 01	0.0	1.51049E-01					
35	1.11713E 01	1.04983E 01	0.0	1.83055E-01					
36	1.16637E 01	1.14570E 01	0.0	2.04649E-01					
37	1.20433E 01	1.18113E 01	0.0	2.24908E-01					
38	1.31072E 01	1.28134E 01	0.0	2.34847E-01					
39	1.44492E 01	1.41421E 01	0.0	3.00390E-01					
40	1.54727E 01	1.51406E 01	0.0	3.32132E-01					
41	1.62804E 01	1.59237E 01	0.0	3.56777E-01					
42	1.70001E 01	1.65274E 01	0.0	3.81743E-01					
43	1.99900E 01	1.87347E 01	0.0	4.91430E-01					
44	2.14760E 01	2.04684E 01	0.0	6.07116E-01					
45	2.11483E 01	2.24295E 01	0.0	6.92511E-01					
46	2.04437E 01	2.36704E 01	0.0	7.54354E-01					
47	5.44995E 00	5.46699E 00	0.0	1.14870E-02					
48	5.44279E 00	5.46444E 00	0.0	1.34354E-02					
49	5.44517E 00	5.46439E 00	0.0	1.57831E-02					
50	5.44766E 00	5.46193E 00	0.0	1.81342E-02					
51	5.44051E 00	5.46430E 00	0.0	2.12272E-02					
52	5.44917E 00	5.46228E 00	0.0	2.44695E-02					
53	5.44973E 00	5.46922E 00	0.0	2.81391E-02					
54	5.50114E 00	5.46493E 00	0.0	3.22646E-02					
55	5.50157E 00	5.46492E 00	0.0	3.62986E-02					
56	5.51097E 00	5.46617E 00	0.0	4.18224E-02					
57	5.51706E 00	5.46415E 00	0.0	4.76077E-02					
58	5.52345E 00	5.46417E 00	0.0	5.45174E-02					
59	5.53127E 00	5.46414E 00	0.0	6.21298E-02					
60	5.53374E 00	5.46416E 00	0.0	7.04790E-02					
61	5.54087E 00	5.46694E 00	0.0	8.07235E-02					
62	5.56077E 00	5.46691E 00	0.0	9.14165E-02					
63	5.57363E 00	5.46620E 00	0.0	1.04460E-01					
64	5.58753E 00	5.46641E 00	0.0	1.18394E-01					
65	5.60342E 00	5.46414E 00	0.0	1.34790E-01					
66	5.62249E 00	5.46415E 00	0.0	1.53365E-01					
67	5.64910E 00	5.46613E 00	0.0	1.73965E-01					
68	5.66706E 00	5.466914E 00	0.0	1.97913E-01					
69	5.69350E 00	5.466910E 00	0.0	2.24372E-01					
70	5.72552E 00	5.46614E 00	0.0	2.55380E-01					

**JAERI-M 6001**

\*\*\* NUCLEUS Z= 93 \*\*\*

**70 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	6.17425E-00	2.64310E-01	3.73041E-01	2.26939E-01	1	4.25792E-00	2.47351E-00	1.78387E-00	4.85531E-04
2	4.22113E-00	2.42315E-01	1.77474E-01	5.50654E-01	2	3.31327E-00	2.13457E-00	1.64097E-00	2.34480E-03
3	4.00474E-00	2.22218E-01	1.83007E-01	1.37174E-01	3	3.00375E-00	2.35692E-00	1.80699E-00	2.98382E-02
4	3.77846E-00	2.11743E-01	1.85490E-01	2.47747E-01	4	3.73037E-00	3.54591E-00	1.13166E-00	6.33992E-02
5	3.80842E-00	2.11422E-01	1.49091E-01	1.46319E-02	5	6.13405E-00	5.33173E-01	7.47394E-01	5.50024E-02
6	3.40303E-00	2.48415E-01	1.70105E-01	4.47105E-02	6	7.77079E-00	6.59779E-01	7.25935E-01	4.86814E-02
7	6.40554E-00	3.05213E-01	1.30387E-01	6.46724E-02	7	6.83208E-00	6.01260E-01	1.55917E-01	5.14471E-02
8	5.01257E-00	4.00333E-01	6.71675E-01	2.22174E-01	8	8.04966E-00	4.91654E-00	0.0	7.10376E-02
9	5.74483E-00	4.42326E-01	7.53872E-01	5.75960E-02	9	8.73263E-00	8.60877E-01	0.0	1.18803E-01
10	6.49713E-00	7.41463E-01	5.26210E-01	6.26210E-02	10	8.47231E-00	8.21804E-01	0.0	2.38833E-01
11	2.29323E-00	6.47012E-01	7.72693E-01	4.94144E-02	11	8.45601E-00	6.02455E-01	0.0	4.12562E-01
12	2.11457E-00	7.00043E-01	7.56769E-01	4.48430E-02	12	8.49722E-00	6.20001E-01	0.0	7.32275E-01
13	2.27316E-00	7.58611E-01	6.43741E-01	4.77331E-02	13	9.57324E-00	6.49931E-01	0.0	1.06678E-00
14	2.64728E-00	8.23528E-01	3.70974E-01	4.85127E-02	14	1.10320E-01	9.32717E-01	0.0	1.66183E-00
15	2.46894E-00	8.70043E-01	6.27370E-01	5.09366E-02	15	1.33033E-01	1.04680E-01	0.0	2.91636E-00
16	6.00554E-00	9.41760E-01	0.0	5.46111E-02	16	1.61060E-01	1.14031E-01	0.0	4.65127E-00
17	9.32945E-00	9.96816E-01	0.0	6.29327E-02	17	2.12785E-01	1.27554E-01	0.0	8.25998E-00
18	8.84968E-00	9.41915E-01	0.0	7.31900E-02	18	6.20794E-01	5.87529E-01	0.0	3.32911E-01
19	2.36421E-00	8.68513E-01	0.0	7.92818E-02	19	6.49514E-01	5.61161E-01	0.0	8.35295E-02
20	8.87154E-00	4.77673E-01	0.0	9.55050E-02	20	5.69327E-01	5.59861E-01	0.0	9.46937E-02
21	8.74812E-00	9.62771E-01	0.0	1.20289E-01	21	5.72320E-01	5.59482E-01	0.0	1.28393E-01
22	8.65934E-00	9.51115E-01	0.0	1.40491E-01	22	5.77641E-01	5.59339E-01	0.0	1.8310E-01
23	8.56119E-00	8.36913E-01	0.0	1.94970E-01	23	5.85871E-01	5.59274E-01	0.0	2.65920E-01
24	8.45881E-00	9.24665E-01	0.0	2.49448E-01	24	5.98050E-01	5.59252E-01	0.0	3.87964E-01
25	8.43096E-00	8.13433E-01	0.0	2.82629E-01	25	6.16110E-01	5.56237E-01	0.0	5.68705E-01
26	8.41152E-00	8.07061E-01	0.0	3.31494E-01					
27	8.44497E-01	8.03010E-01	0.0	4.10474E-01					
28	8.48111E-00	7.94814E-01	0.0	4.86768E-01					
29	8.66122E-00	9.05735E-01	0.0	5.98765E-01					
30	8.99059E-00	9.17812E-01	0.0	7.14722E-01					
31	9.11466E-00	8.26714E-01	0.0	8.41592E-01					
32	9.27273E-00	8.33713E-01	0.0	9.34959E-01					
33	6.41636E-00	8.40407E-01	0.0	1.01058E-01					
34	6.09561E-00	8.72712E-01	0.0	1.24546E-01					
35	1.11528E-01	9.03428E-01	0.0	1.44477E-01					
36	1.09401E-01	9.27407E-01	0.0	1.66709E-01					
37	1.12484E-01	9.46211E-01	0.0	1.86651E-01					
38	1.21612E-01	9.85379E-01	0.0	2.27761E-01					
39	1.33457E-01	1.03548E-01	0.0	2.96666E-01					
40	1.42516E-01	1.07931E-01	0.0	3.59754E-01					
41	1.44584E-01	1.10847E-01	0.0	3.91417E-01					
42	1.35904E-01	1.12849E-01	0.0	4.30043E-01					
43	1.74909E-01	1.19151E-01	0.0	5.72077E-01					
44	1.45902E-01	1.23154E-01	0.0	7.20329E-01					
45	2.09767E-01	1.26711E-01	0.0	8.29759E-01					
46	2.21012E-01	1.29608E-01	0.0	9.14131E-01					
47	6.99324E-00	6.27076E-01	0.0	7.22416E-01					
48	5.87512E-00	5.70709E-01	0.0	1.65931E-01					
49	5.74707E-00	5.64274E-01	0.0	1.04049E-01					
50	5.70497E-00	5.62019E-01	0.0	8.44134E-02					
51	5.69166E-00	5.61099E-01	0.0	8.145709E-02					
52	5.64690E-00	5.60478E-01	0.0	8.26196E-02					
53	5.64780E-00	5.60066E-01	0.0	8.71954E-02					
54	5.69923E-00	5.59837E-01	0.0	9.42080E-02					
55	5.69955E-00	5.59874E-01	0.0	1.02779E-01					
56	5.71073E-00	5.59552E-01	0.0	1.14168E-01					
57	5.72267E-00	5.594672E-01	0.0	1.275960E-01					
58	5.73733E-00	5.59415E-01	0.0	1.43395E-01					
59	5.75523E-00	5.59436E-01	0.0	1.61521E-01					
60	5.77536E-00	5.59335E-01	0.0	1.81573E-01					
61	5.74901E-00	5.59312E-01	0.0	2.06n79E-01					
62	5.82632E-00	5.59288E-01	0.0	2.314301-01					
63	5.85790E-00	5.59213E-01	0.0	2.481397E-01					
64	5.89217E-00	5.59265E-01	0.0	2.996495E-01					
65	5.93299E-00	5.59255E-01	0.0	3.40n499E-01					
66	5.97912E-00	5.59221E-01	0.0	3.86422E-01					
67	6.03052E-00	5.59250E-01	0.0	4.33n10E-01					
68	6.09027E-00	5.59241E-01	0.0	4.97n33E-01					
69	6.15636E-00	5.59236E-01	0.0	5.6n498E-01					
70	6.23441E-00	5.59214E-01	0.0	6.44n91E-01					

**45 GROUP STRUCTURE**

**JAERI-M 6001**

\*\*\* NUCLEIDE NO. 95 \*\*\*

**7 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.37657E 00	2.63946E 00	1.73647E 00	6.02503E-04	1	4.25033E 00	2.45662E 00	1.79230E 00	1.27635E-03
2	4.21148E 00	2.40216E 00	1.80707E 00	1.46674E-03	2	3.81416E 00	2.05611E 00	1.84403E 00	4.25801E-03
3	3.94774E 00	2.17491E 00	1.84343E 00	2.94277E-03	3	3.05204E 00	2.18139E 00	1.88859E 00	8.79911E-03
4	3.78701E 00	2.03276E 00	1.84922E 00	5.00153E-03	4	4.85571E 00	3.05491E 00	1.77882E 00	2.29821E-02
5	3.83709E 00	2.07224E 00	1.93480E 00	7.49725E-03	5	6.29466E 00	4.82047E 00	1.41824E 00	5.99863E-02
6	4.04116E 00	2.27430E 00	1.69571E 00	1.01115E-02	6	7.44097E 00	7.00237E 00	4.44980E-01	9.43492E-02
7	4.51710E 00	2.70502E 00	1.77707E 00	1.46040E-02	7	9.02125E 00	8.51344E 00	4.22217E-01	1.03589E-01
8	4.36035E 00	3.37915E 00	1.76195E 00	3.04856E-02	8	7.17291E 00	9.01959E 00	0.0	1.49289E-01
9	4.90166E 00	4.23205E 00	1.62577E 00	4.52919E-02	9	8.86521E 00	8.63670E 00	0.0	2.23708E-01
10	6.65939E 00	9.04694E 00	1.77256E 00	7.36036E-02	10	8.51508E 00	8.07444E 00	0.0	4.12315E-01
11	7.42922E 00	6.47194E 00	6.45418E-01	9.68213E-02	11	8.04092E 00	7.70920E 00	0.0	6.72822E-01
12	7.98445E 00	7.07216E 00	8.78192E-01	9.40784E-02	12	8.81197E 00	7.65992E 00	0.0	1.10069E 00
13	8.44544E 00	7.22240E 00	6.30374E-01	9.20111E-02	13	9.32807E 00	7.78213E 00	0.0	1.53642E 00
14	8.81442E 00	8.04110E 00	6.17900E-01	9.44934E-02	14	1.06448E 01	8.26431E 00	0.0	2.32655E 00
15	8.05445E 00	4.52117E 01	4.21633E-01	1.02510E-01	15	1.27191E 01	8.85546E 00	0.0	3.89081E 00
16	8.14562E 00	8.95717E 01	1.64854E-01	1.14956E-01	16	1.43371E 01	9.31644E 00	0.0	5.97244E 00
17	8.21488E 00	9.04690E 00	0.0	1.34268E-01	17	2.01446E 01	9.89030E 00	0.0	9.96409E 00
18	8.17291E 00	9.01195E 00	0.0	1.55133E-01	18	3.49443E 01	1.97907E 01	0.0	1.51329E 01
19	8.14163E 00	8.78202E 00	0.1	1.61465E-01	19	2.04331E 02	1.00784E 02	0.0	1.03545E 02
20	8.03439E 00	8.34338E 00	0.0	1.90597E-01	20	6.60273E 00	5.91382E 00	0.0	6.88911E-01
21	8.48816E 00	8.66072E 00	0.0	2.23410E-01	21	6.65482E 00	5.80900E 00	0.0	8.45817E-01
22	8.74693E 00	8.51785E 00	0.1	2.51445E-01	22	7.03119E 00	5.78101E 00	0.0	1.29005E 00
23	8.61123E 00	8.30591E 00	0.1	3.31163E-01	23	7.44149E 00	5.77193E 00	0.0	1.86937E 00
24	8.53379E 00	8.15399E 00	0.1	4.14040E-01	24	8.54404E 00	5.76777E 00	0.0	2.77628E 00
25	8.45966E 00	7.96890E 00	0.0	4.82056E-01	25	9.87198E 00	5.76594E 00	0.0	4.10620E 00
26	8.40507E 00	7.88707E 00	0.0	5.00740E-01					
27	8.40777E 00	7.72422E 00	0.0	6.82917E-01					
28	8.41116E 00	7.63228E 00	0.0	7.79184E-01					
29	8.55530E 00	7.61840E 00	0.0	9.27960E-01					
30	8.76882E 00	7.65267E 00	0.0	1.11614E 00					
31	8.93387E 00	7.77887E 00	0.0	1.25499E 00					
32	9.04620E 00	7.69992E 00	0.0	1.34298E 00					
33	9.14667E 00	7.72542E 00	0.0	1.46123E 00					
34	9.69849E 00	7.90994E 00	0.0	1.77364E 00					
35	1.01908E 01	8.09429E 00	0.1	2.09448E 00					
36	1.05700E 01	8.23531E 00	0.0	2.39474E 00					
37	1.04662E 01	8.19437E 00	0.1	2.51449E 00					
38	1.16852E 01	8.55908E 00	0.1	3.1n425E 00					
39	1.27191E 01	8.80474E 00	0.1	3.97842E 00					
40	1.36187E 01	8.99944E 00	0.0	4.61949E 00					
41	1.42549E 01	9.14952E 00	0.1	5.11952E 00					
42	1.44872E 01	9.27317E 00	0.0	5.54408E 00					
43	1.47163E 01	9.49437E 00	0.1	7.14604E 00					
44	1.48496E 01	9.70203E 00	0.1	9.79745E 00					
45	1.49424E 01	9.87849E 00	0.1	1.00256E 01					
46	2.00115E 01	9.47873E 00	0.1	1.09372E 01					
47	5.94947E 00	5.83068E 00	0.0	1.34944E-01					
48	7.52345E 00	6.63444E 00	0.0	4.14834E-01					
49	9.27901E 00	4.76481E 01	0.0	4.51404E 01					
50	6.00627E 02	2.90873E 02	0.0	3.09752E 02					
51	9.17586E 00	7.14662E 00	0.0	2.01398E 00					
52	7.13405E 00	6.20998E 00	0.1	9.24217E-01					
53	6.69843E 01	5.99810E 01	0.1	7.10711E-01					
54	6.56674E 00	5.85917E 00	0.0	5.67973E-01					
55	6.57118E 00	5.87354E 00	0.0	5.87547E-01					
56	6.57139E 00	5.82468E 00	0.0	5.48409E-01					
57	6.64492E 00	5.89467E 00	0.0	5.40118E-01					
58	6.74623E 00	5.77526E 00	0.0	4.50598E-01					
59	6.87563E 00	5.78719E 00	0.1	1.08545E 00					
60	7.02044E 00	5.74152E 00	0.0	1.23442E 00					
61	7.20224E 00	5.77707E 00	0.0	1.42519E 00					
62	7.40048E 00	5.77405E 00	0.0	1.62643E 00					
63	7.43575E 00	5.77171E 00	0.0	1.86403E 00					
64	7.49196E 00	5.76944E 00	0.0	2.12197E 00					
65	8.19320E 00	5.76568E 00	0.0	2.42459E 00					
66	8.51143E 00	5.76769E 00	0.0	2.76873E 00					
67	8.91284E 00	5.76641E 00	0.0	3.14548E 00					
68	9.35247E 00	5.76633E 00	0.0	3.58614E 00					
69	9.83781E 00	5.76587E 00	0.0	4.07190E 00					
70	1.04238E 01	5.76460E 00	0.0	4.65471E 00					

**25 GROUP STRUCTURE**

# JAERI-M 6001

\*\*\* NUCLEDF 100-47 \*\*\*

## 70 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.37907E 00	2.63356E 00	1.74524E 00	2.65453E-04	1	4.24134E 00	2.43831E 00	1.80230E 00	6.55543E-04
2	4.20012E 00	2.38145E 00	1.61778E 00	2.65728E-04	2	3.81511E 00	2.00220E 00	1.85479E 00	2.78238E-03
3	3.99990E 00	2.14487E 00	1.86677E 00	1.77633E-03	3	3.99926E 00	2.18569E 00	1.88962E 00	6.68414E-03
4	3.7K918E 00	1.97509E 00	1.85820E 00	3.34649E-03	4	4.96032E 00	3.15967E 00	1.80239E 00	1.94096E-02
5	3.68446E 00	2.05433E 00	1.44834E 00	5.44620E-03	5	6.44694E 00	4.81375E 00	1.58193E 00	5.51400E-02
6	4.12500E 00	2.30312E 00	1.87837E 00	7.87573E-03	6	8.66778E 00	7.61984E 00	3.62913E-01	9.04716E-02
7	4.62462E 00	2.78125E 00	1.52421E 00	1.21459E-02	7	9.14632E 00	9.06657E 00	0.0	9.97471E-02
8	5.30000E 00	3.59163E 00	1.78217E 00	2.61517E-02	8	9.30723E 00	9.17391E 00	0.0	1.26745E-01
9	6.05467E 00	4.32871E 00	1.64205E 00	4.57477E-02	9	8.96846E 00	8.75174E 00	0.0	2.04390E-01
10	6.81118E 00	5.25933E 00	1.46811E 00	6.38468E-02	10	8.53290E 00	8.11097E 00	0.0	4.01521E-01
11	7.55886E 00	6.68843E 00	8.00198E-01	8.26869E-02	11	8.36214E 00	7.67332E 00	0.0	6.61346E-01
12	8.11924E 00	7.75812E 00	2.56513E-01	4.49394E-02	12	8.66787E 00	7.43804E 00	0.0	1.14749E 00
13	8.56172E 00	8.45351E 00	2.43326E-01	4.44556E-02	13	9.11207E 00	7.44093E 00	0.0	1.65142E 00
14	8.94718E 00	8.83779E 00	0.0	4.49549E-02	14	1.03174E 01	7.79770E 00	0.0	2.46108E 00
15	9.17A06E 00	9.07960E 00	0.0	9.86549E-02	15	1.22657E 01	6.24059E 00	0.0	4.03153E 00
16	9.32406E 00	9.21482E 00	0.0	1.05249E-01	16	1.46922E 01	8.27174E 00	0.0	6.07327E 00
17	9.34A03E 00	9.23084E 00	0.0	1.17141E-01	17	1.91389E 01	8.89672E 00	0.0	9.98973E 00
18	9.30234E 00	9.17401E 00	0.0	1.29331E-01	18	1.95960E 01	6.49543E 00	0.0	9.03820E 00
19	9.27126E 00	9.07712E 00	0.0	1.37912E-01	19	5.76825E 00	5.73481E 00	0.0	3.34092E-02
20	9.15579E 00	8.98741E 00	0.1	1.64848E-01	20	5.78670E 00	5.73404E 00	0.0	4.66254E-02
21	8.81192E 00	8.77791E 00	0.0	2.07038E-01	21	5.82399E 00	5.73391E 00	0.0	8.91842E-02
22	8.45765E 00	8.61245E 00	0.0	2.10577E-01	22	5.89155E 00	5.73390E 00	0.0	1.59674E-01
23	8.70004E 00	8.37385E 00	0.0	3.29255E-01	23	5.99925E 00	5.73383E 00	0.0	2.61415E-01
24	8.56481E 00	8.15727E 00	0.0	4.07333E-01	24	6.13911E 00	5.73349E 00	0.0	4.05287E-01
25	8.46401E 00	7.99668E 00	0.0	4.70441E-01	25	6.34761E 00	5.73381E 00	0.0	6.11794E-01
26	8.39268E 00	7.84522E 00	0.0	5.46131E-01					
27	8.36481E 00	7.69344E 00	0.0	5.71364E-01					
28	8.34524E 00	7.57496E 00	0.0	7.68272E-01					
29	8.45340E 00	7.55384E 00	0.0	9.36566E-01					
30	8.63213E 00	7.46004E 00	0.0	1.16610E 00					
31	8.76K82E 00	7.43366E 00	0.0	1.33523E 00					
32	8.47496E 00	7.41196E 00	0.0	1.46300E 00					
33	8.39086E 00	7.40288E 00	0.0	1.57744E 00					
34	9.44464E 00	7.33307E 00	0.0	1.91077E 00					
35	9.49987E 00	7.67112E 00	0.0	2.22774E 00					
36	1.02463E 01	7.77611E 00	0.0	2.47022E 00					
37	1.05143E 01	7.85707E 00	0.0	2.65711E 00					
38	1.12816E 01	8.01200E 00	0.0	3.23397E 00					
39	1.25030E 01	8.25250E 00	0.0	4.10246E 00					
40	1.30876E 01	8.38411E 00	0.0	4.73906E 00					
41	1.36954E 01	8.46131E 00	0.0	5.22490E 00					
42	1.42448E 01	8.52170E 00	0.0	5.69306E 00					
43	1.59792E 01	8.64276E 00	0.0	7.26014E 00					
44	1.76428E 01	8.74726E 00	0.0	8.84949E 00					
45	1.89153E 01	8.84848E 00	0.0	1.00105E 01					
46	1.98456E 01	8.99701E 00	0.0	1.09642E 01					
47	8.19618E 00	5.92233E 00	0.0	2.20994E 00					
48	8.24920E 01	7.80930E 01	0.0	2.46795E 01					
49	8.83168E 00	5.74004E 00	0.0	9.14966E-02					
50	5.77701E 00	5.73548E 00	0.0	3.79002E-02					
51	5.76535E 00	5.73465E 00	0.0	3.06731E-02					
52	5.76449E 00	5.73393E 00	0.0	5.20976E-02					
53	5.77169E 00	5.73318E 00	0.0	3.75457E-02					
54	5.78000E 00	5.73308E 00	0.0	4.59517E-02					
55	5.77405E 00	5.73400E 00	0.0	5.64971E-02					
56	5.80482E 00	5.73393E 00	0.0	7.04792E-02					
57	5.82247E 00	5.73399E 00	0.0	8.85450E-02					
58	5.84242E 00	5.73399E 00	0.0	1.085941E-01					
59	5.86579E 00	5.73390E 00	0.0	1.31904E-01					
60	5.84185E 00	5.73190E 00	0.0	1.57969E-01					
61	5.92292E 00	5.73399E 00	0.0	1.89051E-01					
62	5.95566E 00	5.73382E 00	0.0	2.22130E-01					
63	5.99453E 00	5.73366E 00	0.0	2.60684E-01					
64	6.03586E 00	5.73381E 00	0.0	3.02039E-01					
65	6.08189E 00	5.73380E 00	0.0	3.50042E-01					
66	6.13773E 00	5.73382E 00	0.0	4.03927E-01					
67	6.19702E 00	5.73387E 00	0.0	4.63179E-01					
68	6.26535E 00	5.73380E 00	0.0	5.91542E-01					
69	6.34041E 00	5.73380E 00	0.0	6.06615E-01					
70	6.43078E 00	5.73384E 00	0.0	6.96942E-01					

# JAERI-M 6001

\*\*\* NUCLEIDE TC= 99 \*\*\*

## 70 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.34473F+00	2.62712F+00	1.75731E+00	4.43370E-04
2	6.19450F+00	2.36245F+00	1.63052E+00	1.36225E-03
3	3.98527F+00	2.11817F+00	1.47153E+00	3.28387E-03
4	3.79333F+00	1.93815F+01	1.41304E+00	6.30205E-03
5	4.39369E+00	2.03702F+01	1.49416E+00	1.06293E-02
6	4.18426F+00	2.35760F+01	1.84452E+00	1.61319E-02
7	4.71717F+00	2.53681F+01	1.79000E+00	2.61989E-02
8	5.42419F+00	3.88139F+01	1.55758E+00	4.13674E-02
9	6.11674F+00	4.79967F+01	1.21172E+00	1.59287E-01
10	6.49016F+00	5.59949F+01	1.14112E+00	1.68655E-01
11	7.42780F+00	6.37433F+01	1.09698E+00	1.42191E-01
12	8.14961F+00	6.85818F+01	1.18097E+00	1.41392E-01
13	8.54091F+00	7.24556F+01	1.18210E+00	1.63222E-01
14	8.94651F+00	7.61340F+01	1.14699E+00	1.74127E-01
15	9.11110F+00	7.94229F+01	1.00647E+00	1.97209E-01
16	9.32606F+00	8.37425F+01	7.97390E-01	2.31222E-01
17	9.35424F+00	8.61889F+01	3.32293E-01	2.97595E-01
18	9.31144F+00	8.71174F+01	1.03123E-01	3.75000E-01
19	9.39421F+00	8.61688F+01	0.000	2.29731E-01
20	9.16239F+00	8.64439F+01	0.000	5.09337E-01
21	8.99097F+00	8.30439F+01	0.000	6.24933E-01
22	8.45852F+01	8.14133F+01	0.000	7.11919E-01
23	8.44657F+01	7.74910F+01	0.000	8.91447E-01
24	8.53720F+01	7.47710F+01	0.000	1.06415E+00
25	8.42162F+01	7.22493F+01	0.000	1.19112E+00
26	8.38403F+01	7.02267F+01	0.000	1.31697E+00
27	8.27956F+01	6.80533F+01	0.000	1.44932E+00
28	8.24174F+01	6.63239F+01	0.000	1.61935E+00
29	8.34846F+01	6.54102F+01	0.000	1.80195E+00
30	8.50254F+01	6.44926F+01	0.000	2.01428E+00
31	8.62044F+01	6.44645F+01	0.000	2.17476E+00
32	8.71119E+01	6.41382F+01	0.000	2.29114E+00
33	8.80732F+01	6.39154F+01	0.000	2.41374E+00
34	8.27794F+01	6.41177F+01	0.000	2.82410E+00
35	8.64292F+01	6.44185F+01	0.000	3.22104E+00
36	8.49802F+01	6.46130F+01	0.000	3.52271E+00
37	8.02387F+01	6.47987F+01	0.000	3.75662E+00
38	1.00953F+01	6.50749F+01	0.000	4.42637E+00
39	1.19372F+01	6.53362F+01	0.000	5.41591E+00
40	1.26607F+01	6.55559F+01	0.000	6.12011E+00
41	1.32277F+01	6.57202F+01	0.000	6.64910E+00
42	1.37801F+01	6.59697F+01	0.000	7.10551E+00
43	1.54451F+01	6.58400F+01	0.000	8.80288E+00
44	1.71627F+01	6.56317F+01	0.000	1.04625E+01
45	1.42648F+01	6.57724F+01	0.000	1.14475E+01
46	1.92671F+01	6.47498F+01	0.000	1.22321E+01
47	5.87044F+01	5.81534F+01	0.000	6.25729E-02
48	6.61761F+01	5.82120F+01	0.000	7.05231E-01
49	1.24833F+01	5.87714F+01	0.000	8.80580E+00
50	1.11671F+01	5.83654F+01	0.000	9.31005E+00
51	6.22776F+01	5.81815F+01	0.000	4.09111E-01
52	2.33127F+01	4.09104F+01	0.000	1.72167E+01
53	7.24438F+01	4.26475F+01	0.000	1.95751E+01
54	7.20082F+01	4.22970F+01	0.000	1.37512E+00
55	7.12137F+01	4.82977F+01	0.000	1.24558E+00
56	9.55494F+01	5.84710F+01	0.000	3.71756E+00
57	1.21917F+02	6.73249F+01	0.000	1.11170E+02
58	4.10115F+02	6.91294F+01	0.000	4.01441E+02
59	2.71112F+01	9.05644F+01	0.000	2.19554E+01
60	2.83736F+01	5.86193F+01	0.000	6.51270E+00
61	1.11661F+01	5.87052F+01	0.000	5.82655E+00
62	7.07075F+01	5.63103F+01	0.000	4.96478E+00
63	1.04847F+01	5.82869F+01	0.000	4.65940E+00
64	1.04792F+01	5.82629F+01	0.000	4.65312E+00
65	1.06110E+01	5.82495F+01	0.000	4.82633E+00
66	1.09616F+01	5.82425F+01	0.000	5.11775E+00
67	1.13784F+01	5.82335F+01	0.000	5.55521E+00
68	1.19173F+01	5.82315F+01	0.000	6.00433E+00
69	1.25506F+01	5.82305F+01	0.000	6.72773E+00
70	1.33676F+01	5.82222F+01	0.000	7.52560E+00

## 25 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.23758E+00	2.42170E+00	1.81458E+00	1.16032E-03
2	3.42364E+00	1.96659E+00	1.86390E+00	5.23060E-03
3	4.04537E+00	2.18048E+00	1.89032E+00	1.35557E-02
4	5.08700E+00	3.36380E+00	1.66917E+00	4.45004E-02
5	6.35256E+00	5.21589E+00	1.17329E+00	1.68128E-01
6	8.11415E+00	6.81686E+00	1.13923E+00	1.61952E-01
7	9.19136E+00	7.99786E+00	9.71384E-01	1.99699E-01
8	9.32063E+00	8.73374E+00	1.41259E-01	3.56162E-01
9	8.96690E+00	8.32622E+00	0.000	6.18305E-01
10	8.50527E+00	7.40549E+00	0.000	1.05182E+00
11	8.29042E+00	6.77874E+00	0.000	1.48134E+00
12	8.43336E+00	6.47730E+00	0.000	2.00627E+00
13	8.92927E+00	6.40554E+00	0.000	2.91161E+00
14	1.00549E+01	6.46772E+00	0.000	3.51427E+00
15	1.39003E+01	6.33956E+00	0.000	5.32360E+00
16	1.42112E+01	6.58111E+00	0.000	7.56114E+00
17	1.49161E+01	6.57664E+00	0.000	1.16454E+01
18	4.76270E+00	5.83764E+00	0.000	2.92454E+00
19	1.35903E+01	5.91454E+00	0.000	7.61381E+00
20	2.91491E+01	6.17701E+00	0.000	2.29702E+01
21	1.78994E+02	7.15294E+00	0.000	1.77784E+02
22	1.77641E+01	5.88546E+00	0.000	1.18784E+01
23	1.02896E+01	5.82992E+00	0.000	4.76037E+00
24	1.09941E+01	5.8241RE+00	0.000	3.17008E+00
25	1.26060E+01	5.82242E+00	0.000	6.78334E+00

**JAERI-M 6001**

\*\*\* NUCL IDE NU=101 \*\*\*

70 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.39083E 00	2.61457E 00	1.77114E 00	9.43594E-04
2	4.18875F 00	2.34165F 00	1.44342E 00	3.04190E-03
3	3.94037F 00	2.10509E 00	1.88612E 00	7.55704E-03
4	3.80371E 00	1.49437E 00	1.47297E 00	1.44946E-02
5	3.92726F 00	2.03343E 00	1.46024E 00	2.30075E-02
6	4.23949E 00	2.37743E 00	1.47584E 00	3.11397E-02
7	4.80546F 00	2.90765E 00	1.45921E 00	3.46101E-02
8	5.55517E 00	1.60131F 00	1.48533E 00	4.67242E-02
9	6.26790F 00	4.27406E 00	1.43059E 00	6.12056E-02
10	6.47479F 00	4.89474F 00	1.49994E 00	8.46611E-02
11	7.66251F 00	5.49943E 00	2.06163E 00	1.04644E-01
12	8.19144F 00	5.98150F 00	2.03779E 00	1.97642E-01
13	8.55480F 00	6.52169E 00	1.86626E 00	1.70642E-01
14	8.88666F 00	7.30224F 00	1.36028E 00	2.36274E-01
15	9.11444F 00	7.90975F 00	8.46365E-01	3.46781E-01
16	9.25536F 00	8.16169F 00	7.05826E-01	3.91556E-01
17	9.28207F 00	8.32880F 00	4.09682E-01	4.92659E-01
18	9.24392F 00	8.41921E 01	6.59855E-02	6.12667E-01
19	9.22032F 00	8.47674F 00	0.0	6.84594E-01
20	9.11157E 00	8.23691E 00	0.0	8.08912E-01
21	8.93217F 00	7.96059F 00	0.0	9.71591E-01
22	8.80125E 00	7.70641F 00	0.0	1.09848E 00
23	8.62494F 00	7.33286F 00	0.0	1.26204E 00
24	8.47663F 00	7.00053F 00	0.0	1.47012E 00
25	8.15127F 00	6.74338F 00	0.0	1.67078E 00
26	8.26660F 00	6.53442E 00	0.0	1.73166E 00
27	8.21108F 00	6.33469F 00	0.0	1.87634E 00
28	8.17014F 00	6.13319F 00	0.0	1.93949E 00
29	8.24548F 00	6.03294F 00	0.0	2.14524E 00
30	8.19441F 00	6.04470E 00	0.0	2.34171E 00
31	8.49419F 00	6.02781E 01	0.0	2.48639E 00
32	8.47788E 00	5.97916E 00	0.0	2.59872E 00
33	8.66649F 00	5.95946E 00	0.0	2.70593E 00
34	9.08927E 00	5.95322E 00	0.0	3.11706E 00
35	9.44941F 00	5.97269F 00	0.0	3.51667E 00
36	9.80238F 00	5.97494F 00	0.0	3.82245E 00
37	1.00637F 01	4.94552F 00	0.0	4.05014E 00
38	1.07491E 01	5.99366E 00	0.0	4.72117E 00
39	1.16928F 01	6.00927E 00	0.0	5.68995E 00
40	1.29146F 01	6.04911E 00	0.0	6.4666PE 00
41	1.29750F 01	6.01537F 00	0.0	6.95963E 00
42	1.34423F 01	6.01949E 00	0.0	7.44349E 00
43	1.51033F 01	6.07113E 00	0.0	9.08221E 00
44	1.65957F 01	6.02143E 00	0.0	1.0616HE 01
45	1.74435F 01	6.02254E 00	0.0	1.18259E 01
46	1.87659F 01	6.02302E 00	0.0	1.27429E 01
47	1.44143F 01	6.34595E 00	0.0	8.16690E 00
48	5.55745F 01	9.59804E 00	0.0	4.66754E 01
49	1.66429F 01	6.26872F 00	0.0	1.05773E 01
50	5.13685F 01	8.21490F 00	0.0	4.31439E 01
51	6.29637F 00	5.90432E 00	0.0	3.52030E-01
52	6.39268F 00	5.90925E 00	0.0	4.46047E-01
53	1.60096F 01	6.58591F 00	0.0	2.96172E 01
54	1.05375F 02	8.16055F 00	0.0	9.64059E 01
55	7.30266F 00	5.91736F 00	0.0	1.38529E 00
56	6.45123F 00	5.89463F 00	0.0	5.55644E-01
57	6.37316F 00	5.89418F 00	0.0	4.24995E-01
58	6.20442F 00	5.88391F 00	0.0	4.02720E-01
59	6.30017F 00	5.89120E 00	0.0	4.14947E-01
60	6.19949F 00	5.89261F 00	0.0	4.46607E-01
61	6.38848F 00	5.89252F 00	0.0	4.96296E-01
62	6.44748F 00	5.89232F 00	0.0	5.33619E-01
63	6.52184F 00	5.89225F 00	0.0	6.26996E-01
64	6.60449F 00	5.89213F 00	0.0	7.15995E-01
65	6.70532F 00	5.89204F 00	0.0	8.11147E-01
66	6.81603F 00	5.89200F 00	0.0	9.24012E-01
67	6.94181F 00	5.89200F 00	0.0	1.04980E 00
68	7.08829F 00	5.89191F 00	0.0	1.19639E 00
69	7.28029F 00	5.89190E 00	0.0	1.34439E 00
70	7.44620F 00	5.89194F 00	0.0	1.34427E 00

25 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.23369E 00	2.40342E 00	1.82734E 00	2.5A709E-03
2	3.83420E 00	1.97847E 00	1.87402E 00	1.21413E-02
3	4.06916E 00	2.23633E 00	1.88365E 00	2.71765E-02
4	5.18322E 00	3.26774E 00	1.87276E 00	4.27139E-02
5	6.63713E 00	4.39844E 00	1.96659E 00	7.33973E-02
6	8.11321E 00	5.99194E 00	1.99070E 00	1.39997E-01
7	9.08541E 00	7.78860E 00	9.99244E-01	3.26125E-01
8	9.25169E 00	8.41921E 00	1.88369E-01	5.83589E-01
9	8.91303E 00	7.91785E 00	0.0	9.58671E-01
10	8.43767E 00	6.92949E 00	0.0	1.46537E 00
11	8.20461E 00	6.30913E 00	0.0	1.89549E 00
12	8.41459E 00	6.03764E 00	0.0	2.33446E 00
13	8.78447E 00	5.96600E 00	0.0	2.80631E 00
14	9.46674E 00	5.98149E 00	0.0	3.81199E 00
15	1.16366E 01	6.00471E 00	0.0	5.61036E 00
16	1.39025E 01	6.01389E 00	0.0	7.83610E 00
17	1.80931E 01	6.02267E 00	0.0	1.17851E 01
18	2.90825E 01	7.41129E 00	0.0	2.16702E 01
19	2.12220E 01	6.67045E 00	0.0	1.45500E 01
20	4.91075E 01	6.88388E 00	0.0	4.22088E 01
21	6.35676E 00	5.89530E 00	0.0	4.60865E-01
22	6.34561E 00	5.89244E 00	0.0	4.52754E-01
23	6.52438E 00	5.89227E 00	0.0	6.32137E-01
24	6.41941E 00	5.89201E 00	0.0	9.27382E-01
25	7.26780E 00	5.89192E 00	0.0	1.36988E 00

**JAERI-M 6001**

\*\*\* NUCLIDE NO=102 \*\*\*

**70 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.34449E 00	2.61481E 00	1.77435E 00	1.12425E-03	1	4.23317E 00	2.39524E 00	1.83367E 00	3.67156E-03
2	4.14746E 00	2.33767E 00	1.64474E 00	4.33933E-03	2	3.44184E 00	1.95875E 00	1.88000E 00	2.08353E-02
3	3.90133E 00	2.09161E 00	1.84321E 00	1.22390E-02	3	4.10564E 00	2.22291E 00	1.87619E 00	5.71477E-02
4	3.81435E 00	1.93355E 00	1.87827E 00	5.55522E-02	4	5.21167E 00	3.37816E 00	1.74869E 00	8.99324E-02
5	3.66325E 00	2.05268E 00	1.88452E 00	4.46191E-02	5	6.66229E 00	9.08916E 00	1.48806E 00	9.08483E-02
6	4.26412E 00	2.37144E 00	1.86172E 00	6.91184E-02	6	6.10297E 00	7.29960E 00	6.64979E-01	1.20797E-01
7	4.05374E 00	2.44687E 00	1.74210E 00	8.30427E-02	7	9.03462E 00	8.67475E 00	0.0	1.61882E-01
8	5.57237E 00	1.77033E 00	1.70830E 00	9.07457E-02	8	9.18433E 00	8.99849E 00	0.0	1.84260E-01
9	6.30598E 00	4.62415E 00	1.94681E 00	8.93034E-02	9	6.85919E 00	8.61305E 00	0.0	2.41525E-01
10	7.00007E 00	5.51237E 00	1.19437E 00	2.22391E-02	10	6.39075E 00	8.01110E 00	0.0	3.67322E-01
11	7.66701E 00	6.34478E 00	1.23103E 00	8.91905E-02	11	9.12676E 00	7.61031E 00	0.0	5.31528E-01
12	8.14218E 00	7.34538E 00	6.98621E-01	1.17649E-01	12	8.36055E 00	7.55370E 00	0.0	7.82601E-01
13	8.95459E 00	8.26121E 00	2.29255E-02	1.95554E-01	13	8.72472E 00	7.13494E 00	0.0	1.01190E 00
14	9.48429E 00	8.68133E 00	0.0	1.64901E-01	14	9.79603E 00	8.41594E 00	0.0	1.35529E 00
15	9.66270E 00	8.90367E 00	0.0	1.96030E-01	15	1.19712E 01	9.96877E 00	0.0	2.19356E 00
16	9.19442E 00	9.03430E 00	0.0	1.61111E-01	16	1.37996E 01	1.03751E 01	0.0	3.38692E 00
17	9.22200E 00	9.04747E 00	0.0	1.72857E-01	17	1.79587E 01	1.17587E 01	0.0	6.00872E 00
18	9.19433E 00	8.99499E 00	0.0	1.87733E-01	18	5.493035E 00	9.92919E 00	0.0	1.02257E-02
19	9.16525E 00	8.96670E 00	0.0	1.96549E-01	19	5.94462E 00	9.92090E 00	0.0	1.97764E-02
20	9.04661E 00	8.83026E 00	0.0	2.14444E-01	20	5.96685E 00	9.92884E 00	0.0	3.80095E-02
21	8.44059E 00	6.63932E 00	0.0	2.59337E-01	21	7.99482E 00	9.92874E 00	0.0	6.61087E-02
22	9.75210E 00	8.48833E 00	0.0	2.63777E-01	22	6.03508E 00	9.92874E 00	0.0	1.06307E-01
23	8.57707E 00	8.25648E 00	0.0	3.17428E-01	23	6.09180E 00	9.92874E 00	0.0	1.63118E-01
24	9.42316E 00	8.05487E 00	0.0	3.64690E-01	24	6.17930E 00	9.92874E 00	0.0	2.44327E-01
25	8.20347E 00	7.84943E 00	0.0	4.08136E-01	25	6.29127E 00	9.92874E 00	0.0	3.62980E-01
26	8.22006E 00	7.76401E 00	0.0	4.36076E-01					
27	8.16490E 00	7.42434E 00	0.0	5.35042E-01					
28	8.12154E 00	7.52934E 00	0.0	5.96192E-01					
29	8.19474E 00	7.36924E 00	0.0	6.85479E-01					
30	8.11292E 00	7.54436E 00	0.0	7.84556E-01					
31	8.49460E 00	7.57474E 00	0.0	8.63800E-01					
32	8.52065E 00	7.59477E 00	0.0	9.23832E-01					
33	8.61501E 00	7.62441E 00	0.0	9.76399E-01					
34	9.01735E 00	7.89763E 00	0.0	1.11451E 00					
35	9.45573E 00	8.12731E 00	0.0	1.25512E 00					
36	9.73933E 00	8.37345E 00	0.0	1.35486E 00					
37	9.47124E 00	8.53240E 00	0.0	1.43683E 00					
38	1.06708E 01	9.400168E 00	0.0	1.753701E 00					
39	1.16071E 01	9.37414E 00	0.0	2.23300E 00					
40	1.23232E 01	9.73408E 00	0.0	2.54712E 00					
41	1.30732E 01	1.00171E 01	0.0	2.86704E 00					
42	1.34832E 01	1.02549E 01	0.0	3.12425E 00					
43	1.44614E 01	1.07941E 01	0.0	4.15953E 00					
44	1.65335E 01	1.12959E 01	0.0	5.21910E 00					
45	1.77159E 01	1.16798E 01	0.0	6.04611E 00					
46	1.84264E 01	1.19757E 01	0.0	6.63066E 00					
47	9.04606E 00	5.92498E 00	0.0	4.74917E 03					
48	5.95940E 00	5.42918E 00	0.0	5.84937E 03					
49	5.94103E 00	5.92499E 00	0.0	1.20807E 02					
50	5.04412E 00	5.92490E 00	0.0	1.52624E 02					
51	5.04429E 00	5.92495E 00	0.0	1.94410E 02					
52	5.05342E 00	5.92490E 00	0.0	2.44035E 02					
53	5.49531E 00	5.92488E 00	0.0	3.08122E 02					
54	5.06467E 00	5.92480E 00	0.0	3.79294E 02					
55	5.07437E 00	5.92486E 00	0.0	4.36224E 02					
56	5.08337E 00	5.92476E 00	0.0	5.50815E 02					
57	5.09446E 00	5.92471E 00	0.0	5.96227E 02					
58	6.00443E 00	5.92476E 00	0.0	7.74557E 02					
59	6.01195E 00	5.92475E 00	0.0	9.04745E 02					
60	6.02424E 00	5.92470E 00	1.0	1.05470E 01					
61	6.08149E 00	5.92478E 00	0.0	1.22760E 01					
62	6.04984E 00	5.92474E 00	0.0	1.41150E 01					
63	6.09134E 00	5.92470E 00	0.0	1.62676E 01					
64	6.11457E 00	5.92479E 00	0.0	1.85867E 01					
65	6.14168E 00	5.92477E 00	0.0	2.13970E 01					
66	6.17221E 00	5.92475E 00	0.0	2.43504E 01					
67	6.20597E 00	5.92473E 00	0.0	2.77261E 01					
68	6.24410E 00	5.92476E 00	0.0	3.16410E 01					
69	6.25825E 00	5.92472E 00	0.0	3.56536E 01					
70	6.34029E 00	5.92470E 00	0.0	4.11621E 01					

**25 GROUP STRUCTURE**

**JAERI-M 6001**

\*\*\* NUCLEUS MU=104 \*\*\*

**70 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.40343E 00	2.67502E 00	1.74811E 00	2.99999E-04	1	4.23308E 00	2.37956E 00	1.85018E 00	1.15792E-03
2	2.14332E 00	2.31586E 00	1.86581E 00	1.40001E-03	2	3.46468E 00	2.02446E 00	1.85766E 00	7.22444E-03
3	1.49472E 00	2.10960E 00	1.91160E 00	4.16224E-03	3	4.16214E 00	2.36940E 00	1.86372E 00	1.61171E-02
4	1.48025E 00	2.00913E 00	1.47584E 00	8.90244E-03	4	5.81697E 00	3.51352E 00	1.78361E 00	1.99048E-02
5	1.98626E 00	2.19114E 00	1.89072E 00	1.40104E-02	5	6.72714E 00	5.16504E 00	1.53913E 00	2.31857E-02
6	4.12544E 00	2.53404E 00	1.84691E 00	1.81176E-02	6	6.03893E 00	6.87294E 00	1.14887E 00	2.63341E-02
7	4.42944E 00	3.12120E 00	1.78792E 00	1.94370E-02	7	8.85791E 00	9.71521E 00	9.37476E-02	6.23412E-02
8	4.67597E 00	3.87656E 00	1.77598E 00	1.40648E-02	8	6.98957E 00	6.91974E 00	0.0	6.98333E-02
9	6.38442E 00	4.72479E 00	1.64427E 00	2.11974E-02	9	6.68498E 00	6.58215E 00	0.0	9.92440E-02
10	7.08029E 00	5.56951E 00	1.44583E 00	2.51136E-02	10	8.24924E 00	8.33625E 00	0.0	1.95158E-01
11	7.66822E 00	6.24847E 00	1.37534E 00	2.44004E-02	11	8.02337E 00	7.66704E 00	0.0	3.40134E-01
12	4.07432E 00	6.79427E 00	1.95556E 00	2.44015E-02	12	6.23507E 00	7.62074E 00	0.0	5.85272E-01
13	8.61659E 00	7.61484E 00	7.95088E-01	3.04023E-02	13	8.60289E 00	7.79432E 00	0.0	8.08571E-01
14	8.40999E 00	9.17722E-02	5.26407E-02	14	4.67698E 00	6.57689E 00	0.0	1.08071E 00	
15	8.88359E 00	8.81015E 00	0.0	7.03231E-02	15	1.14539E 01	9.86039E 00	0.0	1.71708E 00
16	9.00158E 00	9.91543E 00	0.0	6.61222E-02	16	1.36838E 01	1.10094E 01	0.0	2.64365E 00
17	9.02326E 00	8.95539E 00	0.0	6.66714E-02	17	1.78448E 01	1.28925E 01	0.0	4.79492E 00
18	8.48957E 00	8.91974E 00	0.0	6.98333E-02	18	8.01767E 00	6.01017E 00	0.0	7.83007E-03
19	8.89413E 00	0.0	7.14454E-02	19	6.02113E 00	6.00941E 00	0.0	1.17533E-02	
20	8.87982E 00	8.77436E 00	0.0	8.28455E-02	20	6.02678E 00	6.00909E 00	0.0	1.76860E-02
21	8.70304E 00	8.60452E 00	0.0	1.00217E-01	21	6.03555E 00	6.00901E 00	0.0	2.63614E-02
22	8.58517E 00	8.47024E 00	0.0	1.14633E-01	22	6.04862E 00	6.00899E 00	0.0	3.90836E-02
23	8.41977E 00	8.26270E 00	0.0	1.54552E-01	23	6.06630E 00	6.00893E 00	0.0	5.73873E-02
24	8.27434E 00	8.07614E 00	0.0	1.98200E-01	24	6.09347E 00	6.00891E 00	0.0	8.45870E-02
25	8.16160E 00	7.93177E 00	0.0	2.30248E-01	25	6.19329E 00	6.00890E 00	0.0	1.24394E-01
26	8.08193E 00	7.91019E 00	0.0	2.78747E-01					
27	8.07948E 00	7.68345E 00	0.0	3.44032E-01					
28	7.98978E 00	7.58720E 00	0.0	4.01587E-01					
29	8.06664E 00	7.57461E 00	0.0	4.88294E-01					
30	8.20700E 00	7.61393E 00	0.0	5.93393E-01					
31	8.31435E 00	7.64424E 00	0.0	6.71903E-01					
32	8.39770E 00	7.66557E 00	0.0	7.32428E-01					
33	8.44387E 00	7.70038E 00	0.0	7.85348E-01					
34	8.40633E 00	7.99937E 00	0.0	8.47116E-01					
35	8.30253E 00	8.29980E 00	0.0	1.00723E 00					
36	8.61111E 00	8.52963E 00	0.0	1.04394E 00					
37	8.45259E 00	8.70644E 00	0.0	1.24575E 00					
38	8.051529E 01	9.15607E 00	0.0	1.38394E 00					
39	1.14899E 01	9.74298E 00	0.0	1.76990E 00					
40	1.22062E 01	1.01918E 01	0.0	2.01162E 00					
41	1.27626E 01	1.05444E 01	0.0	2.29255E 00					
42	1.32672E 01	1.08332E 01	0.0	2.52809E 00					
43	1.48742E 01	1.15717E 01	0.0	3.27313E 00					
44	1.64302E 01	1.22548E 01	0.0	4.14172E 00					
45	1.74013E 01	1.27444E 01	0.0	4.81744E 00					
46	1.81248E 01	1.31497E 01	0.0	5.12930E 00					
47	6.01743E 00	6.010157E 00	0.0	6.87960E-03					
48	6.01787E 00	6.010162E 00	0.0	7.77570E-03					
49	6.01681E 00	6.00978E 00	0.0	8.48740E-03					
50	6.01967E 00	6.00957E 00	0.0	1.01520E-02					
51	6.02105E 00	6.00938E 00	0.0	1.16727E-02					
52	6.02265E 00	6.00928E 00	0.0	1.34264E-02					
53	6.02437E 00	6.00918E 00	0.0	1.34214E-02					
54	6.02673E 00	6.00908E 00	0.0	1.78466E-02					
55	6.02904E 00	6.00900E 00	0.0	2.00211E-02					
56	6.03193E 00	6.00894E 00	0.0	2.29476E-02					
57	6.03528E 00	6.00890E 00	0.0	2.63094E-02					
58	6.03890E 00	6.00890E 00	0.0	2.99134E-02					
59	7.04311E 00	6.00900E 00	0.0	3.41377QF-02					
60	6.04770E 00	6.00942E 00	0.0	3.87873E-02					
61	6.05129E 00	6.00949E 00	0.0	4.43087E-02					
62	6.05924E 00	6.00950E 00	0.0	5.04373E-02					
63	6.06437E 00	6.00949E 00	0.0	5.74435E-02					
64	6.07339E 00	6.00949E 00	0.0	6.50931E-02					
65	6.08297E 00	6.00949E 00	0.0	7.00973E-02					
66	6.09519E 00	6.00949E 00	0.0	8.452926E-02					
67	6.10449E 00	6.00890E 00	0.0	9.56243E-02					
68	6.11771E 00	6.00890E 00	0.0	1.00803E-01					
69	6.13222E 00	6.00890E 00	0.0	1.23342E-01					
70	6.14949E 00	6.00890E 00	0.0	1.40980E-01					

**JAERI-M 6001**

\*\*\* NUCLEUS NO-106 \*\*\*

2<sup>nd</sup> GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.41263E-00	2.54747E-01	1.41771E-00	1.422911E-04	1	4.23033E-00	2.36384E-00	1.86565E-00	6.70164E-04
2	4.14072E-00	2.29449E-01	1.48065E-00	8.14953E-04	2	3.89168E-00	2.01204E-00	1.91714E-00	5.21870E-03
3	4.01642E-00	2.08542E-01	1.42866E-00	2.52293E-03	3	4.21210E-00	2.34710E-00	1.85597E-00	1.91585E-02
4	3.87358E-00	1.84715E-01	1.41527E-00	6.54534E-03	4	5.38937E-00	5.64812E-00	1.71268E-00	2.23747E-02
5	4.03047E-00	2.20264E-01	1.44840E-00	1.14747E-02	5	6.76065E-00	5.18412E-00	1.59590E-00	1.02434E-02
6	4.38065E-00	2.57710E-01	1.47352E-00	1.67314E-02	6	7.9467AE-00	6.57224E-00	1.35852E-00	1.63606E-02
7	5.16024E-00	3.21512E-01	1.742541E-00	2.30225E-02	7	8.65386E-00	8.23734E-00	9.41799E-01	3.28068E-02
8	6.74199E-01	4.04682E-01	1.64223E-01	2.15726E-02	8	8.76003E-00	8.70524E-00	0.0	5.47333E-02
9	5.44225E-00	4.74653E-01	1.62911E-01	1.67704E-02	9	8.48009E-00	8.40481E-00	0.0	7.33089E-02
10	7.05317E-00	5.14034E-01	1.49705E-01	1.57607E-02	10	8.07990E-00	7.92944E-00	0.0	1.41904E-02
11	7.60022E-00	6.13440E-01	1.40274E-00	1.86400E-02	11	7.89091E-00	7.62992E-00	0.0	2.72070E-01
12	7.47355E-00	6.56161E-01	1.39687E-01	1.18944E-02	12	8.19473E-00	7.64879E-00	0.0	4.60189E-01
13	4.27732E-01	6.98427E-01	1.21717E-01	1.65222E-02	13	8.72493E-00	7.86940E-00	0.0	6.55522E-01
14	8.45755E-01	7.71949E-01	8.05733E-01	2.16077E-02	14	9.63245E-00	8.73635E-00	0.0	8.40560E-01
15	8.47646E-01	8.36511E-01	1.66340E-01	1.19444E-02	15	1.14511E-01	1.02226E-01	0.0	1.37578E-00
16	8.77758E-01	8.54610E-01	0.0	6.66498E-02	16	1.37203E-01	1.15992E-01	0.0	2.10481E-00
17	8.70274E-01	8.13491E-01	0.0	5.37429E-02	17	1.79740E-01	1.34797E-01	0.0	3.46548E-00
18	4.74007E-01	8.70529E-01	0.0	5.47333E-02	18	6.08773E-00	6.03524E-00	0.0	2.45298E-03
19	5.73921E-01	8.58349E-01	0.0	5.08932E-02	19	8.08832E-00	6.08214E-00	0.0	3.76184E-03
20	9.61499E-01	9.27715E-01	0.0	6.23887E-02	20	8.09072E-00	6.04506E-00	0.0	5.62700E-03
21	6.40467E-01	8.42946E-01	0.0	7.39026E-02	21	8.09340E-00	6.08503E-00	0.0	8.33973E-03
22	6.38484E-01	8.30558E-01	0.0	8.06047E-02	22	8.09738E-00	6.08501E-00	0.0	1.23247E-02
23	8.21394E-01	8.12519E-01	0.0	1.13167E-01	23	8.10311E-00	6.08501E-00	0.0	1.01189E-02
24	6.61903E-01	7.46452E-01	0.0	1.44613E-01	24	8.11161E-00	6.08500E-00	0.0	2.65932E-02
25	1.001620E-01	7.85398E-01	0.0	1.67224E-01	25	8.12412E-00	6.08500E-00	0.0	3.90881E-02
26	7.91603E-01	7.73724E-01	0.0	1.74073E-01					
27	7.80519E-01	7.63494E-01	0.0	2.58057E-01					
28	1.86533E-01	7.56333E-01	0.0	3.01524E-01					
29	7.45523E-01	7.57472E-01	0.0	3.74221E-01					
30	8.71043E-01	7.63445E-01	0.0	4.67477E-01					
31	8.22205E-01	7.64495E-01	0.0	5.36473E-01					
32	9.31109E-01	7.72203E-01	0.0	5.96626E-01					
33	9.40029E-01	7.76721E-01	0.0	6.3547AE-01					
34	3.82988E-01	8.09923E-01	0.0	7.29020E-01					
35	9.24709E-01	9.40937E-01	0.0	8.16425E-01					
36	1.556705E-01	8.68621E-01	0.0	8.82A42E-01					
37	1.41177E-01	8.47971E-01	0.0	9.34095E-01					
38	1.05330E-01	8.40143E-01	0.0	1.11497E-00					
39	1.12880E-01	1.00402E-01	0.0	1.39477E-00					
40	1.22205E-01	1.01153E-01	0.0	1.601520E-00					
41	1.27849E-01	1.11027E-01	0.0	1.74545E-00					
42	1.33045E-01	1.13710E-01	0.0	1.92645E-00					
43	1.46653E-01	1.23024E-01	0.0	2.51784E-00					
44	1.65521E-01	1.31749E-01	0.0	3.34631E-00					
45	1.77526E-01	1.39423E-01	0.0	3.88394E-00					
46	1.84555E-01	1.43369E-01	0.0	4.26454E-00					
47	6.00732E-01	6.04530E-01	0.0	2.10303E-01					
48	6.08773E-01	6.08249E-01	0.0	2.44234E-01					
49	6.08805E-01	6.04520E-01	0.0	2.82109E-01					
50	6.044845E-01	6.04519E-01	0.0	3.25044E-01					
51	6.04444E-01	6.04510E-01	0.0	3.74036E-01					
52	6.04442E-01	6.04510E-01	0.0	4.26194E-01					
53	6.000003E-01	6.04508E-01	0.0	4.91954E-01					
54	6.04076E-01	6.04512E-01	0.0	5.61372E-01					
55	4.00144E-01	6.08517E-02	0.0	6.11723E-01					
56	6.02232E-01	6.04524E-01	0.0	7.22899E-01					
57	6.014340E-01	6.02550E-01	0.0	8.31905E-01					
58	6.004452E-01	6.08450E-01	0.0	9.45681E-01					
59	6.005520E-01	6.05150E-01	0.0	1.07684E-02					
60	6.01972E-01	6.05650E-01	0.0	1.2228AE-02					
61	6.00275E-01	6.03534E-01	0.0	1.30717E-02					
62	6.10049E-01	6.205514E-01	0.0	1.544493E-02					
63	6.10411E-01	6.04500E-01	0.0	1.86710E-02					
64	6.10550E-01	6.04500E-01	0.0	2.04714E-02					
65	6.10430E-01	6.04500E-01	0.0	2.32970E-02					
66	6.11152E-01	6.04500E-01	0.0	2.65311E-02					
67	6.11151E-01	6.04500E-01	0.0	3.00610E-02					
68	6.11121E-01	6.04500E-01	0.0	3.41930E-02					
69	6.12182E-01	6.03500E-01	0.0	3.87628E-02					
70	6.12431E-01	6.04500E-01	0.0	4.42412E-02					

# JAERI-M 6001

\*\*\* NUCLEIDE NH-103 \*\*\*

## 7C GROUP STRUCTURE

GROUP	TOTAL	PLASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	PLASTIC	INELASTIC	CAPTURE
1	4.74954E 00	2.51026E 00	1.74832E 00	6.15947E-01	1	4.23274E 00	2.38861E 00	1.84214E 00	1.74957E-03
2	6.14605E 00	2.52501E 00	1.64583E 00	2.07010E-03	2	3.45361E 00	1.45824E 00	1.88884E 00	9.05576E-03
3	1.94464E 00	2.09737E 00	1.90270E 00	5.47627E-03	3	4.13648E 00	2.23771E 00	1.89178E 00	2.26887E-02
4	1.82761E 00	1.93370E 00	1.88732E 00	1.16483E-02	4	5.11311E 00	3.38407E 00	1.87897E 00	4.19519E-02
5	1.94540E 00	2.07134E 00	1.89030E 00	1.95717E-02	5	6.69774E 00	4.88214E 00	1.75244E 00	6.55437E-02
6	2.21608E 00	2.31924E 00	1.88927E 00	2.66487E-02	6	6.07211E 00	6.34994E 00	1.57198E 00	1.11573E-01
7	2.93226E 00	2.93127E 00	1.77532E 00	3.64494E-02	7	6.94940E 00	8.40656E 00	2.84329E-01	2.81746E-01
8	2.61194E 00	2.74101E 00	1.84424E 00	9.61361E-02	8	5.39231E 00	8.57421E 00	2.70162E-02	4.74993E-01
9	2.38746E 00	4.50179E 00	1.79019E 00	5.56017E-02	9	6.73585E 00	7.97042E 00	6.55694E-03	7.71936E-01
10	5.02292E 00	5.16165E 00	1.71656E 00	7.44127E-02	10	8.34620E 00	7.07547E 00	1.88303E-04	1.20558E 00
11	7.65912E 00	5.47732E 00	1.69570E 00	8.64979E-02	11	6.08631E 00	6.44611E 00	0.0	1.56892E 00
12	6.15911E 00	6.15911E 00	1.65533E 00	1.05539E-01	12	8.29516E 00	6.27058E 00	0.0	1.98356E 00
13	6.47490E 01	6.39462E 01	1.35573E 01	1.44339E-01	13	8.65578E 00	6.24848E 00	2.39641E 00	
14	6.74749E 01	7.04119E 01	6.44004E-01	2.21014E-01	14	9.72241E 00	6.35971E 00	0.0	3.29691E 00
15	8.97725E 01	8.59246E 01	6.41634E-02	2.94057E-01	15	1.14403E 01	6.47494E 00	0.0	4.98536E 00
16	7.11033E 01	8.71173E 01	5.64950E-02	3.36774E-01	16	1.17097E 01	6.55611E 00	0.0	7.10731E 00
17	5.12762E 01	8.67624E 01	5.69004E-02	4.13317E-01	17	1.78522E 01	6.64891E 00	0.0	1.09270E 01
18	3.02291E 01	8.57421E 01	2.37939E-02	4.95667E-01	18	7.25119E 00	6.13222E 00	0.0	1.23766E 00
19	5.07082E 00	8.50550E 00	1.55504E-02	5.47534E-01	19	6.29511E 00	6.27058E 00	0.0	8.93864E-01
20	9.96165E 00	8.24461E 00	1.01737E-02	6.45597E-01	20	6.13544E 00	5.97011E 00	0.0	1.65398E-01
21	6.70139E 00	6.00443E 00	6.58457E-01	7.42993E-01	21	6.72891E 00	5.97312E 00	0.0	7.55783E-01
22	6.67843E 00	7.78431E 00	5.77249E-01	8.84679E-01	22	1.44452E 01	6.01004E 00	0.0	8.87500E 00
23	4.50704E 00	7.44179E 00	5.67553E-01	1.05656E 00	23	1.13496E 03	9.63371E 00	0.0	1.12527E 03
24	4.31729E 00	7.14034E 00	0.0	1.20496E 00	24	1.73735E 02	6.40383E 00	0.0	1.67332E 02
25	3.23493E 00	6.90553E 00	0.0	1.32894E 00	25	7.47762E 01	6.04889E 00	0.0	7.26874E 01
26	6.15194E 00	6.71248E 00	0.0	1.43494E 00					
27	9.03614E 00	6.52072E 00	0.0	1.57554E 00					
28	9.05496E 00	6.37548E 00	0.0	1.57494E 00					
29	1.12808E 00	6.30149E 00	0.0	1.42604E 00					
30	3.26565E 00	6.27561E 00	0.0	1.94484E 00					
31	1.37044E 00	6.25550E 00	0.0	2.11504E 00					
32	9.85225E 00	6.23012E 00	0.0	2.21232E 00					
33	3.53733E 00	6.23159E 00	0.0	2.30364E 00					
34	8.94713E 00	6.27322E 00	0.0	2.67374E 00					
35	2.35144E 00	6.31421E 00	0.0	2.30223E 00					
36	3.45897E 00	6.35263E 00	0.0	3.30551E 00					
37	6.88486E 00	6.37917E 00	0.0	3.51769E 00					
38	1.15931E 01	6.41927E 01	0.0	4.12141E 00					
39	1.15261E 01	6.46520E 00	0.0	5.00404E 00					
40	1.22332E 01	6.50013E 01	0.0	5.73249E 00					
41	1.22292E 01	6.52761E 01	0.0	6.22533E 00					
42	1.12294E 01	6.29471E 01	0.0	6.74515E 00					
43	1.84446E 01	6.54662E 01	0.0	8.25572E 00					
44	1.64449E 01	6.61483E 01	0.0	9.31537E 00					
45	1.74104E 01	6.64378E 00	0.0	1.00664E 01					
46	1.15173E 01	6.66001E 01	0.0	1.18553E 01					
47	2.61948E 00	6.19142E 01	0.0	2.82784E 00					
48	6.45940E 00	5.97805E 01	0.0	4.48810E-01					
49	1.35453E 00	5.97328E 01	0.0	3.42669E-01					
50	8.41514E 00	6.98223E 01	0.0	2.63373E 00					
51	6.16104E 00	6.97027E 01	0.0	1.96784E-01					
52	4.04317E 00	5.97006E 01	0.0	7.131662E-02					
53	6.02553E 00	5.96932E 01	0.0	1.05596E-01					
54	6.12711E 00	5.97603E 01	0.0	1.37029E-01					
55	1.20449E 00	5.97033E 01	0.0	2.36176E-01					
56	4.35044E 00	6.97118E 01	0.0	3.76224E-01					
57	6.43742E 00	6.97265E 01	0.0	6.64757E-01					
58	7.20691E 00	6.47556E 01	0.0	1.23409E 00					
59	4.54761E 00	5.98253E 01	0.0	2.46104E 00					
60	1.19429E 01	6.00932E 01	0.0	5.09744E 00					
61	5.40394E 01	6.10431E 01	0.0	1.00447E 01					
62	1.02611E 01	6.27061E 01	0.0	7.60127E 01					
63	1.24413E 01	6.03321E 01	0.0	1.25440E 01					
64	5.05460E 01	1.25425E 01	0.0	2.11202E 01					
65	2.85527E 02	6.75503E 00	0.0	2.79217E 02					
66	1.35886E 02	6.25582E 00	0.0	1.20600E 02					
67	6.75040E 01	6.16645E 01	0.0	9.13351E 01					
68	4.30747E 01	6.11233E 00	0.0	7.67621E 01					
69	7.73005E 01	6.08582E 01	0.0	7.19251E 01					
70	7.61741E 01	6.06849E 01	0.0	7.01055E 01					

## JAERI-M 6001

\*\*\* NUCLIDE PU-105 \*\*\*

## 7G GROUP STRUCTURE

GROUP	TOTAL	PLASTIC	INFLASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.4000RE 00	2.60041E 00	1.80677E 00	7.87673E-04	1	4.23143E 00	2.37148E 00	1.85714E 00	2.45335E-03
2	4.1120RF 00	2.30701F 00	1.47249E 00	2.92379E-03	2	3.87690E 00	1.96625E 00	1.90619E 00	1.36172E-02
3	4.0006RF 00	2.07642E 00	1.91924E 00	8.10788E-03	3	4.18436E 00	2.30711E 00	1.87726E 00	3.32912E-02
4	3.8552RF 00	1.94505F 00	1.90453E 00	1.64536E-02	4	5.35057E 00	3.45594E 00	1.83266E 00	5.79927E-02
5	4.0059RF 00	2.12273E 00	1.49323E 00	2.74001E-02	5	6.74137E 00	4.77777E 00	1.87650E 00	8.87798E-02
6	4.34031F 00	2.47741F 00	1.46179E 00	3.90558E-02	6	7.99354E 00	6.03877E 00	1.80240E 00	1.62947E-01
7	4.9416RF 00	3.07634F 00	1.83397E 00	9.10198E-02	7	8.76711E 00	8.06872E 00	2.99206E-01	4.10310E-01
8	5.7108RF 00	3.81440F 00	1.45205E 00	6.44091E-C2	8	8.89150E 00	8.18717E 00	0.0	6.77767E-01
9	4.41220F 00	4.48071F 00	1.44963E 00	8.16706E-02	9	8.39769E 00	7.51046E 00	0.0	1.05200E 00
10	7.04702F 00	9.05069F 00	1.90127E 00	9.49004E-02	10	8.17274E 00	6.57142E 00	0.0	1.39924E 00
11	7.62624F 00	5.58188F 00	1.92921E 00	1.18875E-01	11	7.96463E 00	5.99758E 00	0.0	1.99727E-00
12	8.02849F 00	6.00460F 00	1.87187F 00	1.57742E-01	12	8.18765E 00	5.74811E 00	0.0	2.39446E 00
13	8.34008F 00	5.55733F 00	1.79455E 00	2.15255E-01	13	8.36287E 00	5.68334E 00	0.0	2.86728E 00
14	8.61122F 00	7.55977F 00	7.43641E-01	3.14788E-01	14	9.44737E 00	5.66938E 00	0.0	3.87961E 00
15	7.74413F 00	8.28817F 00	3.44986E-02	4.29119E-01	15	1.14964E 01	5.70910E 00	0.0	5.66978E 00
16	8.90566F 00	8.39100F 00	0.0	4.94778E-01	16	1.16801E 01	5.71487E 00	0.0	7.91752E 00
17	8.92465F 00	8.32508E 00	0.0	5.94686E-01	17	1.78667E 01	5.69792E 00	0.0	1.18800E-01
18	8.89150F 00	8.16717F 00	0.0	7.04533E-01	18	2.69012E 01	7.57817E 00	0.0	1.93225E 01
19	8.87041F 00	8.09941E 00	0.0	7.71000E-01	19	2.19305E 01	6.33853E 00	0.0	1.55900E 01
20	8.74598F 00	7.86397F 00	0.0	8.96119E-01	20	4.70946E 01	6.67192E 00	0.0	4.04190E 01
21	8.61449F 00	7.55154E 00	0.0	1.06496E 00	21	6.68621E 00	6.05149E 00	0.0	6.3477DE-01
22	8.50161F 00	7.30803F 00	0.0	1.19558E 00	22	6.45476E 00	6.04693E 00	0.0	4.07824E-01
23	8.19251F 00	6.92157F 00	0.0	1.34899E 00	23	6.72112E 00	6.04635E 00	0.0	6.79781E-00
24	8.20264F 00	6.63217E 00	0.0	1.56391E 00	24	7.16016E 00	6.04617E 00	0.0	1.31399E 00
25	8.09441F 00	6.39311F 00	0.0	1.64990E 00	25	8.47621E 00	6.04647E 00	0.0	2.43014E 00
26	8.01339F 00	6.20063E 00	0.0	1.81772E 00					
27	8.97019F 00	6.02025F 00	0.0	1.94994E 00					
28	7.95878F 00	5.88640F 00	0.0	2.04074E 00					
29	8.01448F 00	5.80193F 00	0.0	2.21254E 00					
30	8.11479F 00	5.75708F 00	0.0	2.41171E 00					
31	8.26916F 00	5.72278E 00	0.0	2.94639E 00					
32	8.34446F 00	5.69614F 00	0.0	2.65472E 00					
33	8.44209F 00	5.57694F 00	0.0	2.76604E 00					
34	8.85972F 00	5.67978F 00	0.0	3.17944F 00					
35	8.25946F 00	5.64711F 00	0.0	3.42433E 00					
36	8.94291F 00	5.69272F 00	0.0	3.88019E 00					
37	8.82466F 00	5.69705E 00	0.0	4.15756E 00					
38	7.05296F 01	5.70236F 00	0.0	4.76292E 00					
39	7.14726F 01	5.70797F 00	0.0	5.76460E 00					
40	1.21938F 01	5.71227F 00	0.0	6.44149E 00					
41	1.27537F 01	5.71560F 00	0.1	7.03121E 00					
42	1.32612F 01	5.71763F 00	0.0	7.55555E 00					
43	1.44793F 01	5.71112F 00	0.0	9.16797E 00					
44	1.64324F 01	5.70435F 00	0.0	1.07260E 01					
45	1.76204F 01	5.63902F 00	0.0	1.19214E 01					
46	1.85336F 01	5.69490F 00	0.0	1.24416E 01					
47	2.74047E 01	8.03709E 00	0.0	1.94677E 01					
48	2.74151F 01	7.74466F 00	0.0	1.94701E 01					
49	2.94557F 01	6.93888E 00	0.0	1.89153E 01					
50	4.11614F 00	6.05912F 00	0.0	2.06290E 00					
51	1.57585F 01	6.20053F 00	0.0	9.55596E 00					
52	6.14426F 01	6.75988F 00	0.0	3.50784E 01					
53	7.63589F 00	6.07313E 00	0.0	1.53318E 00					
54	3.85259F 01	6.54789F 00	0.0	3.19716E 01					
55	8.54444F 01	7.39957E 00	0.0	8.86589E 01					
56	7.06629F 00	6.05639F 00	0.0	1.00987E 00					
57	6.54411F 00	6.05977F 00	0.0	4.94555E-01					
58	6.54422F 00	6.04040F 00	0.0	3.94209E-01					
59	6.42253F 00	6.04733E 00	0.0	3.75217E-01					
60	7.64395F 00	6.046489F 00	0.0	3.94066E-01					
61	6.44674F 00	6.04454E 00	0.0	4.32119E-01					
62	6.54412F 00	6.04642F 00	0.0	5.37687E-01					
63	6.71012F 00	6.04635F 00	0.0	6.67133E-01					
64	6.47117F 00	6.04625F 00	0.0	8.24907E-01					
65	7.04608F 00	6.04620E 00	0.0	1.03789E 00					
66	7.34714F 00	6.04615F 00	0.0	1.30099E 00					
67	7.43404F 00	6.04617E 00	0.0	1.61087E 00					
68	8.02790F 00	6.04611F 00	0.0	1.98179E 00					
69	8.44573E 00	6.04606F 00	0.0	2.39967E 00					
70	8.95542F 00	6.04604F 00	0.0	2.90738E 00					

## 29 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.23143E 00	2.37148E 00	1.85714E 00	2.45335E-03
2	3.87690E 00	1.96625E 00	1.90619E 00	1.36172E-02
3	4.18436E 00	2.30711E 00	1.87726E 00	3.32912E-02
4	5.35057E 00	3.45594E 00	1.83266E 00	5.79927E-02
5	6.74137E 00	4.77777E 00	1.87650E 00	8.87798E-02
6	8.17274E 00	6.57142E 00	0.0	1.39924E 00
7	8.76711E 00	8.06872E 00	2.99206E-01	4.10310E-01
8	8.89150E 00	8.18717E 00	0.0	6.77767E-01
9	8.39769E 00	7.51046E 00	0.0	1.05200E 00
10	8.17274E 00	6.57142E 00	0.0	1.39924E 00
11	7.96463E 00	5.99758E 00	0.0	1.99727E-00
12	8.18765E 00	5.74811E 00	0.0	2.39446E 00
13	8.36287E 00	5.68334E 00	0.0	2.86728E 00
14	9.44737E 00	5.66938E 00	0.0	3.87961E 00
15	1.14964E 01	5.70910E 00	0.0	5.66978E 00
16	1.16801E 01	5.71487E 00	0.0	7.91752E 00
17	1.78667E 01	5.69792E 00	0.0	1.18800E-01
18	2.69012E 01	7.57817E 00	0.0	1.93225E 01
19	2.19305E 01	6.33853E 00	0.0	1.55900E 01
20	4.70946E 01	6.67192E 00	0.0	4.04190E 01
21	6.68621E 00	6.05149E 00	0.0	6.3477DE-01
22	6.45476E 00	6.04693E 00	0.0	4.07824E-01
23	6.72112E 00	6.04635E 00	0.0	6.79781E-00
24	7.16016E 00	6.04617E 00	0.0	1.31399E 00
25	8.47621E 00	6.04647E 00	0.0	2.43014E 00

# JAERI-M 6001

\*\*\* NUCLIDE #U=107 \*\*\*

## 79 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.41953E 00	2.59043E 00	1.42815E 00	4.79810E-04
2	4.14260F 00	2.29206F 00	1.48815F 00	2.04417E-03
3	3.11155F 00	2.07295F 00	1.43713F 00	6.32744E-03
4	3.49079F 00	1.96423F 00	1.39739F 00	1.44112E-02
5	3.05644F 01	2.18316F 00	1.40252F 00	2.46497E-02
6	4.40882F 00	2.57177F 00	1.46173F 00	3.55884E-02
7	5.03307F 00	3.19677F 00	1.79111F 00	4.46556E-02
8	3.74397F 00	3.04027F 00	1.78047F 00	5.68114E-02
9	4.44261F 00	3.00417F 00	1.80433F 00	6.35045E-02
10	7.03125F 00	5.10490F 00	1.86979F 00	7.15074E-02
11	7.47330F 01	5.51442F 00	1.96934F 00	8.91568E-02
12	7.92119F 00	5.81462F 00	1.99037F 00	1.20746E-01
13	8.19488F 00	6.33312F 00	1.69403F 00	1.45249E-01
14	4.41429F 00	7.19297F 00	9.57627F-01	3.04435E-01
15	4.56488F 00	7.77147F 00	3.75855E-01	4.21142F-01
16	4.65703F 00	7.87576F 00	1.02283E-01	4.82556E-01
17	4.67055F 00	7.84509F 00	1.47037E-01	5.84973E-01
18	4.67188F 00	7.84574F 00	5.74613E-02	7.01000E-01
19	4.671730F 00	7.820263E-04	7.71000E-01	7.71000E-01
20	4.55559F 00	7.62166F 00	0.0	8.95120E-01
21	4.39813F 00	7.32890F 00	0.0	1.09846E-00
22	4.34521F 00	7.10114F 00	0.0	1.18171E-00
23	4.14465F 00	6.76684F 00	0.0	1.35881E-00
24	4.02144F 00	6.47113F 00	0.0	1.54770E-00
25	7.92619F 00	6.24539F 00	0.0	1.68071E-00
26	7.88206F 00	6.06293F 00	0.0	1.78919E-00
27	7.82775F 00	5.89133F 00	0.0	1.93943E-00
28	7.80672F 00	5.76554F 00	0.0	2.03948E-00
29	7.80611F 00	5.69291F 00	0.0	2.26620E-00
30	4.07426F 00	5.63947F 00	0.0	2.40102E-00
31	4.14174F 00	5.43173F 00	0.0	2.55301E-00
32	4.27684F 00	5.01113F 00	0.0	2.64567E-00
33	4.37294F 01	5.39444F 00	0.0	2.77651E-00
34	4.80783F 00	5.00066F 00	0.0	3.22714E-00
35	3.23453F 00	5.60433F 00	0.0	3.62014E-00
36	4.91693F 00	5.61430F 00	0.0	3.94663E-00
37	4.81261F 01	5.61386F 00	0.0	4.10171E-00
38	4.05402F 01	5.62287F 00	0.0	4.44190E-00
39	1.15121F 01	5.62634F 00	0.0	5.84571E-00
40	4.22554F 01	5.62949F 00	0.0	6.65642E-00
41	1.24325F 01	5.63105F 00	0.0	7.20140E-00
42	1.33533F 01	5.63110F 00	0.0	7.75421E-00
43	1.40186F 01	5.60736F 00	0.0	9.41125E-00
44	1.66148F 01	5.58288F 00	0.0	1.10714E-01
45	1.78359F 01	5.56416F 00	0.0	1.22717E-01
46	5.87774F 01	5.34972F 00	0.0	1.32277E-01
47	1.73374F 01	5.53866F 00	0.0	1.07985E-01
48	1.52396F 01	6.41600F 00	0.0	4.85533E-01
49	1.92638F 01	6.49782F 00	0.0	1.29663E-01
50	2.28615F 01	6.54137F 00	0.0	1.61188E-01
51	1.36903F 01	6.27015F 00	0.0	7.21702E-00
52	3.82094F 01	6.76194F 00	0.0	3.14402E-01
53	6.95754F 00	6.13913F 00	0.0	8.22444E-01
54	6.73404F 00	6.12922F 00	0.0	6.07116E-01
55	4.73376F 01	6.90136F 00	0.0	6.04531E-01
56	3.90524F 01	7.29441F 00	0.0	9.17592E-01
57	8.05193F 00	6.14026F 00	0.0	1.90331E-00
58	4.97127F 00	6.12720F 00	0.0	8.44032E-01
59	6.80151F 00	6.12447F 00	0.0	6.77007E-01
60	6.78143F 00	6.12332F 00	0.0	6.61055E-01
61	6.85107F 00	6.12276F 00	0.0	7.30367E-01
62	5.95461F 00	6.12239F 00	0.0	8.35244E-01
63	7.09448F 00	6.12217F 00	0.0	9.74313E-01
64	7.24275F 00	6.12201F 00	0.0	1.10074E-00
65	7.44624F 00	6.12193F 00	0.0	1.36411E-00
66	7.70091F 00	6.12185F 00	0.0	1.57704E-00
67	7.94275F 00	6.12180F 00	0.0	1.84905E-00
68	8.24689F 00	6.12175F 00	0.0	2.14515E-00
69	8.60038F 00	6.12170F 00	0.0	2.47466E-00
70	0.00076F 00	6.12170F 00	0.0	2.47466E-00

## 25 GROUP STRUCTURE

**JAERI-M 6001**

\*\*\* ENUCLIDE - A0-104 \*\*\*

**Z<sup>th</sup> GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.430E-09	2.576E-09	0.0	1.152E-09	1	2.323E-09	2.337E-09	1.891E-09	3.024E-09
2	4.175E-09	2.270E-09	0.0	1.494E-09	2	3.494E-09	1.973E-09	1.954E-09	2.102E-09
3	4.022E-09	2.050E-09	0.0	1.456E-09	3	4.363E-09	2.309E-09	1.890E-09	5.612E-09
4	3.935E-09	1.942E-09	0.0	1.055E-09	4	5.493E-09	3.600E-09	1.788E-09	9.733E-09
5	3.176E-09	2.119E-09	0.0	1.171E-09	5	6.701E-09	4.959E-09	1.688E-09	1.337E-09
6	3.472E-09	2.255E-09	0.0	1.866E-09	6	6.615E-09	6.209E-09	1.304E-09	2.474E-09
7	3.165E-09	2.134E-09	0.0	1.817E-09	7	6.754E-09	7.550E-09	2.240E-09	5.146E-09
8	3.451E-09	3.045E-09	0.0	1.761E-09	8	8.336E-09	7.974E-09	2.663E-09	8.018E-09
9	3.511E-09	4.661E-09	0.0	1.723E-09	9	8.107E-09	6.879E-09	9.383E-09	1.184E-09
10	2.934E-09	5.233E-09	0.0	1.566E-09	10	7.785E-09	6.139E-09	0.0	1.611E-09
11	3.469E-09	5.853E-09	0.0	1.487E-09	11	7.671E-09	5.737E-09	0.0	1.934E-09
12	3.784E-09	6.130E-09	0.0	1.765E-09	12	8.010E-09	5.630E-09	0.0	2.314E-09
13	3.001E-09	6.666E-09	0.0	1.245E-09	13	8.469E-09	5.638E-09	0.0	2.818E-09
14	3.170E-09	7.202E-09	0.0	1.442E-09	14	9.689E-09	5.703E-09	0.0	3.903E-09
15	3.249E-09	7.617E-09	0.0	8.969E-09	15	1.164E-09	5.767E-09	0.0	3.840E-09
16	3.360E-09	7.716E-09	0.0	5.178E-09	16	1.469E-09	5.807E-09	0.0	8.234E-09
17	3.362E-09	7.813E-09	0.0	3.146E-09	17	1.862E-09	5.837E-09	0.0	1.248E-09
18	3.310E-09	7.474E-09	0.0	2.346E-09	18	1.320E-09	4.671E-09	0.0	3.360E-09
19	3.026E-09	7.305E-09	0.0	1.550E-09	19	4.856E-09	8.294E-09	0.0	4.027E-09
20	3.230E-09	7.180E-09	0.0	2.790E-09	20	6.292E-09	6.444E-09	0.0	1.847E-09
21	3.110E-09	6.519E-09	0.0	0.0	21	1.729E-09	1.358E-09	0.0	1.602E-09
22	3.022E-09	6.764E-09	0.0	0.0	22	1.319E-09	1.619E-09	0.0	1.215E-09
23	3.606E-09	6.432E-09	0.0	0.0	23	3.036E-09	7.321E-09	0.0	2.361E-09
24	3.684E-09	6.103E-09	0.0	0.0	24	3.059E-09	6.958E-09	0.0	2.363E-09
25	3.729E-09	6.004E-09	0.0	0.0	25	3.687E-09	6.844E-09	0.0	3.002E-09
26	3.682E-09	5.861E-09	0.0	0.0					
27	3.672E-09	5.750E-09	0.0	0.0					
28	3.665E-09	5.666E-09	0.0	0.0					
29	3.748E-09	5.632E-09	0.0	0.0					
30	3.472E-09	5.631E-09	0.0	0.0					
31	3.113E-09	5.623E-09	0.0	0.0					
32	4.227E-09	5.629E-09	0.0	0.0					
33	2.337E-09	5.630E-09	0.0	0.0					
34	4.807E-09	5.656E-09	0.0	0.0					
35	3.261E-09	5.621E-09	0.0	0.0					
36	3.617E-09	5.731E-09	0.0	0.0					
37	3.848E-09	5.717E-09	0.0	0.0					
38	1.066E-09	5.737E-09	0.0	0.0					
39	1.118E-09	5.729E-09	0.0	0.0					
40	1.247E-09	5.792E-09	0.0	0.0					
41	1.308E-09	5.735E-09	0.0	0.0					
42	1.364E-09	5.656E-09	0.0	0.0					
43	1.553E-09	5.811E-09	0.0	0.0					
44	1.707E-09	5.829E-09	0.0	0.0					
45	1.836E-09	5.836E-09	0.0	0.0					
46	1.933E-09	5.862E-09	0.0	0.0					
47	2.110E-09	5.826E-09	0.0	0.0					
48	2.110E-09	5.821E-09	0.0	0.0					
49	2.794E-09	5.337E-09	0.0	0.0					
50	2.142E-09	5.059E-09	0.0	0.0					
51	3.622E-09	5.057E-09	0.0	0.0					
52	2.812E-09	5.311E-09	0.0	0.0					
53	2.072E-09	5.306E-09	0.0	0.0					
54	2.854E-09	5.306E-09	0.0	0.0					
55	3.063E-09	5.634E-09	0.0	0.0					
56	1.857E-09	5.536E-09	0.0	0.0					
57	2.171E-09	5.154E-09	0.0	0.0					
58	2.214E-09	5.630E-09	0.0	0.0					
59	3.085E-09	5.021E-09	0.0	0.0					
60	6.444E-09	5.026E-09	0.0	0.0					
61	6.047E-09	5.244E-09	0.0	0.0					
62	5.320E-09	5.614E-09	0.0	0.0					
63	4.002E-09	5.301E-09	0.0	0.0					
64	2.930E-09	5.130E-09	0.0	0.0					
65	2.944E-09	5.021E-09	0.0	0.0					
66	3.241E-09	5.941E-09	0.0	0.0					
67	3.145E-09	5.402E-09	0.0	0.0					
68	3.401E-09	6.872E-09	0.0	0.0					
69	3.662E-09	6.842E-09	0.0	0.0					
70	3.993E-09	6.822E-09	0.0	0.0					

**Z<sup>th</sup> GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	2.323E-09	2.337E-09	1.891E-09	3.024E-09
2	3.494E-09	1.973E-09	1.954E-09	2.102E-09
3	4.363E-09	2.309E-09	1.890E-09	5.612E-09
4	5.493E-09	3.600E-09	1.788E-09	9.733E-09
5	6.701E-09	4.959E-09	1.688E-09	1.337E-09
6	6.615E-09	6.209E-09	1.304E-09	2.474E-09
7	6.754E-09	7.550E-09	2.240E-09	5.146E-09
8	8.336E-09	7.974E-09	2.663E-09	8.018E-09
9	8.107E-09	6.879E-09	9.383E-09	1.184E-09
10	7.785E-09	6.139E-09	0.0	1.611E-09
11	7.671E-09	5.737E-09	0.0	1.934E-09
12	8.010E-09	5.630E-09	0.0	2.314E-09
13	8.469E-09	5.638E-09	0.0	2.818E-09
14	9.689E-09	5.703E-09	0.0	3.903E-09
15	1.164E-09	5.767E-09	0.0	3.840E-09
16	1.469E-09	5.807E-09	0.0	8.234E-09
17	1.862E-09	5.837E-09	0.0	1.248E-09
18	1.671E-09	1.311E-09	0.0	3.360E-09
19	4.856E-09	8.294E-09	0.0	4.027E-09
20	6.292E-09	6.444E-09	0.0	1.847E-09
21	1.729E-08	1.358E-09	0.0	1.602E-09
22	1.319E-09	1.619E-09	0.0	1.215E-09
23	3.036E-09	7.321E-09	0.0	2.361E-09
24	3.059E-09	6.958E-09	0.0	2.363E-09
25	3.687E-09	6.844E-09	0.0	3.002E-09

# JAERI-M 6001

\*\*\* NUCLIDE I -129 \*\*\*

## 70 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	6.51931F 00	2.45537F 00	2.06279F 00	1.23954E-04	1	4.32472E 00	2.24495E 00	2.07927E 00	4.37635E-04
2	6.37453F 00	2.19124F 00	2.04259F 00	5.24111E-04	2	4.33502E 00	2.3517AE 00	2.17913F 00	3.37060E-03
3	6.27563F 00	2.16162F 00	2.11210F 00	1.74750F-03	3	5.29166E 00	3.09891E 00	2.18352E 00	1.06143E-02
4	4.17482F 00	2.38355F 00	2.19079F 00	4.29466E-03	4	4.29452E 00	4.24999F 00	1.93320E 00	2.91724E-02
5	5.04783F 00	2.80668F 00	2.71672F 00	8.11119E-03	5	6.63334E 00	5.05854E 00	1.50033E 00	7.51717E-02
6	5.14655F 00	3.37636F 00	2.17443F 00	1.30227E-02	6	6.79090E 00	5.31014E 00	4.42092E-01	1.34596E-01
7	6.02904F 00	3.490134F 00	2.61732F 00	2.11164E-02	7	5.92182E 00	5.10107F 00	6.52756E-01	1.67176E-01
8	6.44339F 00	4.36754F 00	1.49910F 00	3.66735F-02	8	5.92017E 00	5.09151F 00	5.90330E-01	2.11063E-01
9	6.64473F 00	4.96453F 00	1.47364F 00	6.36649E-02	9	6.22492E 00	5.32702E 00	5.10062E-01	3.72323E-01
10	6.15663F 00	5.17389F 00	8.56777F 00	1.22714E-01	10	6.91190E 00	6.10492E 00	1.22714E-01	6.80464E-01
11	6.45538F 00	5.37541F 00	9.51576E-01	1.36037E-01	11	7.96914E 00	6.89641E 00	0.0	1.04289E 00
12	6.28493F 00	5.32471F 00	8.19649E-01	1.46892F-01	12	1.00066E 00	8.29541E 00	0.0	1.82675E 00
13	6.12440F 00	5.22418F 00	7.44152F-01	1.45533E-01	13	1.23354E 01	9.4440AF 00	0.0	2.45783E 00
14	5.99179F 00	5.14460F 00	6.90544F-01	1.54592E-01	14	1.63521E 01	1.13054F 01	0.0	5.17130E 00
15	5.00427F 00	5.09759F 00	6.47934E-01	1.66455E-01	15	2.29059E 01	1.32655F 01	0.0	9.6621AE 00
16	5.84161F 00	5.06035F 00	6.21593F-01	1.76067E-01	16	3.03614E 01	1.4750AF 01	0.0	1.56311E 01
17	5.87427F 00	5.06617F 00	6.05244F-01	2.07A57E-01	17	4.14018E 01	1.65993E 01	0.0	2.69231E 01
18	5.99117F 00	5.09151F 00	5.90330F-01	2.98111E-01	18	1.38796E 01	7.70094E 00	0.0	6.17722E 00
19	5.48811F 00	5.10427F 00	5.82112E-01	2.57727E-01	19	7.00066E 00	8.29541E 00	0.0	7.30032E-02
20	6.05473F 00	5.19073F 00	5.54958F-01	3.06554E-01	20	7.18064E 00	6.93335E 00	0.0	2.47123E-01
21	6.20314F 00	5.30432F 00	5.17798E-01	3.77030E-01	21	7.63571E 00	6.93342E 00	0.0	7.02323E-01
22	6.19263F 00	5.41676F 00	4.70517E-01	4.3313AE-01	22	8.51371E 00	6.75333E 00	0.0	1.58039E 00
23	6.62442F 00	5.772A89F 00	2.46682L-01	5.66259E-01	23	9.87103E 00	6.93333E 00	0.0	2.93761E 00
24	6.91166F 00	6.03470F 00	8.45343F-02	5.89706E-01	24	1.17993E 01	6.93334E 00	0.0	4.86391E 00
25	7.13346F 00	6.27442F 00	0.0	7.86736E-01	25	1.45238E 01	6.93337E 00	0.0	7.59036E 00
26	7.41466F 00	6.51974F 00	0.0	5.91672E-01					
27	7.40175F 00	6.85162F 00	0.0	1.05012E 00					
28	8.27924F 00	7.10486F 00	0.0	1.17239E 00					
29	9.04235F 00	7.58811F 00	0.0	1.45947E 00					
30	1.006442F 01	8.17756F 00	0.0	1.86669E 00					
31	1.07952F 01	8.62A37F 00	0.0	2.16643E 00					
32	1.14783F 01	8.97440F 00	0.0	2.33948E 00					
33	1.19056F 01	9.27781F 00	0.0	2.62774E 00					
34	1.19724F 01	1.00017F 01	0.0	3.53720E 00					
35	1.51512F 01	1.06799F 01	0.0	4.48912E 00					
36	1.61942F 01	1.11987F 01	0.0	5.19550E 00					
37	1.73372F 01	1.15987F 01	0.0	5.73352E 00					
38	1.97981F 01	1.22A43F 01	0.0	7.45294E 00					
39	2.30798F 01	1.31320F 01	0.0	9.85948E 00					
40	2.55105F 01	1.37275F 01	0.0	1.17741F 01					
41	2.74206F 01	1.42131F 01	0.0	1.32075E 01					
42	3.49175F 01	1.46112F 01	0.0	1.45934E 01					
43	3.44960F 01	1.53365F 01	0.0	1.89972E 01					
44	3.96131F 01	1.59434F 01	0.0	2.36474E 01					
45	4.34364F 01	1.64960F 01	0.0	2.70405E 01					
46	4.64557F 01	1.68833F 01	0.0	2.96742E 01					
47	9.45922F 00	7.13239F 00	0.0	2.31448E 00					
48	2.35070F 01	9.01928F 00	0.0	1.66085E 01					
49	6.94347F 01	6.93646F 01	0.0	4.70724E-02					
50	6.94162F 01	6.93452F 00	0.0	4.71444E-02					
51	7.00161F 01	6.93397F 00	0.0	6.78849E-02					
52	7.04761F 01	6.93378F 00	0.0	1.03906E-01					
53	7.09342F 00	6.93365F 00	0.0	1.59907E-01					
54	7.17320F 00	6.93350F 00	0.0	2.39711E-01					
55	7.27645F 00	6.93350F 00	0.0	3.43009E-01					
56	7.42440F 00	6.93149F 00	0.0	4.99000E-01					
57	7.62451F 00	6.93346F 00	0.0	6.91122E-01					
58	7.94139F 00	6.93340F 00	0.0	9.28017E-01					
59	8.14239F 00	6.93336F 00	0.0	1.21903E 00					
60	8.44448F 00	6.93333F 00	0.0	1.55512E 00					
61	8.89898F 00	6.93334F 00	0.0	1.96564E 00					
62	9.34189F 00	6.93338F 00	0.0	2.40851E 00					
63	9.46121F 00	6.93343F 00	0.0	2.92773E 00					
64	1.04182F 01	6.93319F 00	0.0	3.44477E 00					
65	1.10635F 01	6.93332E 00	0.0	4.12994E 00					
66	1.17829F 01	6.93349F 00	0.0	4.84925E 00					
67	1.25649F 01	6.93322F 00	0.0	5.36321E 00					
68	1.34722F 01	6.93330F 00	0.0	6.53872E 00					
69	1.44580F 01	6.93342F 00	0.0	7.52A34E 00					
70	1.54576F 01	6.93311F 00	0.0	8.7n911E 00					

**JAERI-M 6001**

\*\*\* NUCLEUS Xr-131 \*\*\*

**73 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.51777E 00	2.44513F 00	2.07240F 00	2.0056AE-04	1	4.33772E 00	2.24423E 00	2.09274E 00	6.52339E-04
2	4.29129F 00	2.1947F 00	2.09692F 00	7.7905E-04	2	4.55945E 00	2.40214E 00	2.18815E 00	4.66191E-03
3	4.31268F 00	2.14922F 00	2.17467F 00	2.40151F-03	3	5.49778E 00	3.16884E 00	2.21460E 00	1.33881E-02
4	4.64399F 00	2.43062F 00	2.19918F 00	5.862AE-03	4	6.35284E 00	4.31189F 00	2.01576E 00	2.51867E-02
5	5.14796F 00	2.87568F 00	2.23553F 00	1.06871E-02	5	6.44650E 00	4.89740E 00	1.70984E 00	3.92540E-02
6	5.63239F 00	3.44712F 00	2.14294F 00	1.5949E-02	6	6.19622E 00	4.89242F 00	1.23399F 00	7.16784E-02
7	6.149211F 00	4.04168F 00	2.07853F 00	2.17296E-02	7	5.78733E 00	5.08184E 00	1.57704E-01	1.92389E-01
8	6.58804F 00	4.52004F 00	1.95750F 00	2.938AE-02	8	5.41605E 00	5.29784E 00	4.12053E-01	2.31034E-01
9	6.44911F 00	4.84861F 00	1.80438F 00	3.91217E-02	9	6.19410E 00	5.78429F 00	1.02050E-02	3.57554E-01
10	4.60729F 01	4.94126F 00	1.67290F 00	4.30517E-02	10	7.13421E 00	6.52867F 00	0.0	5.80896E-01
11	6.39156F 00	4.91484F 00	1.42102F 00	5.59202E-02	11	8.81418E 00	7.45912E 00	0.0	6.55512E-01
12	6.18874F 01	4.87552F 00	1.38897F 00	6.99841E-02	12	1.06777E 01	9.19249F 00	0.0	1.52381E 00
13	6.100159F 00	4.85776F 00	1.02954F 00	9.66402E-02	13	1.35697E 01	1.09077E 01	0.0	2.42614E 00
14	5.86138F 00	5.01664F 00	7.26507F-01	1.24451E-01	14	1.79701E 01	1.36440F 01	0.0	4.50824E 00
15	5.74688F 00	5.12408F 00	4.88486E-01	1.57264E-01	15	2.32943E 01	1.65356E 01	0.0	8.76503E 00
16	5.72110F 00	5.10088F 00	4.42549F-01	1.74667E-01	16	3.39894F 01	1.94164E 01	0.0	1.45828E 01
17	5.75834F 00	5.14674F 00	3.71089F-01	2.0872E-01	17	4.48865F 01	2.28272E 01	0.0	2.62832E 01
18	5.82213F 00	5.29748F 00	2.93266E-01	2.37867F-01	18	1.81192E 01	8.78191F 00	0.0	9.34947E 00
19	5.86915F 00	5.30404F 00	2.35040E-01	2.57741E-01	19	3.55112E 01	2.00109E 01	0.0	1.52999E 01
20	6.000309F 00	5.53658F 00	9.49247E-02	3.000447E-01	20	3.72127E 03	2.80949E 03	0.0	9.12100E 02
21	6.19544F 00	5.15500F 00	0.0	3.63049E-01	21	7.39149E 01	5.29462F 01	0.0	2.09679E 01
22	6.334091F 00	5.97273F 00	0.0	4.09774E-01	22	3.90144E 01	2.3014nF 01	0.0	1.29004E 01
23	6.711494F 00	6.21495F 00	0.0	5.01589E-01	23	3.44445E 01	1.87307E 01	0.0	1.57136E 01
24	7.06036F 00	6.47313F 00	0.0	5.47211F-01	24	9.92109E 01	1.73352F 01	0.0	2.18750E 01
25	7.32767F 00	6.67415F 00	0.0	6.53499E-01	25	4.83846E 01	1.67735E 01	0.0	3.16111E 01
26	7.66229F 00	6.93002F 00	0.0	7.32277E-01					
27	8.23349F 00	7.37163F 00	0.0	8.61299E-01					
28	8.47467F 00	7.71759F 00	0.0	9.61122E-01					
29	8.74653F 00	8.36705F 00	0.0	1.20708E 00					
30	1.07712F 01	9.16293F 00	0.0	1.54829E 00					
31	1.154940F 01	9.77166F 00	0.0	1.81741E 00					
32	1.22429F 01	1.024643F 01	0.0	2.01460E 00					
33	1.24713F 01	1.06539F 01	0.0	2.21747E 00					
34	1.47831F 01	1.17174F 01	0.0	3.01559E 00					
35	1.46151F 01	1.27507F 01	0.0	3.89540E 00					
36	1.80183F 01	1.34482F 01	0.0	4.59005E 00					
37	1.90594F 01	1.40800F 01	0.0	5.01144E 00					
38	2.19141F 01	1.52061F 01	0.0	6.60751E 00					
39	2.56030F 01	1.65848F 01	0.0	8.49526E 00					
40	2.84348F 01	1.76646F 01	0.0	1.07888E 01					
41	3.06549F 01	1.88470F 01	0.0	1.21614E 01					
42	3.24030F 01	1.91647F 01	0.0	1.74663F 01					
43	3.87131F 01	2.04009F 01	0.0	1.8063RE 01					
44	4.05464F 01	2.17015F 01	0.0	2.28427E 01					
45	4.90001F 01	2.26192F 01	0.0	2.64049E 01					
46	5.24015F 01	2.31552F 01	0.0	2.91342E 01					
47	5.02137F 01	2.51318F 00	0.0	1.17205E 01					
48	1.95492F 01	8.77856F 00	0.0	1.08134E 01					
49	1.49093F 01	9.06213F 00	0.0	5.44299E 00					
50	5.154446F 01	1.52402F 01	0.0	3.88005E 01					
51	1.49472F 01	1.39393F 01	0.0	1.6579RE 00					
52	3.70937F 01	1.08992F 01	0.0	6.19864E 00					
53	2.15530F 03	1.63433F 03	0.0	5.2070RE 02					
54	7.51438F 03	5.68177F 03	0.0	1.83260E 03					
55	1.54549F 03	1.14669F 03	0.0	3.94759E 02					
56	1.15055F 02	8.37969F 01	0.0	3.12551E 01					
57	6.07422F 01	4.92232F 01	0.0	1.75449E 01					
58	4.52327F 01	4.12962F 01	0.0	1.19365E 01					
59	3.84433F 01	2.57112F 01	0.0	1.27772E 01					
60	3.53108F 01	2.26507F 01	0.0	1.26801E 01					
61	3.39827F 01	2.06431F 01	0.0	1.32494E 01					
62	3.17244F 01	1.44915F 01	0.0	1.42328E 01					
63	3.42626F 01	1.86320F 01	0.0	1.76101E 01					
64	3.51155F 01	1.50552E 01	0.0	1.73004E 01					
65	3.69901F 01	1.76211F 01	0.0	1.93691E 01					
66	3.90947F 01	1.73049F 01	0.0	2.17839E 01					
67	4.16427F 01	1.70736F 01	0.0	2.45295E 01					
68	4.44415F 01	1.68961F 01	0.0	2.77454E 01					
69	4.81126F 01	1.67451F 01	0.0	3.13475E 01					
70	4.29768F 01	1.66599F 01	0.0	3.47169E 01					

**25 GROUP STRUCTURE**

**JAERI-M 6001**

\*\*\* NUCLEDF CS-133 \*\*\*

**7G GROUP STRUCTURE**

GROUP	TOTAL	PLASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	PLASTIC	INELASTIC	CAPTURE
1	4.51200E 00	2.42955E 00	2.06730E 00	1.55812E-04	1	4.35466E 00	2.24345E 00	2.11071E 00	4.38026E-04
2	4.31125E 00	2.19760E 00	2.11554E 00	5.23035E-04	2	4.66496E 00	2.40245E 00	2.19888E 00	3.12157E-03
3	4.36059E 00	2.21730E 00	2.14149E 00	1.67197E-03	3	5.51688E 00	3.40964E 00	2.19668E 00	9.34938E-03
4	4.72215E 00	2.50914E 00	2.08887E 00	3.92462E-03	4	6.46482E 00	4.53932E 00	1.90903E 00	2.12447E-02
5	4.24702E 00	1.06682E 00	2.25394E 00	7.11935E-03	5	6.67247E 00	5.04374E 00	1.58479E 00	4.45985E-02
6	4.74174E 00	3.73428E 00	2.14652E 00	1.13737E-02	6	6.10147E 00	4.97950E 00	1.00979E 00	1.13987E-01
7	6.27372E 00	4.29745E 00	1.95911E 00	1.68146E-02	7	5.65307E 00	4.79835E 00	6.77549E-01	1.76647E-01
8	6.61121E 00	4.76138E 00	1.46255E 00	5.25464E-02	8	5.73900E 00	5.04885E 00	4.23124E-01	2.64417E-01
9	6.74511E 00	5.00407E 00	1.70266E 00	3.63723E-02	9	6.23049E 00	5.73584E 00	3.74967E-02	4.31519E-01
10	6.60605E 00	5.07735E 00	1.47646E 00	5.25212E-02	10	7.19946E 00	6.66446E 00	0.0	7.04993E-01
11	6.33018E 00	5.04051E 00	1.20713E 00	8.23597E-02	11	8.82498E 00	7.74250E 00	0.0	1.05180E 00
12	6.08449E 00	4.98417E 00	9.83982E-01	1.17782E-01	12	1.16288E 01	9.65733E 00	0.0	1.94278E 00
13	5.88322E 00	4.91700E 00	8.26691E-01	1.44556E-01	13	1.47125E 01	1.16144E 01	0.0	3.14489E 00
14	5.82124E 00	4.82124E 00	7.40437E-01	1.66604E-01	14	2.02049E 01	1.47204E 01	0.0	5.03981E 00
15	5.63369E 00	4.77747E 00	6.79600E-01	1.74291E-01	15	2.47843E 01	1.74609E 01	0.0	1.13397E 01
16	5.60014E 00	4.79057E 00	6.10254E-01	1.92849E-01	16	3.89139E 01	2.03370E 01	0.0	1.06314E 01
17	5.65589E 00	4.92149E 00	5.11819E-01	2.35278E-01	17	5.63997E 01	2.36177E 01	0.0	3.29972E 01
18	5.75589E 00	5.00411E 00	3.49526E-01	2.75111E-01	18	2.42973E 01	9.16003E 00	0.0	1.91522E 01
19	5.41732E 00	5.19482E 00	3.19794E-01	3.07772E-01	19	4.06394E 01	9.67837E 00	0.0	3.08180E 01
20	5.99076E 00	5.41150E 00	1.11510E-01	3.071144E-01	20	2.22946E 01	7.82364E 00	0.0	1.44214E 01
21	5.75785E 00	5.56039E 00	0.0	4.37404E-01	21	9.97192E 02	2.21191E 01	0.0	3.74882E 02
22	5.45458E 00	5.19154E 00	0.0	4.97684E-01	22	1.72806E 01	7.37384E 00	0.0	9.90669E 00
23	6.08444E 00	6.27499E 00	0.0	6.06446E-01	23	1.24834E 01	7.16434E 00	0.0	5.31698E 00
24	7.30065E 00	6.59065E 00	0.0	7.13622E-01	24	1.35113E 01	7.14063E 00	0.0	6.37042E 00
25	7.63691E 00	6.84448E 00	0.0	7.92428E-01	25	1.58495E 01	7.113394E 00	0.0	8.76100E 00
26	7.049271E 00	7.15113E 00	0.0	8.91355E-01					
27	8.73004E 00	7.67076E 00	0.0	1.04929E 00					
28	8.26236E 00	8.07102E 00	0.0	1.18917E 00					
29	1.03388E 01	8.80331E 01	0.0	1.51783E 00					
30	1.16804E 01	9.69114E 01	0.0	1.97627E 00					
31	1.27064E 01	1.03637E 01	0.0	2.33669E 00					
32	1.35031E 01	1.08865E 01	0.0	2.66662E 00					
33	1.52215E 01	1.13495E 01	0.0	2.87193E 00					
34	1.44637E 01	1.24793E 01	0.0	3.04634E 00					
35	1.88163E 01	1.35615E 01	0.0	5.07484E 00					
36	2.02613E 01	1.43118E 01	0.0	5.90777E 00					
37	2.15300E 01	1.49402E 01	0.0	6.54994E 00					
38	2.44442E 01	1.61244E 01	0.0	8.59464E 00					
39	2.91527E 01	1.74142E 01	0.0	1.14559E 01					
40	3.54613E 01	1.95771E 01	0.0	1.58442E 01					
41	3.30302E 01	1.94024E 01	0.0	1.56277E 01					
42	7.74415E 01	2.00822E 01	0.0	1.72592E 01					
43	4.44927E 01	2.11477E 01	0.0	2.79147E 01					
44	5.11441E 01	2.25380E 01	0.0	2.88070E 01					
45	5.65797E 01	2.34133E 01	0.0	3.11464E 01					
46	6.06114E 01	2.41235E 01	0.0	3.64096E 01					
47	3.28413E 01	9.81113E 00	0.0	2.35264E 01					
48	9.34309E 00	7.40293E 00	0.0	1.99842E 01					
49	1.07457E 01	1.028492E 01	0.0	2.04960E 01					
50	4.82000E 01	1.23937E 01	0.0	3.58024E 01					
51	1.56878E 01	7.54053E 00	0.0	8.14190E 00					
52	5.84421E 01	9.73377E 00	0.0	8.87041E 01					
53	4.98793E 01	9.18163E 00	0.0	9.06939E 01					
54	7.55829E 00	7.12110E 00	0.0	8.07229E-01					
55	4.59461E 00	7.14466E 00	0.0	1.34149E 00					
56	1.30901E 01	7.30298E 00	0.0	4.74722E 00					
57	3.80777E 02	2.14129E 01	0.0	3.58445E 02					
58	3.07329E 02	3.81636E 01	0.0	7.66207E 02					
59	3.37227E 01	7.61620E 00	0.0	1.61063E 01					
60	1.30462E 01	7.29448E 01	0.0	7.80172E 00					
61	1.30623E 01	7.21232E 00	0.0	5.849135E 00					
62	1.24402E 01	7.17349E 01	0.0	5.30077E 00					
63	1.23419E 01	7.16171E 00	0.0	5.23014E 00					
64	1.25773E 01	7.17164E 00	0.0	5.42349E 00					
65	1.29417E 01	7.14456E 00	0.0	5.80692E 00					
66	1.34761E 01	7.14022E 00	0.0	6.33467E 00					
67	1.61200E 01	7.13709E 00	0.0	6.98267E 00					
68	1.49415E 01	7.14968E 00	0.0	7.77879E 00					
69	1.58217E 01	7.13334E 00	0.0	8.64809E 00					
70	1.64449E 01	7.13167E 00	0.0	9.81291E 00					

**JAERI-M 6001**

\*\*\* NUCLIDE CS-135 \*\*\*

**70 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.51138F 00	2.41859F 00	2.00264F 00	8.17350F-05
2	4.32557F 00	2.20138F 00	2.12517F 00	2.61709E-04
3	4.30524F 00	2.24420F 00	2.15134F 00	6.45156E-04
4	4.78303F 00	2.56737F 00	2.71420F 00	1.38477E-03
5	4.31166F 00	3.02912F 00	2.26484F 00	2.06695F-03
6	5.36552F 00	1.68793F 00	2.20870F 00	5.64645E-03
7	5.37403F 00	4.42667F 00	1.94603F 00	1.46725E-02
8	5.73489F 00	5.12116F 00	1.47334F 00	3.77637E-02
9	5.79360F 00	5.34557F 00	1.34563F 00	4.34600E-02
10	6.60958F 00	5.46171F 00	1.11883F 00	5.01112E-02
11	6.28866F 00	5.51940F 00	7.00162F-01	6.84729E-02
12	6.00058F 00	5.47407F 00	6.25416F-01	7.32477E-02
13	5.74572F 00	5.28538E 00	4.22950E-01	7.89000E-02
14	5.61132F 00	5.22711F 00	3.76574E-01	8.46887E-02
15	5.31094F 00	5.24075F 00	1.33453E-01	1.00459E-01
16	5.50532F 00	5.33901F 00	0.0	1.14474E-01
17	5.58782F 00	5.44668F 00	0.0	1.33453E-01
18	5.71104F 00	5.51603F 00	0.0	1.46667E-01
19	5.74946F 00	5.62764F 00	0.0	1.61811E-01
20	6.00445F 00	5.818689E 00	0.0	1.86535E-01
21	6.39145F 00	6.070098E 00	0.0	2.21364E-01
22	6.52620F 00	6.27715F 00	0.0	2.46056E-01
23	7.04494F 00	6.73498F 00	0.0	3.11267E-01
24	7.54127F 00	7.16471F 00	0.0	3.72548E-01
25	7.92260F 00	7.50178F 00	0.0	4.21423E-01
26	8.39174F 00	7.91259F 00	0.0	4.74107E-01
27	8.17935F 00	8.60444F 00	0.0	5.70605E-01
28	9.78947F 00	9.14733F 00	0.0	6.42140E-01
29	1.110154F 01	1.01955E 01	0.0	8.11504E-01
30	1.25404F 01	1.14A94F 01	0.0	1.05130E 00
31	1.37076F 01	1.24791F 01	0.0	1.22H36E 00
32	1.461135F 01	1.32475F 01	0.0	1.36464E 00
33	1.56298F 01	1.39246E 01	0.0	1.50516E 00
34	1.79713F 01	1.58134F 01	0.0	2.11441E 00
35	2.040657F 01	1.76494F 01	0.0	2.73467E 00
36	2.22496F 01	1.90178F 01	0.0	3.23173E 00
37	2.37707F 01	2.01084F 01	0.0	3.74673E 00
38	2.72548F 01	2.24191F 01	0.0	4.91058E 00
39	3.22244F 01	2.51193E 01	0.0	6.87705E 00
40	3.40654F 01	2.76126F 01	0.0	8.41207E 00
41	3.80698F 01	2.94068F 01	0.0	9.56298E 00
42	6.15826F 01	3.09631F 01	0.0	1.04759E 01
43	4.36644F 01	3.44629F 01	0.0	1.20417E 01
44	5.74004F 01	3.77423F 01	0.0	1.59466E 01
45	6.33248F 01	4.03192F 01	0.0	2.29856E 01
46	6.74906F 01	4.23033F 01	0.0	2.55464E 01
47	7.17A77F 00	7.15212F 00	0.0	2.91207E-02
48	7.18624F 00	7.17203F 00	0.0	3.41473E-02
49	7.19A74F 00	7.15116F 00	0.0	4.74151E-02
50	7.21710F 00	7.15093F 00	0.0	6.6193AE-02
51	7.24207F 00	7.15038F 00	0.0	9.14771E-02
52	7.27629F 00	7.15046F 00	0.0	1.23A51E-02
53	7.31436F 00	7.15028F 00	0.0	1.64131E-01
54	7.3A191F 00	7.15018F 00	0.0	2.11766E-01
55	7.51443F 00	7.15007F 00	0.0	2.64376E-01
56	7.44018F 00	7.14900F 00	0.0	3.10215E-01
57	7.55440F 00	7.14993F 00	0.0	4.04473E-01
58	7.63870F 00	7.14990F 00	0.0	4.88405E-01
59	7.73278F 00	7.14985F 00	0.0	5.69917E-01
60	7.83551F 00	7.14984F 00	0.0	6.4600AE-01
61	7.95748F 00	7.14980F 00	0.0	8.07659E-01
62	8.04671F 00	7.14980F 00	0.0	9.34918E-01
63	8.25727F 00	7.14980F 00	0.0	1.08747F 00
64	8.39884F 00	7.14980F 00	0.0	1.28997E 00
65	8.32706F 00	7.14980F 00	0.0	1.3726E 00
66	8.79467F 00	7.14976F 00	0.0	1.64890E 00
67	9.03207F 00	7.14980F 00	0.0	1.88227E 00
68	9.30207F 00	7.14980E 00	0.0	2.15222E 00
69	9.56906F 00	7.14976E 00	0.0	2.44930E 00
70	9.49731F 00	7.14970F 00	0.0	2.80767E 00

**25 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.36292E 00	2.43424E 00	2.11943E 00	2.08040E-04
2	4.72634E 00	2.44887E 00	2.20487E 00	1.12291E-03
3	5.61240E 00	3.38170E 00	2.23758E 00	4.31673E-03
4	6.56330E 00	4.78847E 00	1.74897E 00	2.67807E-02
5	6.69413E 00	5.24422E 00	1.22715E 00	4.64936E-02
6	6.03247E 00	5.40522E 00	1.54477E-01	7.94376E-02
7	5.55374E 00	5.27497E 00	1.52882E-01	1.00574E-01
8	5.71104E 00	5.26039E 00	0.0	1.46946E-01
9	6.33250E 00	6.10627E 00	0.0	2.19024E-01
10	7.44662E 00	7.25901F 00	0.0	3.77040E-01
11	9.14389E 00	8.70454E 00	0.0	5.66461E-01
12	1.24295E 01	1.14394E 01	0.0	1.07794E 00
13	1.60079E 01	1.43970E 01	0.0	1.66514E 00
14	2.22056E 01	1.89901F 01	0.0	3.19306E 00
15	3.19083E 01	2.28000E 01	0.0	6.71952E 00
16	4.34161E 01	3.17176E 01	0.0	1.17765E 01
17	6.31214E 01	4.08629E 01	0.0	2.27106E 01
18	7.18767E 00	7.15220E 00	0.0	3.54872E-02
19	7.24453E 00	7.15066E 00	0.0	9.38853E-02
20	7.36335E 00	7.1501AF 00	0.0	2.11205E-01
21	7.55781E 00	7.14994E 00	0.0	4.07878E-01
22	7.44219E 00	7.14941E 00	0.0	6.92349E-01
23	8.24017E 00	7.14941E 00	0.0	1.09037E 00
24	8.80419E 00	7.14979E 00	0.0	1.65440E 00
25	9.61984E 00	7.14977E 00	0.0	2.47010E 00

**JAERI-M 6001**

\*\*\* NUCLIDE CS-137 \*\*\*

**70 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.41111F 00	2.41052E 00	2.10057E 00	2.94221E-05	1	4.37733E 00	2.24745E 00	2.12982E 00	5.67445E-05
2	4.40429F 00	2.20759E 00	2.13622E 00	6.45269E-05	2	4.78944E 00	2.50022E 00	2.21098E 00	2.33944E-04
3	4.41676F 00	2.27451E 00	2.16210E 00	1.03529E-04	3	5.70579E 00	3.64755E 00	2.15627E 00	1.10163E-03
4	4.40007F 00	2.63029E 00	2.21922E 00	2.85707E-04	4	6.65114E 00	5.46200E 00	1.19670E 00	8.03983E-03
5	4.41883F 00	3.21479E 00	2.27314E 00	6.46242E-04	5	6.73599E 00	6.05799E 00	6.71260E-01	7.44151E-03
6	5.94453F 00	4.05766E 01	2.03797E 00	1.54654E-03	6	5.98607E 00	5.74447E 00	2.20775E-01	6.37202E-03
7	6.44989F 00	5.09110E 00	1.19864E 00	6.74533E-03	7	5.48541E 00	5.47842E 00	0.0	6.99118E-03
8	6.42396F 00	5.80577E 00	1.00884E 00	9.21299E-03	8	5.71425E 00	5.70799E 00	0.0	9.96305E-03
9	6.45209F 00	6.04780E 00	7.46419E-01	7.87294E-03	9	6.46477E 00	6.45246E 00	0.0	1.37508E-02
10	6.45229F 00	6.06724E 00	5.54654E-01	7.04518E-03	10	7.87242E 00	7.84533E 00	0.0	2.68738E-02
11	6.26133F 00	5.88426E 00	3.72577E-01	6.49177E-03	11	9.74448E 00	9.70354E 00	0.0	4.49621E-02
12	5.70493F 00	5.70493E 00	2.47113E-01	6.26481E-03	12	1.95849E 01	1.34951E 01	0.0	9.23122E-02
13	5.72023F 00	5.63314E 00	3.29356E-02	6.36556E-03	13	1.76331E 01	1.74853E 01	0.0	1.47829E-01
14	5.54312F 00	5.53655E 00	0.0	6.56690E-03	14	2.47245E 01	2.44820E 01	0.0	2.47226E-01
15	5.46113F 00	5.45544E 01	0.0	6.97107E-03	15	3.58135E 01	3.52356E 01	0.0	4.54716E-01
16	5.44829F 00	5.44080E 00	0.0	7.44667E-03	16	4.88600E 01	4.81744E 01	0.0	7.89702E-01
17	5.36119F 00	5.35238E 00	0.0	8.74251E-03	17	7.14613E 01	6.98364E 01	0.0	1.61299E 00
18	5.71429F 00	5.70790E 00	0.0	1.05511E-02	18	7.22019E 00	7.21914E 00	0.0	1.81977E-03
19	5.80687F 00	5.80687E 00	0.0	1.13327E-02	19	7.22179E 00	7.21901E 00	0.0	2.80372E-03
20	6.07752F 00	6.06616E 00	0.0	1.32704E-02	20	7.22315E 00	7.21899E 00	0.0	4.20810E-03
21	6.41997F 00	6.40403E 00	0.0	1.50137E-02	21	7.22515E 00	7.21895E 00	0.0	6.24898E-03
22	6.49938F 00	6.48154E 00	0.0	1.80188E-02	22	7.22812E 00	7.21890E 00	0.0	9.24387E-03
23	7.31147F 00	7.28811E 01	0.0	2.24913E-02	23	7.23247E 00	7.21890E 00	0.0	1.36009E-02
24	7.88780F 00	7.86160E 01	0.0	2.79300E-02	24	7.23488E 00	7.21840E 00	0.0	1.49862E-02
25	8.33375F 00	8.30111E 00	0.0	3.06471E-02	25	7.24420E 00	7.21849E 00	0.0	2.93476E-02
26	8.87791F 00	8.84912E 00	0.0	3.56553E-02					
27	9.78935F 00	9.74383E 00	0.0	4.52472E-02					
28	1.04934F 01	1.04419E 01	0.0	5.48660E-02					
29	1.19049F 01	1.18333E 01	0.0	7.07367E-02					
30	1.34553F 01	1.35014E 01	0.0	9.42269E-02					
31	1.69937F 01	1.48830E 01	0.0	1.19247E-01					
32	1.56553F 01	1.56192E 01	0.0	1.26129E-01					
33	1.69723F 01	1.68333E 01	0.0	1.38993E-01					
34	1.98807F 01	1.97029E 01	0.0	1.76477E-01					
35	2.26666F 01	2.24516E 01	0.0	2.14509E-01					
36	2.47477F 01	2.45542E 01	0.0	2.43504E-01					
37	2.64411F 01	2.61756E 01	0.0	2.64452E-01					
38	3.04966F 01	3.01111E 01	0.0	3.45442E-01					
39	3.62804F 01	3.58228E 01	0.0	4.63121E-01					
40	4.05433F 01	4.00673E 01	0.0	5.36009E-01					
41	4.33817F 01	4.32963E 01	0.0	6.25146E-01					
42	4.64664F 01	4.61497E 01	0.0	6.97098E-01					
43	5.60950F 01	5.50565E 01	0.0	1.02721E 00					
44	6.49934F 01	6.45571E 01	0.0	1.36671E 00					
45	7.14938F 01	7.00599E 01	0.0	1.63195E 00					
46	7.69066F 01	7.50740E 01	0.0	1.81726E 00					
47	7.22081F 00	7.21928E 00	0.0	1.55883E-03					
48	7.22092F 00	7.21910E 00	0.0	1.81209E-03					
49	7.22113F 00	7.21910E 00	0.0	2.09440E-03					
50	7.22144F 00	7.21909E 00	0.0	2.41841E-03					
51	7.22177F 00	7.21900E 00	0.0	2.74724E-03					
52	7.22211F 00	7.21900E 00	0.0	3.20346E-03					
53	7.22263F 00	7.21900E 00	0.0	3.67559E-03					
54	7.22314F 00	7.21900E 00	0.0	4.19411E-03					
55	7.22370F 00	7.21997E 00	0.0	4.75777E-03					
56	7.22395F 01	7.21993E 00	0.0	5.44558E-03					
57	7.22412F 00	7.21941E 00	0.0	6.23064E-03					
58	7.22539F 00	7.21A94E 00	0.0	7.09095E-03					
59	7.22694E 00	7.21A90E 00	0.0	8.07517E-03					
60	7.22806E 00	7.21A90E 00	0.0	9.16464E-03					
61	7.22935F 00	7.21A90E 00	0.0	1.04617E-02					
62	7.23077F 00	7.21A90F 00	0.0	1.19004E-02					
63	7.23243F 00	7.21A90F 00	0.0	1.35593E-02					
64	7.23423F 00	7.21A90F 00	0.0	1.35695E-02					
65	7.23638F 00	7.21A90F 00	0.0	1.74922E-02					
66	7.23977F 00	7.21A90F 00	0.0	1.98660E-02					
67	7.24014F 00	7.21A90F 00	0.0	2.24700E-02					
68	7.24454F 00	7.21A90F 00	0.0	2.56716E-02					
69	7.24794F 00	7.21A90E 00	0.0	2.91054E-02					
70	7.24921F 00	7.21A90F 00	0.0	3.93547E-02					

**JAERI-M 6001**

\*\*\* INCLUDE CE=144 \*\*\*

**70 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	UNCOMP
1	4.51788E+00	2.38870E+00	2.12913E+00	4.76371E-05	
2	4.41948E+00	2.24948E+00	2.16948E+00	2.78392E-04	
3	4.59588E+00	2.40163E+00	2.19297E+00	1.591E-03	
4	5.10408E+00	2.86631E+00	2.23454E+00	3.03225E+00	
5	5.72694E+00	3.49540E+00	2.28748E+00	5.95575E+03	
6	6.29776E+00	4.09491E+00	2.25597E+00	9.26321E+03	
7	6.80888E+00	4.62202E+00	2.17140E+00	1.22189E+02	
8	7.11300E+00	5.02164E+00	2.07704E+00	1.42523E+02	
9	7.77731E+00	5.14663E+00	1.87551E+00	1.53784E+02	
10	8.76421E+00	5.15292E+00	1.63000E+00	1.59472E+02	
11	6.20697E+00	4.88504E+00	1.29350E+00	1.64105E+02	
12	5.91327E+00	4.88595E+00	1.01463E+00	1.69492E+02	
13	5.62901E+00	5.20311E+00	4.19181E+00	1.59575E+02	
14	5.85787E+00	5.41197E+00	0.0	4.74472E+02	
15	5.41197E+00	5.37412E+00	0.0	4.44114E+02	
16	5.87376E+00	5.41313E+00	0.0	4.74533E+02	
17	5.74708E+00	5.69452E+00	0.0	5.29472E+02	
18	6.07718E+00	6.01193E+00	0.0	5.70667E+02	
19	6.27437E+00	6.21716E+00	0.0	6.12117E+02	
20	6.75148E+00	6.64632E+00	0.0	6.51582E+02	
21	7.34184E+00	7.22254E+00	0.0	6.84528E+02	
22	7.84575E+00	7.74531E+00	0.0	7.22059E+02	
23	8.90119E+00	8.52039E+00	0.0	8.16240E+02	
24	9.88114E+00	9.70973E+00	0.0	9.07407E+02	
25	1.06393E+01	1.03415E+01	0.0	9.77950E+02	
26	1.14432E+01	1.14456E+01	0.0	1.07564E+03	
27	1.30687E+01	1.29431E+01	0.0	1.25573E+03	
28	1.42417E+01	1.41021E+01	0.0	1.46515E+03	
29	1.44508E+01	1.62901E+01	0.0	1.61054E+03	
30	1.59422E+01	1.42368E+01	0.0	1.85941E+03	
31	2.116154E+01	2.14104E+01	0.0	2.04944E+03	
32	2.31179E+01	2.30982E+01	0.0	2.19497E+03	
33	2.48849E+01	2.46147E+01	0.0	2.34113E+03	
34	2.95767E+01	2.93427E+01	0.0	2.91652E+03	
35	3.41113E+01	3.37715E+01	0.0	3.55541E+03	
36	3.74563E+01	4.71692E+01	0.0	3.97111E+03	
37	4.02266E+01	3.98048E+01	0.0	4.31756E+03	
38	4.68131E+01	4.62257E+01	0.0	5.85776E+03	
39	5.62336E+01	5.57475E+01	0.0	8.22294E+03	
40	6.31518E+01	6.21244E+01	0.0	1.00649E+04	
41	6.85111E+01	6.73459E+01	0.0	1.14524E+04	
42	7.33491E+01	7.20417E+01	0.0	1.28737E+04	
43	8.82949E+01	8.61174E+01	0.0	1.97744E+04	
44	1.02605E+02	9.99892E+01	0.0	2.58743E+04	
45	1.14552E+02	1.10432E+02	0.0	3.12010E+04	
46	1.21394E+02	1.14485E+02	0.0	3.50867E+04	
47	7.80457E+01	7.76490E+00	0.0	1.34617E+02	
48	7.74125E+00	7.77340E+00	0.0	1.58260E+02	
49	7.77448E+00	7.75848E+00	0.0	1.81150E+02	
50	7.76303E+00	7.74780E+00	0.0	2.15293E+02	
51	7.76829E+00	7.73969E+00	0.0	2.44543E+02	
52	7.74210E+00	7.73371E+00	0.0	2.91764E+02	
53	7.76195E+00	7.72921E+00	0.0	3.26914E+02	
54	7.74340E+00	7.72585E+00	0.0	3.74456E+02	
55	7.74381E+00	7.72914E+00	0.0	4.25945E+02	
56	7.74925E+00	7.72043E+00	0.0	4.84375E+02	
57	7.77495E+00	7.71849E+00	0.0	5.60339E+02	
58	7.78153E+00	7.71773E+00	0.0	6.33039E+02	
59	7.78059E+00	7.71679E+00	0.0	7.28127E+02	
60	7.79489E+00	7.71617E+00	0.0	8.27363E+02	
61	7.81036E+00	7.71567E+00	0.0	9.47208E+02	
62	7.82771E+00	7.71513E+00	0.0	1.07524E+03	
63	7.83776E+00	7.71503E+00	0.0	1.22780E+03	
64	7.85368E+00	7.71467E+00	0.0	1.39038E+03	
65	7.87271E+00	7.71442E+00	0.0	1.58314E+03	
66	7.89451E+00	7.71435E+00	0.0	1.80157E+03	
67	7.91472E+00	7.71435E+00	0.0	2.04413E+03	
68	7.94660E+00	7.71410E+00	0.0	2.32918E+03	
69	7.97767E+00	7.71400E+00	0.0	2.63644E+03	
70	8.01541E+00	7.71412E+00	0.0	3.01324E+03	

**25 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.43717E+00	2.27451E+00	2.16236E+00	2.27606E+04
2	5.027495E+00	2.66652E+00	2.22832E+00	2.36884E+03
3	6.02740E+00	3.78349E+00	2.27284E+00	7.69218E+03
4	6.96675E+00	4.83100E+00	2.12244E+00	1.32747E+02
5	6.91642E+00	5.16800E+00	1.73197E+00	1.36957E+02
6	6.95152E+00	5.02379E+00	9.19429E+00	2.14635E+02
7	7.45499E+00	5.90535E+00	0.0	4.34647E+02
8	6.07186E+00	6.01391E+00	0.0	5.68182E+02
9	7.93817E+00	7.26931E+00	0.0	6.95411E+02
10	4.85529E+00	9.76440E+00	0.0	9.04974E+02
11	1.90009E+01	1.28761E+01	0.0	1.24783E+01
12	1.91784E+01	1.89944E+01	0.0	1.84989E+01
13	2.59207E+01	2.56711E+01	0.0	2.49072E+01
14	3.74471E+01	3.70517E+01	0.0	3.93579E+01
15	5.54422E+01	5.46232E+01	0.0	6.03324E+01
16	7.67378E+01	7.52777E+01	0.0	1.45636E+00
17	1.13176E+02	1.10074E+02	0.0	3.07903E+00
18	1.779165E+00	7.77572E+00	0.0	1.59174E+02
19	7.76513E+00	7.74034E+00	0.0	2.47360E+02
20	7.76371E+00	7.72609E+00	0.0	3.75658E+02
21	7.77720E+00	7.71904E+00	0.0	5.61734E+02
22	7.79963E+00	7.71621E+00	0.0	6.34392E+02
23	7.83797E+00	7.71494E+00	0.0	1.23001E+01
24	7.89513E+00	7.71437E+00	0.0	1.80781E+01
25	7.97993E+00	7.71407E+00	0.0	2.63669E+01

**JAERI-M 6001**

\*\*\* NUCLEOF ID=143 \*\*\*

**70 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	SCATTER	TOTAL
1	4.51337E 00	2.34936E 00	2.12370E -01	4.20912E -05	1	4.42652E 00
2	4.49724E 00	2.24251E 00	2.16450E 00	2.03554E -04	2	5.00045E 00
3	4.57470E 00	2.38558E 00	2.11634E 00	8.70944E -04	3	5.39437E 00
4	4.67324E 00	2.63454E 00	2.23237E 00	6.93429E -04	4	6.93429E 00
5	5.69172E 00	3.38339E 00	2.24653E 00	5.46437E -03	5	5.89490E 00
6	6.26494E 00	4.02135E 00	2.29476E 00	1.53327E -02	6	5.93791E 00
7	6.77938E 00	4.91834E 00	1.76995E 00	8.05513E -02	7	5.12926E 00
8	7.04794E 00	4.95034E 00	9.40059E -01	1.43492E -01	8	5.00063E 00
9	7.05488E 00	6.49319E 00	3.49142E -01	1.64544E -01	9	7.17847E 00
10	7.47773E 00	6.43335E 00	1.70956E -01	1.93444E -01	10	9.55464E 00
11	8.20531E 00	6.12240E 00	1.41327E -02	1.36133E -01	11	1.25304E 01
12	5.90002E 00	5.77476E 00	0.0	1.25252E -01	12	1.81850E 01
13	5.61339E 00	5.49028E 00	0.0	1.26111E -01	13	2.47764E 01
14	5.44150E 00	5.31103E 00	0.0	1.30553E -01	14	3.57091E 01
15	5.39441E 00	5.22955E 00	0.0	1.38197E -01	15	5.27705E 01
16	5.44493E 00	5.22943E 00	0.0	1.40500E -01	16	5.29493E 01
17	5.68021E 00	5.52263E 00	0.0	1.44517E -01	17	1.07556E 02
18	5.89063E 00	5.80820E 00	0.0	1.62193E -01	18	2.73614E 01
19	6.18244E 01	5.98844E 00	0.0	1.93100E -01	19	7.60703E 00
20	6.62639E 00	6.40942E 00	0.0	2.16111E -01	20	2.47764E 00
21	7.20067E 00	6.45286E 00	0.0	2.47146E -01	21	1.54421E 00
22	7.46729E 00	7.39407E 00	0.0	2.73474E -01	22	7.70183E 00
23	7.65360E 00	6.13194E 00	0.0	3.12123E -01	23	7.45584E 00
24	9.57934E 00	9.14119E 00	0.0	3.57333E -01	24	1.22268E 01
25	1.02951E 01	9.86513E 00	0.0	4.36174E -01	25	2.69648E 01
26	1.11460E 01	1.07746E 01	0.0	4.85149E -01		
27	1.25490E 01	1.20146E 01	0.0	5.06440E -01		
28	1.37166E 01	1.30504E 01	0.0	5.56117E -01		
29	1.38487E 01	1.30326E 01	0.0	6.55175E -01		
30	1.38112E 01	1.74469E 01	0.0	1.13997E 00		
31	2.064649E 01	1.03324E 01	0.0	1.36244E 00		
32	2.23309E 01	2.07739E 01	0.0	1.55994E 00		
33	2.37601E 01	2.26607E 01	0.0	1.68933E 00		
34	2.82944E 01	2.57817E 01	0.0	2.49445E 00		
35	2.24376E 01	2.92961E 01	0.0	3.22649E 00		
36	3.384220E 01	3.19922E 01	0.0	3.93674E 00		
37	3.83545E 01	3.46611E 01	0.0	4.79334E 00		
38	4.45515E 01	3.83049E 01	0.0	5.90310E 00		
39	5.34023E 01	4.49717E 01	0.0	8.59336E 00		
40	6.00721E 01	4.92222E 01	0.0	1.05521E 01		
41	6.51785E 01	5.31244E 01	0.0	1.20501E 01		
42	6.97643E 01	5.62468E 01	0.0	1.35215E 01		
43	8.39447E 01	6.42497E 01	0.0	1.86735E 01		
44	9.75264E 01	7.17912E 01	0.0	2.55617E 01		
45	1.07013E 02	7.75602E 01	0.0	3.03529E 01		
46	1.15922E 02	8.20085E 01	0.0	3.39111E 01		
47	7.82672E 00	7.70771E 00	0.0	1.16012E 01		
48	1.07431E 01	1.04525E 01	0.0	7.88404E 00		
49	1.00931E 02	9.49665E 02	0.0	6.55217E 01		
50	7.71476E 00	7.53471E 00	0.0	1.80004E 01		
51	7.56936E 00	7.48777E 00	0.0	8.20046E -02		
52	7.53702E 00	7.47614E 00	0.0	6.18579E -02		
53	7.52663E 00	7.46675E 00	0.0	5.39911E -02		
54	7.52432E 00	7.46365E 00	0.0	5.38411E -02		
55	7.52517E 00	7.46116E 00	0.0	6.39712E -02		
56	7.53207E 00	7.45926E 00	0.0	7.27701E -02		
57	7.54615E 00	7.45792E 00	0.0	8.41725E -02		
58	7.54947E 00	7.35705E 00	0.0	1.13711E -01		
59	7.61115E 00	7.45647E 00	0.0	1.55172E -01		
60	7.68166E 00	7.45581E 00	0.0	2.25822E -01		
61	7.81199E 00	7.45548E 00	0.0	3.54444E -01		
62	8.02757E 00	7.45114E 00	0.0	5.72314E -01		
63	8.41486E 00	7.45497E 00	0.0	9.58404E -01		
64	9.05039E 00	7.45441E 00	0.0	1.59517E 00		
65	1.01521E 01	7.45474E 00	0.0	2.66711E 00		
66	1.19720E 01	7.45477E 00	0.0	4.91701E 00		
67	1.42799E 01	7.45478E 00	0.0	7.34443E 00		
68	1.92958E 01	7.45432E 00	0.0	1.18412E 01		
69	2.37971E 01	7.45433E 00	0.0	1.83425E 01		
70	3.37966E 01	7.45433E 00	0.0	2.93330E 01		

**25 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	2.15701E 00	2.12691F 00	2.22578E 00	1.70402E -03
2	2.67362E 00	2.64265E 00	2.72178E 00	1.06832E -02
3	3.11220E 00	3.07112E 00	3.21178E 00	1.16129E -01
4	3.49444E 00	3.43429E 00	3.56594E 00	1.53071E -01
5	4.46211E 00	4.38330E 00	4.51634E -03	1.26874E -01
6	5.80157E 00	5.80157E 00	5.80157E 00	1.39764E -01
7	5.28951E 00	5.28951E 00	5.28951E 00	1.39764E -01
8	5.80299E 00	5.80299E 00	5.80299E 00	1.78775E -01
9	5.91717E 00	5.91717E 00	5.91717E 00	2.446720E -01
10	9.55464E 00	9.55464E 00	9.55464E 00	3.83273E -01
11	1.25304E 01	1.19547E 01	1.25304E 01	5.76752E -01
12	1.81850E 01	1.73774E 01	1.81850E 01	1.11877E 00
13	1.89580E 00	1.89580E 00	1.89580E 00	1.89580E 00
14	3.79179E 00	3.79179E 00	3.79179E 00	3.79179E 00
15	8.34859E 00	8.34859E 00	8.34859E 00	8.34859E 00
16	1.50348E 01	1.50348E 01	1.50348E 01	1.50348E 01
17	2.99764E 01	2.99764E 01	2.99764E 01	2.99764E 01
18	4.41616E 01	4.41616E 01	4.41616E 01	4.41616E 01
19	1.08446E 01	1.08446E 01	1.08446E 01	1.08446E 01
20	6.09633E -02	6.09633E -02	6.09633E -02	6.09633E -02
21	9.10806E -02	9.10806E -02	9.10806E -02	9.10806E -02
22	2.45904E -01	2.45904E -01	2.45904E -01	2.45904E -01
23	1.04047E 00	1.04047E 00	1.04047E 00	1.04047E 00
24	4.83389E 00	4.83389E 00	4.83389E 00	4.83389E 00
25	1.95142E 01	1.95142E 01	1.95142E 01	1.95142E 01

# JAERI-M 6001

\*\*\* NUCLEUS ND-144 \*\*\*

## 14 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.51744F+00	2.311469F+00	2.12913C+00	5.23410E-05	1	4.43717E+00	2.27451E+00	2.16236E+00	2.42708E-04
2	6.41964F+00	2.24946F+00	2.16005E+00	2.96445E-04	2	5.02895E+00	2.69604E+00	2.22812E+00	2.81747E-03
3	4.50488F+00	2.60143F+00	2.11227F+00	1.32127E-03	3	5.02740E+00	3.74124E+00	2.27486E+00	1.50511E-02
4	5.10408F+00	2.86567F+00	2.21454E+00	3.63149E-03	4	6.96087E+00	4.97770E+00	1.93472E+00	3.71132E-02
5	4.73644F+00	3.61447E+00	2.24778E+00	9.48191E-03	5	6.9139E+00	5.32751E+00	1.34408E+00	4.48840E-02
6	6.29774F+00	4.06491F+01	2.21779F+00	2.05265E-02	6	5.65152E+00	5.79983E+00	4.80808E-02	6.65166E-02
7	6.73716F+00	4.67409F+00	2.11295F+00	3.30172E-02	7	5.45499E+00	5.39129E+00	0.0	6.37000E-02
8	7.11244F+00	5.25516E+00	1.81456E+00	4.08941E-02	8	6.0711AE+00	5.94930E+00	0.0	7.75383E-02
9	7.07729F+00	5.22106F+00	1.71116E+00	4.48410E-02	9	7.33817E+00	7.24749E+00	0.0	9.14561E-02
10	6.74817F+00	5.55313E+00	1.14992E+00	4.85010E-02	10	9.45529E+00	9.73667E+00	0.0	1.19276E-01
11	6.20524F+00	5.97745E+00	2.55566E+00	6.31156E-02	11	1.30009E+01	1.28389E+01	0.0	1.62010E-01
12	5.91527F+00	5.34539E+00	0.0	6.78484E-02	12	1.01746E+01	1.89427E+01	0.0	2.37349E-01
13	5.45733F+00	5.56572E+00	0.0	6.22111E-02	13	2.39207E+01	2.55961E+01	0.0	3.24607E-01
14	5.95787F+00	5.39646E+00	0.0	6.10142E-02	14	3.74473E+01	3.69004E+01	0.0	5.46695E-01
15	5.41189F+00	5.35503E+00	0.0	6.26318E-02	15	5.54322E+01	5.4272AE+01	0.0	1.15102E+00
16	5.47476F+00	5.16194E+00	0.0	6.62922E-02	16	7.6737AE+01	7.46211E+01	0.0	2.11143E+00
17	5.76708F+00	5.67422E+00	0.0	7.24571E-02	17	1.13176E+02	1.08666E+02	0.0	4.48163E+00
18	5.07188F+00	4.99408E+00	0.0	7.84140E-02	18	7.08743E+00	7.83664E+00	0.0	5.04475E-02
19	6.27657F+00	6.15599E+00	0.0	8.28110E-02	19	7.27360E+00	7.74384E+00	0.0	7.47758E-02
20	6.71148F+00	6.66482E+00	0.0	8.66491E-02	20	7.84407E+00	7.71311E+00	0.0	1.27309E-01
21	5.36184F+00	7.27107F+00	0.0	9.07139E-02	21	7.85689E+00	7.70012E+00	0.0	1.86784E-01
22	7.85753F+00	7.76107F+00	0.0	9.44449E-02	22	7.09227E+00	7.69976E+00	0.0	2.97517E-01
23	8.90197F+00	8.79448F+00	0.0	1.07144E-01	23	8.13464E+00	7.69231E+00	0.0	4.42332E-01
24	8.88144F+00	9.76133F+00	0.0	1.16409E-01	24	8.14410E+00	7.69121F+00	0.0	6.52878E-01
25	1.040193F+01	1.05101F+01	0.0	1.26252E-01	25	8.65262E+00	7.69604E+00	0.0	9.62004E-01
26	1.15532F+01	1.11111F+01	0.0	1.41167E-01					
27	1.301687F+01	1.291017E+01	0.0	1.62955E-01					
28	1.42417F+01	1.40621F+01	0.0	1.76144E-01					
29	1.66430F+01	1.62453F+01	0.0	2.04646E-01					
30	1.94522F+01	1.9182F+01	0.0	2.18573E-01					
31	2.16158F+01	2.13524F+01	0.0	2.62972E-01					
32	2.33179F+01	2.30160F+01	0.0	2.81418F-01					
33	2.64889F+01	2.45476E+01	0.0	3.01307E-01					
34	2.98767F+01	2.91488F+01	0.0	3.88466E-01					
35	3.41035F+01	3.36225E+01	0.0	4.80931E-01					
36	3.75663F+01	3.70172F+01	0.0	5.46093E-01					
37	4.02364F+01	3.96348E+01	0.0	6.01544E-01					
38	4.48131F+01	4.59409F+01	0.0	8.29837E-01					
39	5.62036F+01	5.57149F+01	0.0	1.17499E+00					
40	6.31118F+01	6.16801F+01	0.0	1.44167E+00					
41	6.85111F+01	6.69553F+01	0.0	1.65588E+00					
42	7.33432F+01	7.14881F+01	0.0	1.84500E+00					
43	8.42949F+01	8.54110F+01	0.0	2.80944E+00					
44	1.02605F+02	9.47499F+01	0.0	3.77438F+00					
45	1.13552F+02	1.070011E+02	0.0	4.54162E+00					
46	1.21934F+02	1.16843F+02	0.0	5.10939E+00					
47	7.93938F+00	7.91450E+00	0.0	4.46338E-02					
48	7.87756F+00	7.82791F+00	0.0	4.97381E-02					
49	7.88465F+00	7.79733E+00	0.0	5.71157E-02					
50	7.82777F+00	7.75065F+00	0.0	6.75376E-02					
51	7.42108F+00	7.47200F+00	0.0	7.90844E-02					
52	7.82111F+00	7.72898F+00	0.0	9.31163E-02					
53	7.82446F+00	7.71940F+00	0.0	1.09071F-01					
54	7.84330F+00	7.71280F+00	0.0	1.28493E-01					
55	7.85355F+00	7.77745F+00	0.0	1.46108E-01					
56	7.87741F+00	7.70291F+00	0.0	1.66444E-01					
57	7.89418F+00	7.69989F+00	0.0	1.96127E-01					
58	7.95266F+00	7.69750F+00	0.0	2.25119E-01					
59	7.95436F+00	7.69597F+00	0.0	2.58334E-01					
60	7.98177F+00	7.69446F+00	0.0	2.99319E-01					
61	8.03254F+00	7.69336F+00	0.0	3.36233E-01					
62	8.07867F+00	7.69284F+00	0.0	3.89444E-01					
63	8.17734F+00	7.69224F+00	0.0	4.41079E-01					
64	8.19277F+00	7.69189F+00	0.0	5.00944E-01					
65	8.26774F+00	7.69151F+00	0.0	5.71205E-01					
66	8.34174F+00	7.69114F+00	0.0	6.56613E-01					
67	8.42977F+00	7.69098F+00	0.0	7.34787E-01					
68	8.55104F+00	7.69072F+00	0.0	8.46942E-01					
69	8.64462F+00	7.69064F+00	0.0	9.53984E-01					
70	8.78138F+00	7.69052F+00	0.0	1.09066E+00					

## 25 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.43717E+00	2.27451E+00	2.16236E+00	2.42708E-04
2	5.02895E+00	2.69604E+00	2.22812E+00	2.81747E-03
3	5.02740E+00	3.74124E+00	2.27486E+00	1.50511E-02
4	6.96087E+00	4.97770E+00	1.93472E+00	3.71132E-02
5	6.9139E+00	5.32751E+00	1.34408E+00	4.48840E-02
6	5.65152E+00	5.79983E+00	4.80808E-02	6.65166E-02
7	5.45499E+00	5.39129E+00	0.0	6.37000E-02
8	6.0711AE+00	5.94930E+00	0.0	7.75383E-02
9	7.33817E+00	7.24749E+00	0.0	9.14561E-02
10	9.45529E+00	9.73667E+00	0.0	1.19276E-01
11	1.30009E+01	1.28389E+01	0.0	1.62010E-01
12	1.01746E+01	1.89427E+01	0.0	2.37349E-01
13	2.39207E+01	2.55961E+01	0.0	3.24607E-01
14	3.74473E+01	3.69004E+01	0.0	5.46695E-01
15	5.54322E+01	5.4272AE+01	0.0	1.15102E+00
16	7.6737AE+01	7.46211E+01	0.0	2.11143E+00
17	1.13176E+02	1.08666E+02	0.0	4.48163E+00
18	7.08743E+00	7.83664E+00	0.0	5.04475E-02
19	7.27360E+00	7.74384E+00	0.0	7.47758E-02
20	7.84407E+00	7.71311E+00	0.0	1.27309E-01
21	7.85689E+00	7.70012E+00	0.0	1.86784E-01
22	7.09227E+00	7.69976E+00	0.0	2.97517E-01
23	8.13464E+00	7.69231E+00	0.0	4.42332E-01
24	8.14410E+00	7.69121F+00	0.0	6.52878E-01
25	8.65262E+00	7.69604E+00	0.0	9.62004E-01

# JAERI-M 6001

\*\*\* NUCLIDE ID=145 \*\*\*

## 70 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.51916E 00	2.33443E 00	2.13460E 00	1.09420E+04
2	4.43191E 00	2.25599E 00	2.17504E 00	4.4342F+04
3	4.62016E 00	2.42127E 00	2.14728E 00	1.56154E+05
4	5.14501E 00	2.90139E 00	2.76232E 00	5.6550E+05
5	5.77128E 00	3.45412E 00	2.76828E 00	7.49346E+03
6	6.34770E 00	4.05521E 00	2.39830E 00	1.34616E+02
7	6.86939E 00	4.54154E 00	2.74021E 00	2.77054E+02
8	7.14615E 00	5.07248E 00	2.03793E 00	6.74420E+02
9	7.10951E 00	5.35020E 00	1.46612E 01	1.1312E+01
10	7.74451E 00	5.33933E 01	1.41053E 00	1.26660E+01
11	8.31461E 00	5.09068E 00	1.17290E 00	1.16119E+01
12	8.92368E 00	5.82794E 00	9.47945E+01	1.17412E+01
13	9.63111E 00	6.63117E 00	6.81153E+01	1.2077AE+01
14	9.66830E 00	6.54556E 00	7.444162E+01	1.24577E+01
15	9.44907E 00	6.56401E 00	7.30238E+01	1.34777E+01
16	9.51335E 00	6.66279E 00	7.010224E+01	1.50335E+01
17	9.81104E 00	6.97599E 00	6.651192E+01	1.71117E+01
18	6.16718E 00	5.33984E 00	6.33015E+01	1.94119E+01
19	6.39311E 00	5.57137E 00	6.13809E+01	2.06336E+01
20	6.89609E 00	6.20332E 00	3.65408E+01	2.43716E+01
21	7.54440E 00	7.04103E 00	4.74787E+01	2.94115E+01
22	8.10111E 00	7.72685E 00	0.0	3.32442E+00
23	8.22634E 00	8.82249E 00	0.0	4.05696E+01
24	1.02913E 01	9.81202E 00	0.0	4.69521E+01
25	1.10075E 01	1.05777E 01	0.0	5.19849E+01
26	1.20404E 01	1.14926E 01	0.0	5.57840E+01
27	1.37085E 01	1.29979E 01	0.0	7.10524E+01
28	1.49686E 01	1.41427E 01	0.0	8.05959E+01
29	1.73434E 01	1.63655E 01	0.0	1.07114E+00
30	2.04308E 01	1.90457E 01	0.0	1.45441E+00
31	2.28844E 01	2.11108E 01	0.0	1.75173E+00
32	2.57122E 01	2.27943E 01	0.0	1.97719E+00
33	2.61555E 01	2.41907E 01	0.0	2.20492E+00
34	3.14249E 01	2.81915E 01	0.0	3.20119E+00
35	3.62884E 01	3.20136E 01	0.0	4.22391E+00
36	4.00049E 01	3.49762E 01	0.0	5.02459E+00
37	4.24707E 01	3.72437E 01	0.0	5.62539E+00
38	4.99266E 01	4.21118E 01	0.0	7.82916E+00
39	6.00008E 01	4.87719E 01	0.0	1.11717E+01
40	6.74333E 01	5.37126E 01	0.0	1.37207E+01
41	7.12042E 01	5.75487E 01	0.0	1.56551E+01
42	7.83043E 01	6.08457E 01	0.0	1.75446E+01
43	8.44274E 01	6.90314E 01	0.0	2.51174E+01
44	1.09777E 02	7.67204E 01	0.0	3.28604E+01
45	1.21522E 02	8.24023E 01	0.0	3.89200E+01
46	1.39577E 02	8.71376E 01	0.0	4.34397E+01
47	1.48482E 02	1.04422E 01	0.0	4.40561E+00
48	4.94965E 00	9.27074E 00	0.0	6.78440E+00
49	1.47442E 02	1.05170E 02	0.0	4.34479E+01
50	1.011189E 03	7.14653E 02	0.0	7.94221E+02
51	1.72178E 01	1.39336E 01	0.0	5.28179E+00
52	1.07923E 01	9.45938E 00	0.0	1.33320E+00
53	9.68841E 00	8.61621E 00	0.0	1.07220E+00
54	9.40100E 00	8.29773E 00	0.0	1.10427E+00
55	9.40612E 00	8.14224E 00	0.0	1.26338E+00
56	9.69357E 00	8.04839E 00	0.0	1.62919E+00
57	1.05038E 01	8.07660E 00	0.0	2.49700E+00
58	5.39425E 01	8.32402E 00	0.0	1.52119E+01
59	5.03689E 02	2.11153E 01	0.0	4.82957E+02
60	1.36018E 01	8.09900E 00	0.0	7.68256E+00
61	1.32410E 01	7.91056E 00	0.0	5.32279E+00
62	1.32756E 01	7.89421E 00	0.0	5.38168E+00
63	1.327727E 01	7.85021E 00	0.0	5.89264E+00
64	1.44658E 01	7.57139E 00	0.0	6.56438E+00
65	1.55969E 01	7.86549E 00	0.0	7.48157E+00
66	1.64781E 01	7.86071E 00	0.0	8.51747E+00
67	1.74393E 01	7.35744E 00	0.0	9.61195E+00
68	1.88675E 01	7.82554E 00	0.0	1.10422E+01
69	2.04014E 01	7.85333E 00	0.0	1.25482E+01
70	2.22209E 01	7.85189E 00	0.0	1.41492E+01

## 25 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.446661E 00	2.27859E 00	2.16759E 00	3.70062E-04
2	5.06479E 00	2.72631E 00	2.23037E 00	2.88749E-03
3	5.07211E 00	3.16274E 00	2.29435E 00	1.05244E-02
4	7.00524E 00	4.03676E 00	2.11967E 00	4.84276E-02
5	6.94615E 00	5.36451E 00	1.48246E 00	1.19220E-01
6	5.98386E 00	4.65350E 00	9.90730E-01	1.19311E-01
7	5.47707E 00	4.59424E 00	7.43340E-01	1.39471E-01
8	5.15718E 00	5.33949E 00	4.33015E-01	1.89561E-01
9	7.52280E 00	7.02011E 00	1.45525E-01	2.90305E-01
10	1.02591E 01	9.78561E 00	0.0	4.67506E-01
11	1.36557E 01	1.29304E 01	0.0	7.00880E-01
12	2.02687E 01	1.88354E 01	0.0	1.42662E 00
13	2.75059E 01	2.50348E 01	0.0	2.46340E 00
14	3.94772E 01	3.44752E 01	0.0	4.96545E 00
15	5.91732E 01	4.85242E 01	0.0	1.08722E 01
16	8.20295E 01	6.27561E 01	0.0	1.94644E 01
17	1.21119E 02	8.38114E 01	0.0	3.84422E 01
18	5.57494E 01	4.14944E 01	0.0	1.42938E 01
19	3.44423E 02	2.44124E 02	0.0	1.00291E 02
20	9.49944E 00	8.35331E 00	0.0	1.14616E 00
21	1.44999E 01	8.12556E 00	0.0	6.37396E 00
22	1.76750E 02	1.29264E 01	0.0	1.64418E 02
23	1.38553E 01	1.08207E 00	0.0	5.95344E 00
24	1.64124E 00	7.86124E 00	0.0	8.55169E 00
25	2.07082E 01	7.85334E 00	0.0	1.26531E 01

**JAERI-M 6001**

\*\*\* NUCLEUS PM-147 \*\*\*

**7 GROUP STRUCTURE**

GROUP	FCTAI	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.65425E 00	2.45968E 00	2.19430E 00	1.64149E-04	1	4.59425E 00	2.36434E 00	2.23117E 00	6.33728E-04
2	4.54555E 00	2.34466E 00	2.24009E 00	7.65685E-04	2	5.21801E 00	2.82441E 00	2.28128E 00	5.73442E-03
3	4.74428E 00	2.31483E 00	2.25229E 00	2.87415E-03	3	6.18745E 00	3.91095E 00	2.30403E 00	2.02406E-02
4	4.29152E 00	1.00103E 00	2.28474E 00	7.32401E-03	4	7.05615E 00	4.70441E 00	2.30516E 00	5.34451E-02
5	4.30133E 00	3.99740E 00	2.41839E 00	1.49733E-02	5	7.04179E 00	4.78291E 00	2.09790E 00	1.61119E-01
6	4.44552E 00	4.20758E 00	2.28758E 00	2.53100E-02	6	6.21451E 00	4.75027E 00	1.10057E 00	3.67827E-01
7	4.92078E 00	4.60174E 00	2.27732E 00	4.12922E-02	7	5.49336E 00	4.61515E 00	6.38566E-01	4.36588E-01
8	2.36642E 00	4.80034E 00	2.33094E 00	6.94479E-02	8	6.79258E 00	5.66334E 00	4.86881E 00	5.49525E-01
9	7.17789E 00	4.80771E 00	2.79611E 00	1.15323E-01	9	8.47210E 00	7.45791E 00	2.26019E-02	7.82915E-01
10	6.31668E 00	4.74194E 00	1.91104E 00	2.07604E-01	10	1.14915E 01	1.01667E 01	0.0	1.27521E 00
11	6.30974E 00	4.77608E 01	1.46754E 00	3.30700E-01	11	1.52091E 01	1.30964E 01	0.0	2.09643E 00
12	6.18299E 01	4.73475E 00	1.67553E 00	3.77549E-01	12	1.70867E 01	1.70867E 01	0.0	4.58867E 00
13	5.04661E 01	4.74530E 00	7.90588E-01	4.01111E-01	13	3.03722E 01	2.25765E 01	0.0	7.90839E 00
14	5.82763E 00	4.75129E 00	6.73227E-01	4.18113E-01	14	6.39452E 01	2.91449E 01	0.0	1.51306E 01
15	5.85065E 00	4.78296E 00	6.33207E-01	4.34672E-01	15	6.50091E 01	3.34001E 01	0.0	2.96168E 01
16	5.57904E 00	6.91187E 00	6.49621E-01	4.45556E-01	16	6.99548E 01	4.12004E 01	0.0	4.87308E 01
17	6.33780E 00	5.30495E 00	5.66938E-01	5.04714E-01	17	1.32620E 02	4.67147E 01	0.0	8.62569E 01
18	6.79258E 00	5.76002E 00	4.71232E-01	5.61337E-01	18	1.19305E 02	2.70911E 01	0.0	9.13105E 01
19	7.06739E 00	6.04833E 00	4.24326E-01	5.76724E-01	19	1.17824E 02	4.76660E 01	0.0	9.01240E 01
20	7.64407E 00	6.16825E 00	6.72214E-02	6.70393E-01	20	5.28982E 01	1.01444E 01	0.0	4.27522E 01
21	8.42273E 00	7.49542E 00	0.0	7.84727E-01	21	3.22958E 03	8.68849E 02	0.0	2.36061E 03
22	9.07800E 00	8.13492E 00	0.0	8.74226E-01	22	1.04817E 02	3.14459E 01	0.0	7.33701E 01
23	1.03019E 01	9.21653E 00	0.0	1.08024E 00	23	4.72980E 01	1.19631E 01	0.0	5.53327E 01
24	1.14830E 01	1.01929E 01	0.0	1.29017E 00	24	4.74432E 01	1.05421E 01	0.0	3.69010E 01
25	1.23072E 01	1.09506E 01	0.0	1.44677E 00	25	5.73939E 01	1.01172E 01	0.0	4.72767E 01
26	1.34690E 01	1.14710E 01	0.0	1.67400E 00					
27	1.55949E 01	1.31176E 01	0.0	2.11206E 00					
28	1.66420E 01	1.41088E 01	0.0	2.44322E 00					
29	1.92470E 01	1.59457E 01	0.0	3.38354E 00					
30	2.27433E 01	1.80473E 01	0.0	4.68624E 00					
31	2.33466E 01	1.46743E 01	0.0	5.92019E 00					
32	2.77707E 01	2.06225E 01	0.0	6.44482E 00					
33	2.91717E 01	2.19885E 01	0.0	7.18113E 00					
34	3.47166E 01	3.45464E 01	0.0	1.00663E 01					
35	4.00534E 01	2.64408E 01	0.0	1.30707E 01					
36	4.50487E 01	2.87725E 01	0.0	1.51123E 01					
37	4.75136E 01	3.01448E 01	0.0	1.77307E 01					
38	5.49176E 01	4.26126E 01	0.0	2.23348E 01					
39	6.49123E 01	1.55113E 01	0.0	3.01852E 01					
40	7.40241E 01	3.77281E 01	0.0	3.87296E 01					
41	8.03324E 01	3.94953E 01	0.0	4.08731E 01					
42	8.59859E 01	4.03760E 01	0.0	4.15609E 01					
43	1.03457E 02	4.30123E 01	0.0	5.95511E 01					
44	1.20725E 02	4.49139E 01	0.0	7.54531E 01					
45	1.33360E 02	4.64136E 01	0.0	8.66646E 01					
46	1.42294E 02	4.75503E 01	0.0	9.53935E 01					
47	1.50225E 02	2.40924E 01	0.0	7.81649E 01					
48	1.70369E 02	2.51001E 01	0.0	9.42515E 01					
49	1.34752E 02	3.43444E 01	0.0	1.01775E 02					
50	1.24600E 02	1.21494E 02	0.0	2.06505E 02					
51	6.30565E 01	1.36415E 01	0.0	5.02701E 01					
52	2.33179E 01	1.54246E 00	0.0	1.47691E 01					
53	4.22249E 01	1.07770E 01	0.0	7.12722E 01					
54	6.12654E 01	4.75544E 00	0.0	5.14058E 01					
55	1.48717E 01	0.69080E 00	0.0	3.18084E 00					
56	1.84476E 01	1.47230E 01	0.0	2.34242E 01					
57	1.30063E 01	1.34197E 02	0.0	3.19554E 03					
58	8.44679E 03	2.47299E 03	0.0	5.94339E 03					
59	2.00717E 02	5.82183E 01	0.0	1.45497E 02					
60	6.80438E 01	2.12269E 01	0.0	4.68174E 01					
61	4.55114E 01	1.50469E 01	0.0	3.12444E 01					
62	3.94911E 01	1.26120E 01	0.0	2.66791E 01					
63	3.85270E 01	1.17882E 01	0.0	2.67388E 01					
64	6.15125E 01	1.11784E 01	0.0	5.23334E 01					
65	5.15229E 01	1.07762E 01	0.0	4.04445E 01					
66	4.40114E 01	1.05122E 01	0.0	3.35018E 01					
67	4.70740E 01	1.03219E 01	0.0	3.67411E 01					
68	5.15538E 01	1.02023E 01	0.0	4.13810E 01					
69	5.69388E 01	1.01109E 01	0.0	4.68279E 01					
70	4.36193E 01	1.00384E 01	0.0	5.36007E 01					

**25 GROUP STRUCTURE**

**JAERI-M 6001**

\*\*\* NUCLIDE SM-147 \*\*\*

70 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.61283F 00	2.41757F 00	2.19436E 00	2.42532E-04	1	4.58796E 00	2.35664E 00	2.23020E 00	9.44343E-04
2	4.44689F 00	2.34681F 00	2.23869E 00	1.14271E-03	2	5.29675E 00	2.9845E 00	2.27422E 00	8.44516E-03
3	4.82438F 00	2.56557F 00	2.25917E 00	4.24534E-03	3	5.27154E 00	3.91680E 00	2.31382E 00	3.00801E-02
4	4.37644F 00	2.09106F 00	2.27659E 00	1.07777E-02	4	7.69502E 00	4.71302E 00	2.20777E 00	9.06428E-02
5	5.99749E 00	3.67976F 00	2.10926E 00	2.21319E-02	5	7.01569E 00	4.98094E 00	1.80251E 00	2.33136E-01
6	6.37186F 00	4.18467F 00	2.11676E 00	3.76698E-02	6	6.20169E 00	4.87777E 00	9.67202E-03	3.57599E-01
7	6.99365F 00	6.58599F 00	2.10864L 00	6.43477E-02	7	5.67119E 00	4.91750F 00	4.47715E-01	4.06174E-01
8	7.20099F 00	4.83076F 00	2.25941E 00	1.15109E-03	8	7.01020E 00	6.22217E 00	1.87321F 00	5.11554E-01
9	7.14491F 00	4.94375F 00	2.01856E 00	1.97778E-01	9	6.99918E 00	8.27227E 00	0.0	7.26564E-01
10	6.88438F 00	7.01408F 00	1.80183F 00	2.70547E-01	10	1.59720E 01	1.11987E 01	0.0	1.16430E 00
11	6.44436F 00	6.99699F 00	1.14506F 00	3.46234E-01	11	1.69440E 01	1.49934E 01	0.0	1.93554E 00
12	6.14586F 00	4.88704F 00	9.15037E-01	3.66788E-01	12	2.34004E 01	2.11692E 01	0.0	4.33238E 00
13	6.98405F 00	4.76326F 00	8.12233E-01	3.68553E-01	13	3.45914E 01	2.70772E 01	0.0	7.39723E 00
14	7.86135F 00	4.76683F 00	7.10874F-01	3.83444E-01	14	5.02492E 01	3.59099E 01	0.0	1.48237E 01
15	4.92782F 00	4.88263F 00	6.40939E-01	4.06254F-01	15	7.44616E 01	4.48601F 01	0.0	2.98406E 01
16	6.11000F 00	5.08632F 00	5.92673E-01	4.29006E-01	16	1.03515E 02	5.19794E 01	0.0	5.19561E 01
17	6.47428F 00	5.68267F 00	5.80052E-01	4.82143E-01	17	1.52902E 02	4.69105E 01	0.0	1.05393E 02
18	7.09986F 00	6.17746F 00	9.17746E-02	5.44193E-01	18	1.74799E 02	1.03974E 02	0.0	7.13219E 01
19	7.43321F 00	6.80314F 00	0.0	5.82933E-01	19	4.10632E 02	2.21560E 02	0.0	1.89061E 02
20	8.19943F 00	7.40943F 00	0.0	6.44725E-01	20	4.29702E 02	2.67500E 02	0.0	1.62205E 02
21	9.01481F 00	8.30624F 00	0.0	7.24570E-01	21	3.87740E 00	8.36774E 00	0.0	1.50636E 00
22	8.95961F 00	8.95983F 00	0.0	7.94777E-01	22	1.95553E 02	1.08267E 01	0.0	1.84719E 02
23	1.12312F 01	1.02403F 01	0.0	6.86140E-01	23	1.17530E 01	7.96565E 00	0.0	3.78751E 00
24	1.25688F 01	1.14490F 01	0.0	1.17819E 00	24	1.28494E 01	7.92419E 00	0.0	4.56515E 00
25	1.36749F 01	1.23931F 01	0.0	1.32794E 00	25	1.74270E 01	7.90977E 00	0.0	9.51713E 00
26	1.49464F 01	1.34044E 01	0.0	1.53464F 00					
27	1.70177F 01	1.30646F 01	0.0	1.94917E 00					
28	1.46355F 01	1.63397F 01	0.0	2.30003E 00					
29	2.16773F 01	1.85494F 01	0.0	3.17739E 00					
30	2.57336F 01	2.12659F 01	0.0	4.45296E 00					
31	2.87263F 01	2.33128F 01	0.0	5.41355F 00					
32	3.10500F 01	2.49021F 01	0.0	6.14748F 00					
33	3.31377F 01	2.62707E 01	0.0	6.86705E 00					
34	3.95600F 01	2.97090F 01	0.0	9.74984E 00					
35	4.57073F 01	3.29124F 01	0.0	1.24914E 01					
36	5.04098F 01	3.54021F 01	0.0	1.56177E 01					
37	5.40355F 01	3.73064F 01	0.0	1.67295E 01					
38	6.29530F 01	4.07499F 01	0.0	2.29152E 01					
39	7.54618F 01	4.50224F 01	0.0	3.04379E 01					
40	8.07242F 01	4.82594F 01	0.0	3.68114E 01					
41	9.23644F 01	5.07726F 01	0.0	4.14917E 01					
42	9.49221F 01	5.24483F 01	0.0	4.64717E 01					
43	1.19179F 02	5.04715F 01	0.0	6.77197E 01					
44	1.38575F 02	4.84029F 01	0.0	8.95532E 01					
45	1.51412F 02	4.86674F 01	0.0	-1.06744E 02					
46	1.64482F 02	4.53292F 01	0.0	1.19529E 02					
47	2.47068F 02	1.77140F 02	0.0	6.99245E 01					
48	8.23660F 01	4.09949F 01	0.0	4.15701E 01					
49	8.95419F 02	9.20596F 01	0.0	7.03350E 02					
50	9.34069F 02	1.62465F 02	0.0	1.91490E 02					
51	9.72556F 02	1.04127F 02	0.0	2.18427E 02					
52	9.77870F 02	2.00402F 02	0.0	1.57491E 02					
53	1.72284F 03	7.60238F 02	0.0	4.68132E 02					
54	1.66490F 01	2.49194F 01	0.0	1.19310E 01					
55	1.74407F 01	9.64206F 00	0.0	1.70467E 00					
56	9.46554F 00	8.62172F 00	0.0	1.14345E 00					
57	9.51661F 00	8.30220F 00	0.0	1.21441E 00					
58	1.03092F 01	8.17446F 00	0.0	2.13434E 00					
59	1.53259F 02	1.02724E 01	0.0	1.62977E 02					
60	4.15459F 02	1.41066F 01	0.0	4.01134E 02					
61	1.62501F 01	8.07530F 00	0.0	8.17428E 00					
62	1.22042F 01	7.99204F 00	0.0	4.21244F 00					
63	1.14923F 01	7.96103E 00	0.0	3.53140E 00					
64	1.15511F 01	7.94542F 00	0.0	3.61496E 00					
65	1.20030F 01	7.93180E 00	0.0	4.07321E 00					
66	1.27492F 01	7.92118F 00	0.0	4.86696E 00					
67	1.38931F 01	7.91731E 00	0.0	5.97568E 00					
68	1.33916F 01	7.91287E 00	0.0	7.47865E 00					
69	1.72367F 01	7.90976E 00	0.0	9.32684E 00					
70	1.94459F 01	7.90668F 00	0.0	1.17191E 01					

# JAERI-M 6001

\*\*\* NUCLEDF SM-149 \*\*\*

## 70 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.65577E-00	2.45500E-00	2.20668E-00	2.09132E-04
2	6.67364E-00	2.36497E-00	2.25129E-00	1.14222E-03
3	4.89005E-00	2.56176E-00	2.27289E-00	4.84953E-03
4	5.37325E-00	1.07055E-00	2.29079E-00	1.11247E-02
5	7.09496E-00	3.65199E-00	2.32273E-00	2.73741E-02
6	6.97754E-00	4.11217E-00	2.34147E-00	4.73698E-02
7	6.94145E-00	4.13610E-00	2.37588E-00	7.46661E-02
8	7.23946E-00	4.65910E-00	2.43192E-00	1.11436E-01
9	7.20477E-00	4.64111E-00	2.40859E-00	1.54367E-01
10	6.49124E-00	4.48271E-00	2.23732E-00	2.71201E-01
11	6.53434E-00	4.33630E-00	1.99821E-00	3.03830E-01
12	6.21527E-00	4.27565E-00	1.56329E-00	3.56368E-01
13	5.94733E-00	4.22414E-00	1.47105E-00	3.92111E-01
14	5.85826E-00	4.22676E-00	1.49419E-00	4.26930E-01
15	5.94317E-00	4.46616E-00	1.00492E-00	4.74392E-01
16	6.11116E-00	4.73750E-00	1.43553E-01	5.30111E-01
17	6.35528E-00	5.15111E-00	8.16884E-01	5.87286E-01
18	7.05781E-00	5.55609E-00	6.46079E-01	6.30672E-01
19	7.17765E-00	5.61180E-00	8.47337E-01	6.66443E-01
20	8.05372E-00	6.33232E-00	9.70684E-01	7.55772E-01
21	8.91927E-00	6.38455E-00	1.06572E-01	8.65900E-01
22	9.66659E-00	7.52997E-00	1.11234E-00	9.62333E-01
23	1.10268E-00	8.04400E-00	7.70254E-01	1.28421E-00
24	1.23439E-01	1.02992E-01	3.40713E-01	1.41849E-00
25	1.35521E-01	1.13477E-01	8.12226E-02	1.87021E-00
26	1.46045E-01	1.23475E-01	0.0	2.29259E-00
27	1.66213E-01	1.37499E-01	0.0	2.81313E-00
28	1.41802E-01	1.48477E-01	0.0	3.11258E-00
29	2.10492E-01	1.66422E-01	0.0	4.71530E-00
30	2.50018E-01	1.87136E-01	0.0	6.22091E-00
31	3.78460E-01	2.03310E-01	0.0	7.53297E-00
32	3.01255E-01	2.17349E-01	0.0	8.35055E-00
33	3.23374E-01	2.26273E-01	0.0	9.31012E-00
34	3.83927E-01	2.50177E-01	0.0	1.31560E-01
35	4.42524E-01	2.72430E-01	0.0	1.46649E-01
36	4.87848E-01	2.90005E-01	0.0	1.97843E-01
37	5.22796E-01	3.03499E-01	0.0	2.19547E-01
38	6.10745E-01	3.23040E-01	0.0	2.48009E-01
39	7.31432E-01	3.47577E-01	0.0	3.81194E-01
40	8.21000E-01	3.65756E-01	0.0	4.51193E-01
41	8.05230E-01	3.79472E-01	0.0	5.12334E-01
42	6.55635E-01	3.89127E-01	0.0	7.66307E-01
43	1.15106E-02	3.72790E-01	0.0	7.76371E-01
44	1.33756E-02	3.53306E-01	0.0	9.83751E-01
45	1.44035E-02	3.39247E-01	0.0	1.14122E-02
46	1.59070E-02	3.24001E-01	0.0	1.24270E-02
47	1.57244E-02	1.12958E-02	0.0	4.42494E-01
48	9.10490E-02	1.44207E-02	0.0	7.44494E-01
49	2.72109E-02	1.20478E-02	0.0	1.51730E-02
50	3.52445E-02	1.12055E-02	0.0	2.26387E-02
51	1.44350E-02	2.36375E-01	0.0	1.20846E-02
52	1.74391E-02	2.90267E-01	0.0	1.49361E-02
53	8.37517E-01	1.29043E-01	0.0	7.08220E-01
54	3.70122E-02	2.44228E-01	0.0	2.44397E-02
55	9.04430E-01	1.09716E-01	0.0	7.94712E-01
56	7.41585E-02	7.85061E-01	0.0	6.85344E-02
57	1.47278E-02	9.74499E-01	0.0	1.57507E-02
58	6.36325E-02	2.93355E-01	0.0	6.10974E-02
59	1.44441E-02	1.15621E-01	0.0	1.75456E-02
60	8.83464E-01	7.94812E-01	0.0	8.03581E-01
61	1.33339E-02	8.03766E-01	0.0	1.23337E-02
62	2.02334E-02	8.25416E-01	0.0	1.94139E-02
63	1.24961E-02	8.93520E-01	0.0	3.14029E-02
64	9.09664E-02	1.39664E-01	0.0	7.96693E-02
65	7.44437E-03	9.19491E-01	0.0	7.35632E-03
66	1.66406E-03	1.95046E-01	0.0	1.62055E-03
67	1.35521E-03	1.42768E-01	0.0	1.33779E-03
68	1.82816E-03	1.75531E-01	0.0	1.51079E-03
69	2.76496E-03	2.57450E-01	0.0	2.76928E-03
70	9.14006E-03	4.72117E-01	0.0	9.12004E-03

## 25 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.61470E-00	2.37509E-00	2.24236E-00	9.39196E-04
2	5.79578E-00	2.88467E-00	2.28800E-00	1.02104E-02
3	6.27308E-00	3.88619E-00	2.33292E-00	3.78336E-02
4	7.11537E-00	4.61660E-00	2.40499E-00	9.36798E-02
5	7.06727E-00	4.55871E-00	2.19198E-00	1.89008E-01
6	6.75365E-00	4.27974E-00	1.62294E-00	3.09774E-01
7	5.98414E-00	4.50047E-00	1.02206E-00	4.00294E-01
8	7.05783E-00	5.55669E-00	1.66079E-01	6.26395E-01
9	8.87803E-00	9.66398E-00	1.02119E-00	8.61279E-01
10	1.22977E-01	1.02639E-01	4.10451E-01	1.59489E-00
11	1.65110E-01	1.37241E-01	0.0	2.78217E-00
12	2.46006E-01	1.86534E-01	0.0	6.09729E-00
13	3.55337E-01	2.31678E-01	0.0	1.04196E-01
14	4.46730E-01	2.93517E-01	0.0	1.95548E-01
15	7.21535E-01	3.52339E-01	0.0	3.74232E-01
16	9.99692E-01	3.80846E-01	0.0	6.17145E-01
17	1.47563E-02	3.36391E-01	0.0	1.13584E-02
18	2.15717E-02	1.25879E-02	0.0	8.98370E-01
19	2.18072E-02	9.47155E-01	0.0	1.63324E-02
20	1.47731E-02	1.62329E-01	0.0	1.31487E-02
21	5.71167E-02	3.79941E-01	0.0	4.03175E-02
22	1.35219E-02	9.19016E-00	0.0	1.26028E-02
23	2.15216E-02	1.03789E-01	0.0	4.35051E-02
24	3.50093E-03	4.21434E-01	0.0	3.45873E-03
25	3.26471E-03	3.01779E-01	0.0	3.23452E-03

## JAERI-M 6001

\*\*\* NUCLIDF SM-151 \*\*\*

## 70 GROUP STRUCTURE

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GRCUR	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.70198E 00	2.48200E 00	2.21947E 00	4.21494E-04	1	4.65164E 00	2.39357E 00	2.25567E 00	2.03707E-03
2	4.46345E 00	2.37499E 00	2.26457E 00	2.43279E-03	2	5.30471E 00	2.86119E 00	2.30153E 00	2.60407E-02
3	4.35764E 00	2.55733E 00	2.28704E 00	1.16720E-02	3	6.29545E 00	3.82394E 00	2.34780E 00	9.42397E-02
4	5.33264E 00	3.04242E 00	2.30423E 00	3.47554E-02	4	7.15224E 00	4.51344E 00	2.45027E 00	1.87945E-01
5	5.99839E 00	1.59460E 00	2.33588E 00	7.11614E-02	5	7.12374E 00	4.32414E 00	2.36985E 00	2.29792E-01
6	6.44022E 00	4.07451E 00	2.39804E 00	1.14561E-01	6	6.30769E 00	3.64100E 00	2.37022E 00	2.54479E-01
7	7.01042E 00	4.44219E 00	2.40190E 00	1.66671E-01	7	6.01751E 00	3.37604E 00	2.24215E 00	3.95657E-01
8	7.28917E 00	4.57956E 00	2.49506E 00	2.05546E-01	8	6.49593E 00	3.76794E 00	2.18061E 00	8.17427E-01
9	7.28416E 00	4.46060E 00	2.57053E 00	2.272942E-01	9	8.80770E 00	5.24426E 00	2.01360E 00	1.50450E 00
10	7.00029E 00	4.19473E 00	2.56817E 00	2.33232E-01	10	1.22062E 01	7.76644E 00	2.32047E 00	2.11924E 00
11	6.39635E 00	3.88570E 00	2.47301E 00	2.37441E-01	11	1.63976E 01	1.06722E 01	1.12988E 00	2.36375E 00
12	6.24880E 00	3.65684E 00	2.46073E 00	2.51491E-01	12	2.44092E 01	1.90329E 01	1.46179E 00	3.27348E 00
13	6.01644E 00	5.44984E 00	2.27138E 00	2.74722E-01	13	3.30196E 01	2.87151E 01	0.0	4.11704E 00
14	5.39365E 00	3.39365E 00	2.22062E 00	3.20944E-01	14	4.78219E 01	4.20462E 01	0.0	5.77512E 00
15	5.37778E 00	1.36112E 00	2.22356E 00	3.86619E-01	15	7.08800E 01	6.23131E 01	0.0	8.56687E 00
16	6.11049E 00	1.36464E 00	2.27854E 00	4.55900E-01	16	9.81840E 01	8.62311E 01	0.0	1.19527E 01
17	6.34051E 00	1.54111E 00	2.33770E 00	6.70404E-01	17	1.44466E 02	1.27024E 02	0.0	1.78416E 01
18	7.09292E 00	1.76796E 00	2.39013E 00	8.94333E-01	18	8.01162E 01	8.66663E 00	0.0	7.14498E 01
19	7.34481E 00	3.31214E 00	2.42124E 00	1.02961E 00	19	1.90492E 01	1.90329E 01	0.0	1.06262E 02
20	7.49441E 00	4.48178E 00	2.26467E 00	1.26477E 00	20	1.65607E 02	8.64570E 00	0.0	1.56920E 02
21	8.83892E 00	5.35588E 00	1.99030E 00	1.59942E 00	21	4.62302E 02	3.27301E 01	0.0	4.29549E 02
22	6.54680E 00	6.01139E 00	1.79396E 00	1.73601E 00	22	1.88762E 02	9.58499E 00	0.0	1.79174E 02
23	1.09394E 01	6.95168E 00	2.03681E 00	1.96489E 00	23	1.55591E 03	1.96811E 01	0.0	1.53623E 03
24	1.32403E 01	7.74872E 00	2.12823E 00	2.15191E 00	24	2.47202E 02	8.86545E 00	0.0	2.38339E 02
25	1.32479E 01	8.43485E 00	2.53376E 00	2.24930E 00	25	4.41071E 02	7.89845E 00	0.0	4.43175E 02
26	1.44500E 01	9.27404E 00	2.79377E 00	2.35376E 00					
27	1.66261E 01	1.07371E 01	3.14616E 00	2.56248E 00					
28	1.70552E 01	1.18742E 01	3.41750E 00	2.66314E 00					
29	2.08116E 01	1.49720E 01	2.73601E 00	2.93680E 00					
30	2.44460E 01	1.93152E 01	1.33327E 00	3.28690E 00					
31	2.74313E 01	2.27970E 01	3.0932C0-01	3.95445E 00					
32	3.06716E 01	2.53765E 01	0.0	1.76255E 00					
33	3.16452E 01	2.75302E 01	0.0	3.03570E 00					
34	3.77106E 01	3.30423E 01	0.0	4.63454E 00					
35	6.33284E 01	1.82379E 01	0.0	5.29055E 00					
36	4.79741E 01	4.21181E 01	0.0	5.79236E 00					
37	5.14021E 01	4.52228E 01	0.0	6.17930E 00					
38	5.98334E 01	5.26395E 01	0.0	7.20491E 00					
39	7.18687E 01	6.31794E 01	0.0	8.65477E 00					
40	8.07441E 01	7.09446E 01	0.0	9.74934E 00					
41	8.74626E 01	7.70090E 01	0.0	1.06336E 01					
42	9.38827E 01	8.24414E 01	0.0	1.14013E 01					
43	1.12932E 02	9.19155E 01	0.0	1.38161E 01					
44	1.31326E 02	1.13195E 02	0.0	1.61111E 01					
45	1.45351E 02	1.27349E 02	0.0	1.70023E 01					
46	1.44166E 02	1.36898E 02	0.0	1.93441E 01					
47	7.04932E 01	8.66160E 00	0.0	6.22818E 01					
48	7.48440E 01	8.65682E 00	0.0	7.11774E 01					
49	8.97729E 01	8.67164E 00	0.0	8.11016E 01					
50	1.01198E 02	8.67484E 00	0.0	9.25235E 01					
51	1.14329E 02	8.67430E 00	0.0	1.05649E 02					
52	1.29221E 02	8.67430E 00	0.0	1.20391E 02					
53	1.94229E 02	8.68056E 00	0.0	1.37547E 02					
54	1.63921E 02	8.68056E 00	0.0	1.76791E 02					
55	1.84632E 02	8.68033E 00	0.0	1.76492E 02					
56	2.05455E 02	8.66000E 00	0.0	1.96783E 02					
57	1.10410E 03	7.74101E 01	0.0	1.026649E 03					
58	7.04745E 01	1.18711E 01	0.0	5.86216E 01					
59	3.12304E 02	1.11188E 01	0.0	9.01177E 02					
60	2.47411E 01	7.94139E 00	0.0	1.64201E 01					
61	2.30750E 02	9.68992E 00	0.0	2.21055E 02					
62	1.35127E 03	1.70184E 01	0.0	1.33420E 03					
63	3.74283E 02	9.90090E 00	0.0	3.64382E 02					
64	2.93964E 03	1.20161E 01	0.0	2.90262E 03					
65	1.87366E 02	1.02792E 01	0.0	3.77007E 02					
66	1.45491E 02	8.27220E 00	0.0	1.97215E 02					
67	1.87172E 02	8.02426E 00	0.0	1.70143E 02					
68	2.69849E 02	7.93331E 00	0.0	2.61910E 02					
69	9.14133E 02	7.89330E 00	0.0	4.06445E 02					
70	6.64852E 02	7.86871E 00	0.0	6.6n688E 02					

**JAERI-M 6001**

\*\*\* NUCLIDE EU-153 \*\*\*

**70 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.70698E 00	2.47402E 00	2.23284E 00	8.91554E-05
2	4.67755E 00	2.39572E 00	2.27688E 00	7.72593E-04
3	4.91497E 00	2.61062E 00	2.29836E 00	9.16901E-03
4	4.44261E 00	2.15594E 00	2.30937E 00	1.61743E-02
5	4.00471E 00	2.70512E 00	2.11917E 00	4.29200E-02
6	4.62187E 00	4.17175E 00	2.36881E 00	8.33499E-02
7	5.06133E 00	4.48099E 00	2.28123E 00	1.58838E-01
8	7.31070E 00	4.55712E 00	2.50123E 00	7.71176E-01
9	7.27463E 00	4.34576E 00	2.53960E 00	3.89265E-01
10	7.01993E 00	4.04146E 00	2.49804E 00	4.80427E-01
11	6.63027E 00	3.74762E 00	2.36884E 00	9.12706E-01
12	4.31139E 00	3.54811E 00	2.25933E 00	5.12446E-01
13	6.49811E 00	3.82493E 00	2.16361E 00	5.04955E-01
14	4.02054E 00	3.39115E 00	2.10358E 00	5.24640E-01
15	4.09146E 00	3.46110E 00	2.06568E 00	5.71171E-01
16	4.29097E 00	3.61113E 00	2.02517E 00	6.54444E-01
17	4.75751E 00	4.21847E 00	1.71794E 00	8.09471E-01
18	7.34610E 00	5.03008E 00	1.33514E 00	9.49333E-01
19	7.60669E 00	5.32316E 00	1.08198E 00	1.09494E 00
20	8.30911E 00	6.38020E 00	3.25537E-01	1.24083E 00
21	6.31847E 00	7.54287E 00	0.0	1.46824E 00
22	7.07452E 01	4.40093E 00	0.0	1.69162E 00
23	1.14933E 01	5.92293E 00	0.0	2.19336E 00
24	1.31339E 01	1.04990E 01	0.0	2.63968E 00
25	1.42776E 01	1.12542E 01	0.0	3.00538E 00
26	1.55911E 01	1.20714E 01	0.0	3.50081E 00
27	1.77408E 01	1.32494E 01	0.0	4.44633E 00
28	1.94750E 01	1.42375E 01	0.0	5.27747E 00
29	2.24344E 01	1.56684E 01	0.0	7.00943E 00
30	2.64779E 01	1.73102E 01	0.0	9.40476E 00
31	3.00016E 01	1.85638E 01	0.0	1.14916E 01
32	3.24391E 01	1.95608E 01	0.0	1.24894E 01
33	3.46111E 01	2.03119E 01	0.0	1.45299E 01
34	6.14189E 01	2.19492E 01	0.0	1.91424E 01
35	8.77388E 01	2.35129E 01	0.0	2.42255E 01
36	5.26494E 01	2.46734E 01	0.0	2.74790E 01
37	5.68360E 01	2.55631E 01	0.0	3.08729E 01
38	6.57470E 01	2.66226E 01	0.0	3.91615E 01
39	7.90375E 01	2.77300E 01	0.0	5.09778E 01
40	8.88130E 01	2.85743E 01	0.0	6.02684E 01
41	8.44416E 01	2.92299E 01	0.0	6.72263E 01
42	1.03303E 02	2.93432E 01	0.0	7.36594E 01
43	1.24439E 02	2.36918E 01	0.0	1.00211E 02
44	1.44476E 02	1.75518E 01	0.0	1.27291E 02
45	1.60136E 02	1.249172E 01	0.0	1.47427E 02
46	1.72093E 02	9.24096E 00	0.0	1.62053E 02
47	1.39827E 01	8.56269E 00	0.0	4.54203E 01
48	7.03666E 01	8.56773E 00	0.0	4.19392E 01
49	8.77842E 01	8.57175E 00	0.0	5.93128E 01
50	7.65573E 01	8.57817E 00	0.0	6.79279E 01
51	8.45004E 01	8.60349E 00	0.0	7.94974E 01
52	8.86211E 01	8.59585E 00	0.0	9.00251E 01
53	1.05342E 02	8.54864E 00	0.0	9.67904E 01
54	1.58703E 02	1.03240E 01	0.0	1.42474E 02
55	2.27469E 02	1.40487E 01	0.0	2.14478E 02
56	1.79370E 02	2.11902E 01	0.0	3.54169E 02
57	1.15588E 02	4.55760E 01	0.0	1.07026E 02
58	8.16942E 01	8.23316E 00	0.0	7.87271E 02
59	1.144211E 02	1.40503E 01	0.0	5.70154E 02
60	6.84055E 02	1.447465E 01	0.0	6.70472E 02
61	1.33474E 03	2.39004E 01	0.0	1.35275E 03
62	2.00413E 02	8.70334E 00	0.0	2.00006E 02
63	7.24779E 01	8.02142E 01	0.0	6.43342E 01
64	4.74203E 01	7.91188E 00	0.0	2.94047E 01
65	3.81366E 01	7.87413E 00	0.0	3.03228E 01
66	4.27184E 01	7.85656E 00	0.0	4.44619E 01
67	1.62198E 02	7.85698E 00	0.0	1.74344E 02
68	2.20567E 02	7.85331E 00	0.0	2.12714E 02
69	1.15510E 02	7.85645E 00	0.0	1.04677E 02
70	1.08742E 02	7.82728E 00	0.0	1.00919E 02

**25 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.67596E 00	2.40717E 00	2.26804E 00	6.22268E-04
2	5.38114E 00	2.94491E 00	2.30759E 00	1.22658E-02
3	6.36793E 00	3.99515E 00	3.33464E 00	6.45185E-02
4	4.51011E 00	2.46286E 00	2.17394E 00	2.17394E-01
5	7.14192E 00	4.18711E 00	2.31797E 00	4.36511E-01
6	6.35782E 00	3.57644E 00	2.26400E 00	5.11600E-01
7	6.13344E 00	3.49209E 00	2.06638E 00	5.80665E-01
8	7.21644E 00	4.83340E 00	1.43238E 00	9.43668E-01
9	9.35866E 00	7.48443E 00	1.09463E 00	1.49202E 00
10	1.10040E 01	1.04729E 01	0.0	2.60523E 00
11	1.76826E 01	1.32383E 01	0.0	4.49087E 00
12	2.65255E 01	1.72472E 01	0.0	9.31456E 00
13	3.61296E 01	2.06959E 01	0.0	1.54936E 01
14	5.24806E 01	2.49049E 01	0.0	2.78500E 01
15	7.79437E 01	2.79307E 01	0.0	5.01152E 01
16	1.08094E 02	2.74529E 01	0.0	8.04928E 01
17	1.59624E 02	1.32231E 01	0.0	1.46739E 02
18	6.07061E 01	8.56755E 00	0.0	5.21391E 01
19	8.79010E 01	8.59258E 00	0.0	7.93087E 01
20	1.63724E 02	1.09803E 01	0.0	1.92741E 02
21	1.94861E 02	1.26974E 01	0.0	1.82156E 02
22	2.87235E 02	1.75002E 01	0.0	8.57726E 02
23	3.17045E 02	8.21354E 00	0.0	9.88270E 01
24	4.37709E 01	7.86240E 00	0.0	7.59093E 01
25	1.47101E 02	7.83899E 00	0.0	1.39266E 02

**JAERI-M 6001**

\*\*\* NUCLODF EU-155 \*\*\*

**70 GROUP STRUCTURE**

GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	4.74631F 00	2.57450F 00	2.24573F 00	6.14675E-05	1	4.70786E 00	2.42641E 00	2.28102E 00	3.64240E-04
2	4.70231F 00	2.41177F 00	2.28999E 00	4.49485E-04	2	5.39990E 00	2.94737E 00	2.32087E 00	6.71495E-03
3	4.93195F 00	2.61432F 00	2.31243E 00	2.85616E-03	3	6.38167E 00	3.95209E 00	2.36796E 00	3.55607E-02
4	5.44996F 00	3.17966F 00	2.32255F 00	8.83497E-03	4	7.22991E 00	4.66640F 00	2.36400E 00	1.97301E-01
5	6.09814F 00	3.72153F 00	2.39211F 00	2.32357E-02	5	7.19871E 00	4.51624E 00	2.22470E 00	4.57207E-01
6	6.67197F 00	4.21919F 00	2.38215F 00	4.79437E-02	6	6.40349E 00	4.01046E 00	2.00122E 00	3.89567E-01
7	7.09440F 00	4.57449F 00	2.41041F 00	1.05750E-01	7	6.15804E 00	4.07042E 00	1.54576E 00	5.56856E-01
8	7.33545F 00	4.74986F 00	2.32093F 00	2.33179E-01	8	7.23768E 00	5.03229E 00	1.06026E 00	1.11818E 00
9	7.32469F 00	4.61274F 00	2.24133E 00	4.74724E-01	9	9.30314E 00	7.16842E 00	1.58286E-01	1.78843E 00
10	7.07801F 00	4.42746F 00	2.20927F 00	4.41271E-01	10	1.29849E 01	1.07048E 01	0.0	2.30895E 00
11	6.66880F 00	4.19211F 00	2.09835E 00	3.94207E-01	11	1.74874E 01	1.44524E 01	0.0	2.66184E 00
12	6.56597F 00	3.94991E 00	1.89763E 00	3.78431E-01	12	2.61784E 01	2.28137F 01	0.0	3.38165E 00
13	6.14320F 00	3.83937F 00	1.50884F 00	3.94227E-01	13	3.56178E 01	3.19524E 01	0.0	4.26546E 00
14	6.02647F 00	3.85801F 00	1.719872F 00	4.78218E-01	14	5.16891E 01	4.36239F 01	0.0	6.06616E 00
15	6.12324F 00	4.03683F 00	1.52922E 00	3.97202E-01	15	7.67195E 01	6.76097E 01	0.0	9.10982E 00
16	6.30683F 00	4.29807F 00	1.14132F 00	6.64489E-01	16	1.06192E 02	9.35555E 01	0.0	1.27968E 01
17	6.76573F 00	4.71038F 00	1.16833E 00	9.03474E-01	17	1.56497E 02	1.37818E 02	0.0	1.91784E 01
18	7.31542F 00	5.11902F 00	1.02504E 00	1.14133E 00	18	6.08536F 01	8.59041E 00	0.0	5.22630E 01
19	7.67682F 00	5.37422E 00	9.39161E-01	9.39161E 00	19	8.49640E 01	8.60625E 00	0.0	7.83574E 01
20	4.41022F 00	6.16086F 00	4.47647E-01	1.57594E 00	20	1.24994E 02	8.61624E 00	0.0	1.16375E 02
21	6.32925F 00	7.21705F 00	3.07894E-03	1.80126E 00	21	1.80651E 02	8.62359E 00	0.0	1.72025E 02
22	1.00046F 01	8.05122F 01	0.0	1.97133E 00	22	2.55418E 02	8.52675E 00	0.0	2.16887E 02
23	1.16016F 01	9.46034F 00	0.0	2.14127E 00	23	3.60157E 02	8.58847E 00	0.0	3.51572E 02
24	1.30222F 01	1.07424F 01	0.0	2.27940E 00	24	5.27788E 02	8.63996E 00	0.0	5.19160E 02
25	1.42215F 01	1.17395F 01	0.0	2.16629E 00	25	1.05119E 02	7.88791F 00	0.0	1.77229E 02
26	1.34218F 01	1.29860F 01	0.0	2.46494E 00					
27	1.75888F 01	1.49420F 01	0.0	2.66187E 00					
28	1.92488F 01	1.64932F 01	0.0	2.75564E 00					
29	2.23340F 01	1.93331F 01	0.0	3.03411E 00					
30	2.45507F 01	2.31222F 01	0.0	3.39531E 00					
31	2.95344F 01	2.59229F 01	0.0	3.67190E 00					
32	3.19817F 01	2.80942F 01	0.0	3.84650E 00					
33	3.42129F 01	3.00377E 01	0.0	4.08212E 00					
34	3.07118F 01	3.38494F 01	0.0	4.82499E 00					
35	4.70282F 01	4.14893F 01	0.0	5.53883E 00					
36	5.14550F 01	4.57701F 01	0.0	6.08492E 00					
37	5.55769F 01	4.90709F 01	0.0	6.56600E 00					
38	6.47590F 01	5.71057F 01	0.0	7.65429E 00					
39	7.77927F 01	6.85449F 01	0.0	9.26278E 00					
40	7.74309F 01	7.69940F 01	0.0	1.04946E 01					
41	6.49145F 01	8.35505F 01	0.0	1.13644E 01					
42	1.01644F 02	8.94433F 01	0.0	1.22000E 01					
43	1.22217F 02	1.07499E 02	0.0	1.48174E 01					
44	1.42305F 02	1.24980F 02	0.0	1.73256E 01					
45	1.57520F 02	1.38273F 02	0.0	1.92463E 01					
46	1.69521F 02	1.48127F 02	0.0	2.07238E 01					
47	1.61288F 01	1.58714E 00	0.0	4.55435E 01					
48	1.04933F 01	1.39042F 01	0.0	5.20619E 01					
49	6.79334F 01	1.59434F 00	0.0	5.99391E 01					
50	7.66001F 01	1.59421F 00	0.0	6.78019E 01					
51	8.67802F 01	1.60433E 00	0.0	7.81719E 01					
52	8.76502F 01	1.61212F 00	0.0	8.90376E 01					
53	1.07610E 02	1.88979E 00	0.0	9.90174E 01					
54	1.25247F 02	1.62710E 00	0.0	1.17617E 02					
55	1.61366F 02	1.63722F 00	0.0	1.52779E 02					
56	1.44166F 02	1.57117F 00	0.0	1.36591E 02					
57	1.74222F 02	1.60514F 00	0.0	1.66621E 02					
58	2.20429F 02	1.69354F 00	0.0	2.11731E 02					
59	2.36638E 02	1.64974F 00	0.0	2.27983E 02					
60	3.17120F 02	1.78703F 00	0.0	3.03728E 02					
61	1.22051F 02	1.14180F 00	0.0	1.11907E 02					
62	9.17940F 02	9.14092F 00	0.0	5.28820E 02					
63	5.67355F 01	7.99207F 00	0.0	7.87444E 01					
64	4.54493F 02	8.61889F 00	0.0	4.41474E 02					
65	1.21040F 03	9.85385F 00	0.0	1.20057E 03					
66	2.14588F 02	1.10710F 00	0.0	2.10481E 02					
67	1.32244F 02	7.94159E 00	0.0	1.26711E 02					
68	1.33494F 02	7.90366F 00	0.0	1.29040E 02					
69	1.723865F 02	7.88243F 00	0.0	1.66987E 02					
70	2.43421F 02	7.86775F 00	0.0	2.37547E 02					

\* END OF FORTRAN \*

## Appendix 2. Lumped Group Cross Sections at Burn-up of 360 Days

\*\*\* LUMPED GROUP CONSTANTS \*\*\*

FISSION PRODUCTS OF MU-239 BURN-UP 360 DAYS

7G GROUP STRUCTURE				24 GROUP STRUCTURE					
GROUP	TOTAL	ELASTIC	INELASTIC	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	
1	8.84170E 00	4.87430E 00	3.44050E 00	5.43640E-04	1	8.56140E 00	4.46970E 00	4.08940E 00	1.46560E-03
2	8.50040E 00	4.39600E 00	4.11090E 00	1.72530E-03	2	8.61020E 00	4.41790E 00	4.15070E 00	7.92090E-03
3	8.38110E 00	4.26300E 00	4.11310E 00	4.54790E-03	3	9.93240E 00	5.82620E 00	4.08910E 00	2.41040E-02
4	8.70470E 00	4.52620E 00	4.16890E 00	9.77080E-03	4	1.17020E 00	8.32910E 00	9.13010E 00	5.38910E-02
5	9.50940E 00	5.37550E 00	4.19250E 00	1.82360E-02	5	1.17170E 01	1.07950E 01	2.09820E 00	8.49420E-02
6	1.01000E 01	6.31760E 00	3.98750E 00	2.97530E-02	6	1.40140E 01	1.26160E 01	1.13820E 00	1.23300E-01
7	1.12140E 01	7.59240E 00	3.49980E 00	4.52170E-02	7	1.52100E 01	1.44990E 01	7.66810E-01	1.97690E-01
8	1.21170E 01	8.99140E 00	2.76660E 00	6.14790E-02	8	1.64990E 01	1.59870E 01	1.38810E 01	2.98980E-01
9	1.24730E 01	1.02210E 01	2.36340E 01	7.87220E-02	9	1.72180E 01	1.66870E 01	4.63990E-02	4.63240E-01
10	1.34430E 01	1.13110E 01	1.83470E 00	9.07110E-02	10	1.81130E 01	1.73420E 01	2.77970E 02	7.46550E-01
11	1.37400E 01	1.20520E 01	1.41250E 00	1.06040E-01	11	1.99530E 01	1.88450E 01	2.37990E-02	1.07820E 00
12	1.39790E 01	2.19700E 01	1.20010E 00	1.22240E-01	12	2.19520E 01	2.22400E 01	1.11150E-02	1.67060E 00
13	1.42890E 01	1.31450E 01	1.47270E-01	5.209330E-01	13	2.39770E 01	2.35910E 01	0.0	2.42530E 00
14	1.47040E 01	1.38610E 01	5.209340E-01	1.70920E-01	14	2.92770E 01	2.55100E 01	0.0	3.76420E 00
15	1.51110E 01	1.44450E 01	3.13150E-01	2.00770E-01	15	4.48010E 01	3.75350E 01	0.0	7.30920E 00
16	1.55520E 01	1.49190E 01	2.43670E-01	2.21590E-01	16	5.47350E 01	4.28090E 01	0.0	1.21260E 01
17	1.59810E 01	1.54490E 01	1.78130E-01	2.63410E-01	17	5.48440E 01	3.65350E 01	0.0	1.82640E 01
18	1.66430E 01	1.59450E 01	1.17050E-01	3.08020E-01	18	3.57780E 01	2.11240E 01	0.0	1.46530E 01
19	1.68220E 01	1.63950E 01	1.02069E-01	3.37130E-01	19	3.45740E 01	3.13810E 01	0.0	2.711920E 01
20	1.70530E 01	1.65770E 01	6.47859E-02	3.91630E-01	20	1.70520E 02	1.21060E 02	0.0	4.95530E 01
21	1.72700E 01	1.66520E 01	3.88370E-02	4.67400E-01	21	1.51400E 02	9.8090E 01	0.0	1.00490E 02
22	1.74600E 01	1.68500E 01	3.57140E-02	2.98880E-01	22	3.20240E 01	1.43980E 01	0.0	1.74210E 01
23	1.77700E 01	1.70270E 01	2.98620E-02	6.41170E-01	23	1.04250E 02	1.43170E 01	0.0	8.99310E 01
24	1.80290E 01	1.72120E 01	2.39310E-02	7.37260E-01	24	9.29900E 01	2.22550E 01	0.0	7.07330E 01
25	1.86350E 01	1.77730E 01	2.04460E-02	8.39920E-01	25	1.00910E 02	1.97810E 01	0.0	8.11280E 01
26	1.91400E 01	1.81600E 01	2.12420E-02	9.37800E-01					
27	1.98430E 01	1.87710E 01	2.39220E-02	1.07990E 00					
28	2.06440E 01	1.94200E 01	2.59870E-02	1.19730E 00					
29	2.14960E 01	2.04740E 01	2.05750E-02	1.41040E 00					
30	2.42660E 01	2.23240E 01	1.02130E-02	1.69160E 00					
31	2.51420E 01	2.32300E 01	2.33190E-03	1.90800E 00					
32	2.55540E 01	2.24720E 01	0.0	2.06300E 00					
33	2.55510E 01	2.31360E 01	0.0	2.37920E 00					
34	2.578210E 01	2.49790E 01	0.0	2.82720E 00					
35	2.97450E 01	2.64270E 01	0.0	3.33890E 00					
36	3.40930E 01	2.31170E 01	0.0	3.80280E 00					
37	2.88040E 01	2.46760E 01	0.0	4.12780E 00					
38	3.66190E 01	3.07750E 01	0.0	5.89170E 00					
39	5.53110E 01	4.78900E 01	0.0	7.36060E 00					
40	4.22090E 01	3.35790E 01	0.0	8.63060E 00					
41	4.76800E 01	3.77740E 01	0.0	1.04060E 01					
42	1.19900E 01	4.04270E 01	0.0	1.19830E 01					
43	6.30330E 01	5.05720E 01	0.0	1.49680E 01					
44	5.14400E 01	5.93790E 01	0.0	1.60330E 01					
45	5.44440E 01	1.60850E 01	0.0	1.83560E 01					
46	5.76600E 01	3.74690E 01	0.0	2.0190E 01					
47	3.61790E 01	2.313900E 01	0.0	1.30490E 01					
48	3.22440E 01	1.79520E 01	0.0	1.42910E 01					
49	3.80960E 01	2.23220E 01	0.0	1.66730E 01					
50	4.35570E 01	2.32300E 01	0.0	4.37100E 01					
51	4.73210E 01	2.49040E 01	0.0	2.24150E 01					
52	5.11930E 01	1.71010E 01	0.0	1.60910E 01					
53	1.18430E 02	7.98060E 01	0.0	3.86270E 01					
54	1.12210E 02	2.27730E 02	0.0	8.84830E 01					
55	4.29200E 01	5.69590E 01	0.0	2.50660E 01					
56	1.02930E 02	5.95050E 01	0.0	4.2R280E 01					
57	1.07560E 02	5.52950E 01	0.0	7.22630E 01					
58	2.46490E 02	5.80180E 01	0.0	1.38270E 02					
59	4.4N370E 01	1.55130E 01	0.0	2.85230E 01					
60	2.40930E 01	1.42230E 01	0.0	9.87090E 00					
61	2.88430E 01	1.40660E 01	0.0	1.39800E 01					
62	4.66610E 01	1.40020E 01	0.0	2.24580E 01					
63	1.04110E 02	1.43340E 01	0.0	8.97770E 01					
64	1.72990E 02	1.46290E 01	0.0	1.34380E 01					
65	1.33820E 02	1.52780E 01	0.0	1.18580E 02					
66	5.46000E 01	1.81050E 01	0.0	4.05020E 01					
67	8.62780E 01	3.36650E 01	0.0	5.24120E 01					
68	6.17460E 01	1.64280E 01	0.0	4.55170E 01					
69	4.73670E 01	1.88220E 01	0.0	6.89460E 01					
70	1.51590E 02	2.40470E 01	0.0	1.294460E 02					

**JAERI-M 6001**

\*\*\* LUMPED GROUP CONSTANTS \*\*\*

FISSION PRODUCTS OF U-235      BURN-UP      160 DAYS

70 GROUP STRUCTURE						25 GROUP STRUCTURE					
GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	1	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	
1	4.83160E 00	4.84320F 00	3.96620E 00	4.39460E-04		1	8.55200E 00	4.47650E 00	4.07340F 00	1.11450E-03	
2	4.49690E 00	4.40030F 00	4.09360E 00	1.04000F-03		2	8.58300E 00	4.43110E 00	4.12050E 00	5.62250E-03	
3	8.35500E 00	4.28120F 00	4.07700E 00	3.27160E-03		3	9.08230E 00	5.01680E 00	4.05530E 00	1.85130E-02	
4	8.64320F 00	4.33780E 00	4.14020E 00	6.91590E-03		4	1.15560E 01	8.33480E 00	7.93150E 00	4.60190E-02	
5	9.47400E 00	5.30670E 00	4.17330E 00	1.34770E-02		5	1.30010E 01	1.09010E 01	1.79120E 00	7.37590E-02	
6	1.02400E 01	6.30090E 00	3.93930E 00	2.35840E-02		6	1.39030E 01	1.28310E 01	4.30000E-01	1.02740E-01	
7	1.10900E 01	7.38810E 00	3.35760E 00	3.74490E-02		7	1.51950E 01	1.46200E 01	2.91890E-01	1.45590E-01	
8	1.19700F 01	9.00403E 00	2.53710F 00	3.51900E-02		8	1.66530E 01	1.62570E 01	1.16810E-01	2.11280E-01	
9	1.24900E 01	1.02486F 01	2.09270E 00	6.86870E-02		9	1.74050E 01	1.70740E 01	3.37690E-02	3.29510E-01	
10	1.37470E 01	1.14560E 01	1.51310E 00	7.84420E-02		10	1.83160E 01	1.77660E 01	1.51150E-02	5.36100E-01	
11	1.39070E 01	1.22330E 01	1.06780F 00	9.12250E-02		11	2.02300E 01	1.94100E 01	1.31090E-02	8.02090E-01	
12	1.38441E 01	1.28240E 01	8.75480E 01	1.07940E-01		12	2.47190E 01	2.33730E 01	6.11940E-03	1.31450E 00	
13	1.42000E 01	1.33370E 01	5.28270E 01	1.15140E-01		13	2.47960E 01	2.48200E 01	0.0	1.97740E 00	
14	1.46400E 01	1.39740E 01	3.87390E 01	1.26970E-01		14	2.65400E 01	2.64410E 01	0.0	3.13220E 00	
15	1.50720E 01	1.43170E 01	2.69050E 01	1.46230E-01		15	4.5780E 01	3.91230E 01	0.0	6.39600E 00	
16	1.55110E 01	1.56160E 01	2.07140E 01	1.61060E-01		16	5.1030E 01	4.42070E 01	0.0	1.04990E 01	
17	1.60480E 01	1.56200E 01	1.49930E 01	1.87710E-01		17	5.43780E 01	3.83270E 01	0.0	1.60380E 01	
18	1.65220E 01	1.61990E 01	9.93830E-02	2.17880E-01		18	3.09890E 01	1.93530E 01	0.0	1.16350E 01	
19	1.70190E 01	1.66720E 01	8.69130E-02	2.37120E-01		19	4.08140E 01	2.99780E 01	0.0	1.98370E 01	
20	1.77760F 01	1.69320E 01	5.16480E-02	2.74840E-01		20	1.24570E 02	8.99680E 01	0.0	3.46030E 01	
21	1.74280E 01	1.70560E 01	2.60590E-02	3.24220E-01		21	1.56900E 02	4.16890E 01	0.0	9.32080E 01	
22	1.74420E 01	1.72430E 01	2.34890E-02	3.72770E-01		22	2.88610E 01	1.42426E 01	0.0	1.46190E 01	
23	1.78890E 01	1.74120F 01	1.91380E-02	4.59950E-01		23	5.80190E 01	1.37900E 01	0.0	4.42270E 01	
24	1.81560E 01	1.76010E 01	1.45000F-02	5.30000E-01		24	6.47440E 01	1.38400E 01	0.0	4.89030E 01	
25	1.84960E 01	1.82840F 01	1.15730E-02	6.04440E-01		25	7.59780E 01	1.89040E 01	0.0	5.70140E 01	
26	1.94190E 01	1.87720E 01	1.16690E-02	6.86990E-01							
27	2.01630E 01	1.93440E 01	1.191710E-02	8.03970E-01							
28	2.09970E 01	1.99880F 01	1.43080E-02	9.01934E-01							
29	2.22410E 01	2.11400E 01	1.13280E-02	1.08400E 00							
30	2.53110E 01	2.39990E 01	5.62310E-03	1.33760E 00							
31	2.60060E 01	2.44880E 01	1.29490E-03	1.51200E 00							
32	2.44630E 01	2.32050F 01	0.0	1.65260E 00							
33	2.66390E 01	2.48480E 01	0.0	1.94110E 00							
34	2.86510E 01	2.63040E 01	0.0	2.35720E 00							
35	3.03790E 01	2.76020E 01	0.0	2.77130E 00							
36	2.93940E 01	2.62210E 01	0.0	3.17320E 00							
37	2.87160E 01	2.51010E 01	0.0	3.45540E 00							
38	3.37470E 01	3.07610E 01	0.0	4.02270E 00							
39	3.77700E 01	3.09910E 01	0.0	4.44470E 00							
40	4.29180E 01	3.52560E 01	0.0	7.66210E 00							
41	4.77620E 01	3.85420E 01	0.0	9.25910E 00							
42	5.30480E 01	4.23910F 01	0.0	1.06560E 01							
43	6.44100E 01	5.15450F 01	0.0	1.27740E 01							
44	5.11340E 01	3.69130E 01	0.0	1.41910E 01							
45	5.40560E 01	3.79700E 01	0.0	1.65360E 01							
46	5.71100E 01	3.93200E 01	0.0	1.77480E 01							
47	4.49810E 01	1.75420E 01	0.0	7.11930E 00							
48	2.97980E 01	1.72900E 01	0.0	1.20060E 01							
49	3.88830E 01	2.33010E 01	0.0	1.55800E 01							
50	1.00640E 02	5.90640E 01	0.0	4.14760E 01							
51	2.11620E 01	1.48990E 01	0.0	6.24340E 00							
52	2.81780E 01	1.62710E 01	0.0	1.16060E 01							
53	9.11710E 01	6.11930E 01	0.0	2.99260E 01							
54	7.23470E 02	1.65640E 02	0.0	5.94360E 01							
55	5.42960E 01	4.39460E 01	0.0	1.22990E 01							
56	6.18880E 01	1.62740E 01	0.0	2.36140E 01							
57	9.04930E 01	2.38790E 01	0.0	6.46130E 01							
58	3.60960E 02	6.33560E 01	0.0	1.97630E 02							
59	4.47420E 01	1.52390E 01	0.0	2.95530E 01							
60	5.04570E 01	1.38380E 01	0.0	6.61940E 00							
61	2.14530E 01	1.36670E 01	0.0	7.78610E 00							
62	2.65100E 01	1.36270E 01	0.0	1.24820E 01							
63	9.60940E 01	1.37570E 01	0.0	4.23780E 01							
64	8.19630E 01	1.39470E 01	0.0	7.76760E 01							
65	1.04230E 02	1.47280F 01	0.0	9.1930E 01							
66	8.13920E 01	1.48350E 01	0.0	2.71370E 01							
67	4.35040E 01	1.79200E 01	0.0	2.75220E 01							
68	8.84560E 01	1.59110E 01	0.0	3.29460E 01							
69	6.71310E 01	1.80970E 01	0.0	4.90530E 01							
70	1.12270E 02	2.28790E 01	0.0	8.93970E 01							

**JAERI-M 6001**

\*\*\* LUMPED GHCPU CONSTANTS \*\*\*

FISSION PRODUCTS OF U-238      BURN-UP      360 DAYS

70 GROUP STRUCTURE							25 GROUP STRUCTURE							
GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE	GROUP	TOTAL	ELASTIC	INELASTIC	CAPTURE
1	8.81210E 00	4.85590E 00	3.47410E 00	5.30450E-04	1	8.56440E 00	4.47960E 00	4.08270E 00	1.40440E-03	1	8.56440E 00	4.47960E 00	4.08270E 00	1.40440E-03
2	8.80630E 00	4.39930E 00	4.10390E 00	1.65070E-03	2	8.40690E 00	4.43430E 00	4.13830E 00	7.54000E-03	2	8.40690E 00	4.43430E 00	4.13830E 00	7.54000E-03
3	8.34460E 00	4.23530E 00	4.10080E 00	4.31030E-03	3	9.62080E 00	5.82200E 00	5.07740E 00	5.39300E-02	3	9.62080E 00	5.82200E 00	5.07740E 00	5.39300E-02
4	8.76730E 00	4.34720E 00	4.13370E 00	0.36720E-03	4	1.16520E 01	1.08110E 01	7.01490E 00	8.50360E-02	4	1.16520E 01	1.08110E 01	7.01490E 00	8.50360E-02
5	8.50480E 00	5.31940E 00	4.18370E 00	1.76070E-02	5	1.11220E 01	1.00000E 01	1.22110E 00	1.22110E-01	5	1.11220E 01	1.00000E 01	1.22110E 00	1.22110E-01
6	1.02880E 01	6.31120E 00	3.47260E 00	2.91450E-02	6	1.26900E 01	1.05150E 01	1.22110E 00	1.22110E-01	6	1.26900E 01	1.05150E 01	1.22110E 00	1.22110E-01
7	1.11750E 01	7.58440E 00	3.45230E 00	4.46440E-02	7	1.52570E 01	1.49730E 01	1.57230E-01	1.88470E-01	7	1.52570E 01	1.49730E 01	1.57230E-01	1.88470E-01
8	1.20780E 01	8.97630E 00	2.17120E 00	6.16370E-02	8	1.66410E 01	1.61770E 01	1.46540E 00	2.77680E-01	8	1.66410E 01	1.61770E 01	1.46540E 00	2.77680E-01
9	1.24110E 01	1.02200E 01	2.30260E 00	7.86010E-02	9	1.74160E 01	1.69140E 01	5.12670E-02	4.29750E-01	9	1.74160E 01	1.69140E 01	5.12670E-02	4.29750E-01
10	1.31940E 01	1.13460E 01	1.74870E 00	9.10030E-02	10	1.83570E 01	1.76090E 01	2.95560E-02	6.97690E-01	10	1.83570E 01	1.76090E 01	2.95560E-02	6.97690E-01
11	1.37220E 01	2.21080E 01	1.41900E 00	1.06240E-01	11	2.02490E 01	1.91890E 01	2.86700E-02	1.02170E 00	11	2.02490E 01	1.91890E 01	2.86700E-02	1.02170E 00
12	1.39620E 01	1.26730E 01	1.10610E 00	1.21400E-01	12	2.45000E 01	2.20380E 01	1.33900E-02	1.52590E 00	12	2.45000E 01	2.20380E 01	1.33900E-02	1.52590E 00
13	1.42900E 01	1.32670E 01	7.00180E-01	1.36670E-01	13	2.67850E 01	2.43960E 01	0.0	2.36690E 00	13	2.67850E 01	2.43960E 01	0.0	2.36690E 00
14	1.47280E 01	1.39220E 01	4.49670E-01	1.61280E-01	14	3.01290E 01	2.63710E 01	0.0	3.75670E 00	14	3.01290E 01	2.63710E 01	0.0	3.75670E 00
15	1.51520E 01	1.45020E 01	3.15610E-01	1.88530E-01	15	4.46700E 01	3.90340E 01	0.0	7.48180E 00	15	4.46700E 01	3.90340E 01	0.0	7.48180E 00
16	1.53470E 01	1.49890E 01	2.47590E-01	2.09190E-01	16	5.63540E 01	4.39480E 01	0.0	1.04020E 01	16	5.63540E 01	4.39480E 01	0.0	1.04020E 01
17	1.60840E 01	1.55620E 01	1.82590E-01	2.46610E-01	17	5.66230E 01	3.77460E 01	0.0	1.085300E 01	17	5.66230E 01	3.77460E 01	0.0	1.085300E 01
18	1.65840E 01	1.61030E 01	1.72420E-01	2.86870E-01	18	3.60770E 01	2.13330E 01	0.0	1.74730E 01	18	3.60770E 01	2.13330E 01	0.0	1.74730E 01
19	1.69940E 01	1.65490E 01	1.09470E-01	3.11170E-01	19	5.72070E 01	3.14370E 01	0.0	2.37700E 01	19	5.72070E 01	3.14370E 01	0.0	2.37700E 01
20	1.72410E 01	1.67840E 01	7.04660E-02	3.64390E-01	20	1.62920E 02	1.15040E 02	0.0	4.78310E 01	20	1.62920E 02	1.15040E 02	0.0	4.78310E 01
21	1.74020E 01	1.69060E 01	4.11560E-02	4.33470E-01	21	1.69470E 02	5.53570E 01	0.0	1.13870E 02	21	1.69470E 02	5.53570E 01	0.0	1.13870E 02
22	1.76120E 01	1.70760E 01	4.00860E-02	4.91570E-01	22	3.43030E 01	1.46780E 01	0.0	1.96270E 01	22	3.43030E 01	1.46780E 01	0.0	1.96270E 01
23	1.74050E 01	1.22710E 01	3.49580E-02	9.97160E-01	23	1.03470E 02	1.42740E 01	0.0	8.1990E 01	23	1.03470E 02	1.42740E 01	0.0	8.1990E 01
24	1.82270E 01	1.74920E 01	2.86200E-02	9.70190E-01	24	1.05930E 02	1.92160E 01	0.0	8.41100E 01	24	1.05930E 02	1.92160E 01	0.0	8.41100E 01
25	1.88940E 01	1.80800E 01	2.49410E-02	7.87240E-01	25	1.10970E 02	1.86230E 01	0.0	9.23450E 01	25	1.10970E 02	1.86230E 01	0.0	9.23450E 01
26	1.99130E 01	1.85000E 01	2.55900E-02	7.87240E-01										
27	2.01770E 01	1.91230E 01	2.88180E-02	1.07240E 00										
28	2.09510E 01	1.97770E 01	3.11060E-02	1.14180E 00										
29	2.22770E 01	2.08900E 01	2.47460E-02	3.35970E 00										
30	2.40910E 01	2.32440E 01	1.23040E-02	1.64920E 00										
31	2.57780E 01	2.39030E 01	2.83340E-03	1.88060E 00										
32	2.71150E 01	2.30870E 01	0.0	2.1990E 00										
33	2.61620E 01	2.40390E 01	0.0	2.31090E 00										
34	2.88430E 01	2.60230E 01	0.0	2.80330E 00										
35	3.04360E 01	2.75020E 01	0.0	3.32750E 00										
36	2.94430E 01	2.60480E 01	0.0	3.76540E 00										
37	2.94770E 01	2.52420E 01	0.0	4.12600E 00										
38	3.70490E 01	3.10110E 01	0.0	6.04970E 00										
39	5.83490E 01	5.07880E 01	0.0	7.52960E 00										
40	4.37460E 01	4.48710E 01	0.0	8.87440E 00										
41	4.87550E 01	3.77260E 01	0.0	1.04480E 01										
42	4.34490E 01	4.34470E 01	0.0	1.20010E 01										
43	4.42350E 01	5.05180E 01	0.0	1.46150E 01										
44	4.33160E 01	4.65680E 01	0.0	1.67490E 01										
45	4.62930E 01	3.75300E 01	0.0	1.88090E 01										
46	5.92660E 01	4.85890E 01	0.0	2.04810E 01										
47	3.16260E 01	2.07730E 01	0.0	1.04530E 01										
48	4.40400E 01	1.90090E 01	0.0	1.50300E 01										
49	4.27310E 01	2.42920E 01	0.0	1.84380E 01										
50	1.07320E 02	5.93130E 01	0.0	4.80040E 01										
51	3.08430E 01	1.77110E 01	0.0	1.31310E 01										
52	3.99420E 01	1.75700E 01	0.0	1.68110E 01										
53	1.16960E 02	7.74120E 01	0.0	3.93460E 01										
54	2.96290E 02	2.14740E 02	0.0	8.15290E 01										
55	7.70720E 01	3.12490E 01	0.0	2.2710E 01										
56	1.06100E 02	6.03040E 01	0.0	4.61940E 01										
57	1.14450E 02	3.62110E 01	0.0	7.92460E 01										
58	2.88420E 02	7.05130E 01	0.0	2.14430E 02										
59	4.97110E 01	1.38030E 01	0.0	3.34980E 01										
60	2.44730E 01	1.2160E 01	0.0	1.04970E 01										
61	2.87570E 01	1.40210E 01	0.0	1.47350E 01										
62	4.89510E 01	1.39380E 01	0.0	2.44970E 01										
63	1.01310E 02	1.43090E 01	0.0	8.64980E 01										
64	1.71540E 02	1.35610E 01	0.0	1.34670E 02										
65	1.75180E 02	1.35850E 01	0.0	1.59600E 02										
66	6.94840E 01	1.62110E 01	0.0	4.64720E 01										
67	7.65520E 01	2.36870E 01	0.0	5.04440E 01										
68	6.86570E 01	1.58710E 01	0.0	5.24270E 01										
69	9.67540E 01	1.76280E 01	0.0	7.84080E 01										
70	1.67400E 02	2.21630E 01	0.0	1.43230E 02										

\* END OF FCRTAN \*

## Appendix 3. Inelastic Matrices of Pseudo FP Nuclide

TABLE OF INELASTIC MATRIX FOR PSEUDO-FP NUCLIDE  
25 GROUP STRUCTURE

GROUP 1	SIGN(I,I+K) AT K EQUAL TO									
	0	1	2	3	4	5	6	7	8	9
1	0.0	0.013	0.084	0.298	0.287	0.226	0.091	0.029	0.009	0.002
2	0.003	0.085	0.261	0.291	0.229	0.092	0.029	0.009	0.002	0.0
3	0.040	0.275	0.306	0.241	0.097	0.031	0.009	0.002	0.0	0.0
4	0.186	0.363	0.285	0.115	0.037	0.011	0.002	0.001	0.0	0.0
5	0.302	0.442	0.178	0.057	0.017	0.004	0.001	0.0	0.0	0.0
6	0.472	0.366	0.117	0.034	0.008	0.002	0.0	0.0	0.0	0.0
7	0.536	0.335	0.099	0.023	0.005	0.001	0.0	0.0	0.0	0.0
8	0.568	0.333	0.077	0.017	0.004	0.001	0.0	0.0	0.0	0.0
9	0.628	0.290	0.064	0.014	0.003	0.001	0.0	0.0	0.0	0.0
10	0.640	0.281	0.062	0.013	0.003	0.001	0.0	0.0	0.0	0.0
11	0.640	0.282	0.061	0.013	0.003	0.001	0.0	0.0	0.0	0.0
12	0.453	0.030	0.007	0.001	0.0	0.0	0.0	0.0	0.0	0.0

## JAERI-M 6001

TABLE OF INELASTIC MATRIX FOR PSEUDO FP NUCLIDE

TO GROUP STRUCTURE

GROUP I	SIGN(I,I+K) AT K EQUAL TO											
	0 12	1 13	2 14	3 15	4 16	5 17	6 18	7 19	8 20	9 21	10 22	11 23
1 0.0	0.0	0.003	0.011	0.032	0.052	0.105	0.153	0.130	0.157	0.097	0.074	
1 0.055	0.045	0.027	0.019	0.016	0.008	0.005	0.004	0.003	0.002	0.001	0.001	0.001
2 0.0	0.003	0.011	0.032	0.052	0.104	0.154	0.130	0.158	0.097	0.074	0.059	
2 0.045	0.027	0.019	0.016	0.008	0.005	0.004	0.003	0.002	0.001	0.001	0.001	0.0
3 0.001	0.011	0.032	0.052	0.105	0.154	0.130	0.158	0.097	0.074	0.055	0.045	
3 0.027	0.019	0.016	0.008	0.005	0.004	0.003	0.002	0.001	0.001	0.0	0.0	0.0
4 0.004	0.032	0.053	0.106	0.155	0.131	0.159	0.098	0.075	0.055	0.045	0.027	
4 0.020	0.016	0.008	0.005	0.004	0.003	0.002	0.001	0.001	0.0	0.0	0.0	0.0
5 0.015	0.054	0.108	0.158	0.134	0.163	0.100	0.077	0.056	0.046	0.027	0.020	
5 0.017	0.008	0.005	0.004	0.003	0.002	0.001	0.001	0.0	0.0	0.0	0.0	0.0
6 0.031	0.112	0.163	0.139	0.169	0.104	0.080	0.059	0.048	0.029	0.021	0.018	
6 0.009	0.005	0.005	0.003	0.002	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0
7 0.071	0.179	0.151	0.183	0.113	0.087	0.063	0.052	0.031	0.023	0.019	0.009	
7 0.005	0.005	0.003	0.002	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8 0.118	0.178	0.216	0.133	0.102	0.075	0.062	0.036	0.027	0.022	0.011	0.006	
8 0.006	0.004	0.002	0.001	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9 0.120	0.269	0.166	0.127	0.093	0.077	0.045	0.033	0.028	0.014	0.008	0.007	
9 0.005	0.003	0.002	0.002	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10 0.190	0.221	0.169	0.124	0.102	0.060	0.044	0.037	0.018	0.010	0.010	0.006	
10 0.004	0.002	0.001	0.001	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11 0.163	0.239	0.176	0.145	0.086	0.063	0.053	0.026	0.015	0.014	0.009	0.005	
11 0.003	0.002	0.001	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12 0.171	0.244	0.201	0.119	0.087	0.073	0.036	0.020	0.019	0.012	0.007	0.004	
12 0.003	0.002	0.001	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13 0.176	0.283	0.167	0.122	0.103	0.051	0.029	0.027	0.017	0.010	0.006	0.004	
13 0.002	0.001	0.001	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14 0.210	0.244	0.178	0.150	0.074	0.042	0.040	0.024	0.015	0.009	0.006	0.003	
14 0.002	0.001	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15 0.185	0.266	0.224	0.110	0.062	0.059	0.036	0.022	0.014	0.008	0.005	0.003	
15 0.002	0.001	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16 0.197	0.328	0.162	0.091	0.086	0.053	0.032	0.020	0.012	0.007	0.004	0.003	
16 0.002	0.001	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17 0.258	0.252	0.143	0.135	0.083	0.050	0.031	0.019	0.012	0.007	0.004	0.003	
17 0.002	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18 0.205	0.231	0.219	0.135	0.081	0.051	0.031	0.019	0.011	0.007	0.004	0.002	
18 0.001	0.001	0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19 0.170	0.322	0.198	0.120	0.075	0.046	0.027	0.017	0.010	0.006	0.004	0.002	
19 0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20 0.241	0.296	0.179	0.112	0.068	0.041	0.025	0.015	0.009	0.005	0.003	0.002	
20 0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21 0.242	0.293	0.183	0.112	0.067	0.041	0.024	0.015	0.009	0.005	0.003	0.002	
21 0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22 0.239	0.300	0.184	0.110	0.067	0.039	0.024	0.015	0.009	0.005	0.003	0.002	
22 0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23 0.245	0.301	0.181	0.110	0.065	0.039	0.024	0.014	0.008	0.005	0.003	0.002	
23 0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24 0.248	0.299	0.181	0.107	0.065	0.040	0.024	0.014	0.009	0.005	0.003	0.002	
24 0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25 0.248	0.302	0.178	0.109	0.066	0.040	0.023	0.014	0.009	0.005	0.003	0.002	
25 0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26 0.250	0.295	0.181	0.110	0.066	0.039	0.024	0.014	0.009	0.005	0.003	0.002	
26 0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27 0.244	0.300	0.183	0.109	0.065	0.040	0.024	0.014	0.009	0.005	0.003	0.002	
27 0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28 0.247	0.302	0.181	0.107	0.065	0.039	0.024	0.014	0.008	0.005	0.003	0.002	
28 0.001	0.001	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29 0.210	0.113	0.066	0.041	0.025	0.015	0.009	0.005	0.003	0.002	0.001	0.001	
29 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

## Appendix 4. Comparison between the Measured and Calculated Reactivity Worths

with the Cook's Set. ( The \* marks denote the nuclide where  
disagreement is larger than the quoted experimental error )

NUCLIDE = ZR 90						
CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE	
1 STEK4000	-0.433000	0.229000	0.009703	0.303287	-	
2 STEK3000	-0.015000	0.200000	0.016443	1.056223		
3 STEK2000	-0.018000	0.166667	0.019957	1.108736		
4 STEK1000	-0.031000	0.193548	0.027597	0.890235		

NUCLIDE = ZR 91						
CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE	
1 STEK4000	-0.301000	0.089109	-0.256667	2.375629	* 15	
2 STEK3000	-0.210000	0.052281	-0.238623	1.126309	* 3	
3 STEK2000	-0.105000	0.085714	-0.209703	1.997188	* 12	
4 STEK1000	-0.085000	0.176471	-0.144304	1.697699	* 4	

NUCLIDE = ZR 92						
CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE	
1 STEK4000	0.433000	0.390462	0.007504	0.577204		
2 STEK3000	0.427000	0.148148	0.016264	0.602362	* 3	
3 STEK2000	0.491000	0.170732	0.019329	0.471439	* 4	
4 STEK1000	0.457500	0.133913	0.033311	0.579325	* 4	

NUCLIDE = ZP 93						
CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE	
1 STEK4000	-0.340000	0.368889	-0.565365	1.046972		
2 STEK3000	-0.305000	0.124590	-0.564143	1.521779	* 5	
3 STEK2000	-0.242000	0.190083	-0.317614	1.312453	* 2	
4 STEK1000	-0.400000	0.525000	-0.184454	0.441125	* 2	

NUCLIDE = ZP 94						
CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE	
1 STEK4000	-0.043000	0.395349	0.008050	-0.187207	-	
2 STEK3000	-0.007000	2.428571	0.016759	-2.394085	-	
3 STEK2000	-0.006000	3.666667	0.019571	-3.261820	-	
4 STEK1000	-0.010000	3.000000	0.033332	-3.353173	-	

NUCLIDE = ZR 96						
CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE	
1 STEK4000	-0.046000	0.166667	-0.134963	2.811725	* 11	
2 STEK3000	-0.027000	0.259239	-0.118906	4.403915	* 14	
3 STEK2000	-0.010000	1.000000	-0.086918	8.691785	* 8	
4 STEK1000	0.024000	0.583333	-0.033739	-1.405782	-	

NUCLIDE = MO 95						
CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE	
1 STEK4000	-0.594000	0.077810	-1.072315	1.349122	* 8	
2 STEK3000	-0.556000	0.093925	-0.752229	1.352930	* 4	
3 STEK2000	-0.507000	0.153213	-0.553325	0.911573		
4 STEK1000	-0.495000	0.086869	-0.445824	0.900655	* 2	

NUCLIDE = MO 96						
CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE	
1 STEK4000	-0.584000	0.361329	-0.516792	6.152281	* 17	
2 STEK3000	-0.437000	0.599459	-0.397908	10.740746	* 22	
3 STEK2000	-0.453000	0.345465	-0.241721	4.394922	* 14	
4 STEK1000	-0.432000	0.468750	-0.137323	4.291942	* 8	

NUCLIDE = MO 97						
CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE	
1 STEK4000	-0.760000	0.114286	-0.595772	0.706736	* 3	
2 STEK3000	-0.720000	0.087797	-0.427033	0.904731	* 2	
3 STEK2000	-0.680000	0.235294	-0.431508	0.634571	* 2	
4 STEK1000	-0.441000	0.047619	-0.375965	0.652527	* 4	

# JAERI-M 6001

NUCLIDE = RU 98

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.454000	0.114074	-0.455469	0.730905	*51
2 STEK3000	-0.448500	0.111556	-0.498248	6.149443	*04
3 STEK2000	-0.437000	0.108100	-0.308310	8.332709	*68
4 STEK1000	-0.439000	1.333333	-0.252803	64.267700	*63

NUCLIDE = RU100

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.448000	0.116167	-0.494742	0.057121	*50
2 STEK3000	-0.441000	0.122921	-0.402684	4.943457	*33
3 STEK2000	-0.437000	0.115135	-0.188675	5.099853	*31
4 STEK1000	-0.420000	0.163333	-0.134688	41.224037	*18

NUCLIDE = TC 94

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-1.470000	0.468027	-1.47226	0.780426	* 4
2 STEK3000	-1.300000	0.76923	-0.912972	0.702286	* 4
3 STEK2000	-1.200000	0.115365	-0.808385	0.621833	* 4
4 STEK1000	-1.600000	0.126984	-0.689895	0.557536	* 4

NUCLIDE = RU101

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-1.490000	0.175630	-1.482376	1.245694	* 4
2 STEK3000	-1.420000	0.162300	-1.631014	1.456262	* 8
3 STEK2000	-1.190000	0.167227	-1.774948	1.491553	* 8
4 STEK1000	-1.170000	0.194017	-1.839799	1.572478	* 7

NUCLIDE = RU102

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.498000	0.242224	-0.366152	1.849252	* 4
2 STEK3000	-0.435000	0.263830	-0.430781	1.633110	* 4
3 STEK2000	-0.410000	0.380975	-0.456517	2.175891	* 5
4 STEK1000	-0.410000	0.181818	-0.398100	3.619160	*15

NUCLIDE = RU104

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.455000	0.335484	-0.191695	1.236742	
2 STEK3000	-0.440000	0.214280	-0.222980	1.552713	* 3
3 STEK2000	-0.440000	0.214286	-0.232241	1.658867	* 4
4 STEK1000	-0.450000	0.317647	-0.177753	2.071206	* 4

NUCLIDE = RM103

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-2.650000	0.377736	-2.212817	0.839025	* 5
2 STEK3000	-1.700000	0.364996	-1.629720	0.751620	* 7
3 STEK2000	-1.190000	0.252100	-0.838001	0.704203	*12
4 STEK1000	-1.500000	0.28571	-0.749822	0.714116	*11

NUCLIDE = PU104

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.165000	0.406061	-0.652745	3.936032	* 8
2 STEK3000	-0.125000	0.333333	-0.69734	3.099307	* 7
3 STEK2000	-0.165000	0.359623	-0.670357	2.529648	* 5
4 STEK1000	-0.150000	0.480000	-0.53567	2.294269	* 3

NUCLIDE = PU105

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-1.635000	0.055657	-0.637963	0.512316	* 9
2 STEK3000	-2.110000	0.199526	-0.735754	0.348694	* 7
3 STEK2000	-1.100000	0.68323	-0.665521	0.413367	* 9
4 STEK1000	-1.375000	0.046545	-0.596310	0.433680	*13

NUCLIDE = PU106

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.153000	0.111111	-0.244794	1.599956	* 6
2 STEK3000	-0.167000	0.117764	-0.239274	1.5325937	* 6
3 STEK2000	-0.226000	0.042524	-0.242688	1.178097	* 3
4 STEK1000	-0.168000	0.148936	-0.180916	0.462331	

# JAERI-M 6001

NUCLIDE = Pu107

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-1.780000	0.161618	-0.777654	0.392754	* 4
2 STEK3000	-1.700000	0.576947	-0.700117	0.368483	* 2
3 STEK2000	-1.730000	0.427511	-0.650949	0.279377	* 3
4 STEK1000	-1.740000	0.187500	-0.584642	0.406001	* 4

NUCLIDE = Pu108

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.730000	0.188674	-1.508236	2.895731	* 10
2 STEK3000	-0.740000	0.125000	-0.736903	1.892258	* 8
3 STEK2000	-0.750000	0.162162	-0.700266	0.811583	* 2
4 STEK1000	-0.785000	0.378378	-0.161149	0.871052	

NUCLIDE = Pu110

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.784000	0.321429	-0.629253	0.300637	* 3
2 STEK3000	-0.765000	0.630769	-0.625398	0.390740	
3 STEK2000	-0.704000	20.750000	-0.28709	-7.177372	-
4 STEK1000	-0.158000	0.354430	-0.008559	0.054174	* 3

NUCLIDE = Ag104

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-2.510000	0.067729	-3.661691	1.498841	* 7
2 STEK3000	-2.400000	0.133333	-1.661098	0.533699	* 4
3 STEK2000	-1.800000	0.277778	-1.052567	0.573646	* 2
4 STEK1000	-1.400000	0.142657	-0.822830	0.587736	* 3

NUCLIDE = Cd111

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.470000	0.193182	-0.556604	0.632505	* 2
2 STEK3000	-0.760000	0.166667	-0.460190	0.479365	* 4
3 STEK2000	-1.120000	0.232143	-0.367587	0.328203	* 3
4 STEK1000	-1.560000	0.169811	-0.280562	0.264681	* 3

NUCLIDE = Te128

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.111000	0.454542	-0.044832	4.075591	* 7
2 STEK3000	-0.104000	1.250000	-0.053767	13.441782	* 10
3 STEK2000	-0.108000	0.625000	-0.062938	7.887272	* 11
4 STEK1000	-0.108000	0.625000	-0.044845	-9.605684	-

NUCLIDE = Te130

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	0.050000	1.000000	0.011326	2.269266	
2 STEK3000	0.140000	0.840000	0.020034	2.013264	* 2
3 STEK2000	0.126000	0.307692	0.023103	0.688572	
4 STEK1000	0.200000	0.350000	0.033862	1.093455	* 2

NUCLIDE = I 127

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-1.530000	0.066667	-1.330803	0.806547	* 3
2 STEK3000	-1.380000	0.094203	-0.985818	0.714361	* 4
3 STEK2000	-1.200000	0.093667	-0.729418	0.607846	* 5
4 STEK1000	-0.730000	0.116280	-0.588724	0.633037	* 4

NUCLIDE = I 129

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.540000	0.240741	-0.363183	0.672560	* 2
2 STEK3000	-0.630000	0.285714	-0.323183	0.569608	* 2
3 STEK2000	-0.700000	0.271429	-0.324413	0.463447	* 2
4 STEK1000	-0.210000	0.333333	-0.267130	1.272048	--

NUCLIDE = Cs133

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-1.660000	0.060241	-1.270193	0.765173	* 4
2 STEK3000	-1.000000	0.054545	-0.819048	0.745316	* 5
3 STEK2000	-0.750000	0.063150	-0.606706	0.638438	* 6
4 STEK1000	-0.134000	0.029973	-0.465880	0.634713	* 13

# JAERI-M 6001

NUCLIDE = CS135

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.130000	0.655914	-0.898095	-0.965697	-
2 STEK3000	-0.120000	5.333333	-0.718075	-5.983945	-
3 STEK2000	-0.140000	2.416667	-0.459998	1.916660	
4 STEK1000	-0.080000	0.018182	-0.269112	0.278091	

NUCLIDE = LA139

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.137300	0.029491	-0.130246	3.491689	* 5
2 STEK3000	-0.125700	0.042802	-0.086053	3.347574	* 5
3 STEK2000	-0.1414900	0.067114	-0.049780	3.340939	* 3
4 STEK1000	-0.001000	2.000000	-0.010902	10.902008	* 9

NUCLIDE = Ce140

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	0.005000	0.400000	-0.001880	-0.375944	-
2 STEK3000	0.009000	0.222222	-0.000264	-0.029349	-
3 STEK2000	0.015700	0.127389	-0.000536	-0.034161	-
4 STEK1000	0.020100	0.124328	-0.004349	0.216393	* 6

NUCLIDE = Cf142

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	0.0	0.0	-0.021569	0.0	* 0
2 STEK3000	0.009500	0.421053	-0.019784	-2.082910	-
3 STEK2000	0.013300	0.353383	-0.019819	-1.490129	-
4 STEK1000	0.044800	0.147321	-0.002874	-0.364152	-

NUCLIDE = Ph141

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.181000	0.143646	-0.261175	1.442954	* 4
2 STEK3000	-0.156000	0.115385	-0.248580	1.393659	* 6
3 STEK2000	-0.133000	0.135338	-0.207107	1.361703	* 5
4 STEK1000	-0.083000	0.108434	-0.129693	1.562572	* 6

NUCLIDE = Nd142

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.110000	0.036364	-0.067278	6.179817	* 9
2 STEK3000	-0.092000	3.000000	-0.073518	36.758794	* 12
3 STEK2000	-0.110000	0.727273	-0.077847	7.076978	* 9
4 STEK1000	0.028000	0.857143	-0.065710	-2.346782	-

NUCLIDE = Nu143

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.000000	0.137500	-0.958215	1.197769	* 2
2 STEK3000	-0.085000	0.131387	-0.879656	1.284170	* 3
3 STEK2000	-0.080000	0.206897	-0.717756	1.237511	* 2
4 STEK1000	-0.351000	0.099715	-0.326429	1.99798	* 6

NUCLIDE = Nd144

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.090000	0.315789	-0.139108	1.464290	* 2
2 STEK3000	-0.051000	0.274510	-0.146920	2.880790	* 7
3 STEK2000	-0.039000	0.398974	-0.140022	3.590305	* 6
4 STEK1000	-0.020000	0.400000	-0.105859	5.292948	* 11

NUCLIDE = Nd145

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-1.650000	0.200000	-1.350689	0.818600	
2 STEK3000	-0.850000	0.117647	-0.929998	1.087410	
3 STEK2000	-0.830000	0.120484	-0.634918	0.764964	* 2
4 STEK1000	-0.650000	0.133333	-0.434220	0.673486	* 3

NUCLIDE = Nd146

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.052000	0.326923	-0.043198	0.828766	
2 STEK3000	-0.062000	0.306492	-0.049031	0.790626	
3 STEK2000	-0.056000	0.416667	-0.055250	1.539723	* 2
4 STEK1000	-0.006000	1.666667	-0.039929	6.654860	* 4

# JAERI-M 6001

NUCLIDE = N-146

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.164000	0.1n0723	-0.299027	1.801378	* 5
2 STEK3000	-0.138000	0.144928	-0.321811	2.331965	* 10
3 STEK2000	-0.104000	0.129615	-0.298716	2.672271	* 8
4 STEK1000	-0.160000	0.150000	-0.204047	3.4n0778	* 17

NUCLIDE = N-154

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.125000	0.268889	-0.09306	0.219137	* 3
2 STEK3000	-0.168000	0.297617	-0.06478	0.336180	* 3
3 STEK2000	-0.217000	0.240323	-0.064111	0.295443	* 3
4 STEK1000	-0.155000	0.181810	-0.047033	0.855143	

NUCLIDE = PM147

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-4.000000	0.145833	-3.143740	1.071613	
2 STEK3000	-3.380000	0.150888	-2.818546	0.833884	* 2
3 STEK2000	-4.000000	0.120000	-1.887568	0.741892	* 3
4 STEK1000	-2.000000	0.1u0000	-1.439215	0.719600	* 3

NUCLIDE = SM147

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-3.150000	0.1u6667	-3.392468	0.906656	
2 STEK3000	-2.650000	0.1u5660	-2.348519	0.961705	
3 STEK2000	-2.270000	0.174890	-1.93552	0.852653	
4 STEK1000	-1.000000	0.072222	-1.503846	0.833470	* 3

NUCLIDE = SM148

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.770000	0.207792	-0.290197	0.376824	* 3
2 STEK3000	-0.147000	0.173024	-0.282091	0.631076	* 2
3 STEK2000	-0.286000	0.251295	-0.249175	0.649532	* 2
4 STEK1000	-0.053000	0.321951	-0.201443	0.982651	

NUCLIDE = SM149

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-7.110000	0.0u2982	-5.913750	0.831751	* 3
2 STEK3000	-5.590000	0.0u5868	-2.949797	0.527642	* 6
3 STEK2000	-5.010000	0.0u9560	-2.113236	0.421804	* 7
4 STEK1000	-3.720000	0.0u80645	-1.703453	0.457918	* 7

NUCLIDE = SM150

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.770000	0.144330	-2.280091	2.350604	* 10
2 STEK3000	-0.150000	0.160000	-1.671230	2.228306	* 8
3 STEK2000	-0.650000	0.169231	-1.141745	1.756530	* 5
4 STEK1000	-0.484000	0.171480	-0.783822	1.619460	* 4

NUCLIDE = SM151

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-16.700000	0.347561	-5.635077	0.343602	* 2
2 STEK3000	-10.700000	0.413462	-3.764083	0.361931	* 2
3 STEK2000	-4.000000	0.522727	-3.216734	0.731076	
4 STEK1000	-6.200000	0.483871	-2.829216	0.456325	* 2

NUCLIDE = SM152

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-2.100000	0.2u3980	-3.998152	1.989130	* 5
2 STEK3000	-1.1T0000	0.2u5128	-2.0L7326	1.724210	* 4
3 STEK2000	-0.740000	0.1u1489	-1.166744	1.441217	* 2
4 STEK1000	-0.400000	0.16667	-0.787927	1.313214	* 2

NUCLIDE = Si-154

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.400000	0.225000	-0.457687	1.144212	
2 STEK3000	-0.156000	0.183594	-0.403006	1.574244	* *
3 STEK2000	-0.197000	0.121267	-0.330614	1.678244	* 6
4 STEK1000	-0.142000	0.144797	-0.250703	1.3u5743	* 2

JAERI-M 6001

NUCLIDE = Eu153

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-6.40000	0.06677	-3.05571	0.627966	* 6
2 STEK3000	-5.05000	0.04952	-2.03274	0.541138	* 5
3 STEK2000	-4.14000	0.04457	-2.03521	0.520454	* 5
4 STEK1000	-3.71000	0.040381	-2.072469	0.607768	* 6

NUCLIDE = Eu156

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-0.29000	0.19559	-1.152324	1.953431	* 8
2 STEK3000	-0.20000	0.12903	-0.92776	1.496244	* 5
3 STEK2000	-0.17000	0.140351	-0.680852	1.194478	* 2
4 STEK1000	-0.12000	0.122222	-0.469627	0.652260	* 2

NUCLIDE = Gd157

CORE NO	EXP V	REL ERR	CALCULATED	C/E	NOTE
1 STEK4000	-2.75000	0.43050	-5.315302	1.801797	* 7
2 STEK3000	-2.60000	0.43848	-1.838483	0.779018	* 7
3 STEK2000	-2.15000	0.41860	-1.049825	0.468291	* 13
4 STEK1000	-1.76000	0.496541	-0.788204	0.447842	* 6

\* END OF FORTRAN \*