

MEMORANDUM 4C-2/50

Date : 27th February 1974
From : Anton Schofield
Subject : Comments on EXFOR tapes.

1. This memorandum reports formal errors detected by the checking program on incoming EXFOR tapes

TRANS 1020 to 1022
3011 and 3012.

other errors found in the above tapes are reported in MEMO 4C-2/49.


We continue to signal obsolete codes and keywords as 'background' information. Comments containing other information are preceded by '.'.

2. The acknowledgement of the incoming tapes TRANS 1023 and TRANS 4014 (listings containing updated book-keeping statistics) was retarded owing to book-keeping errors found in these tapes :

in TRANS 1023.10188.001: BIB N1 = 12 not 13.
in TRANS 4014.40052.001: NO COMMON missing
END SUBENT missing, N1 = 24
.40147.006: DATA N1 = 4 not 2
.034: BIB N2 = 6 not 7
.40163.003: COMMON N1 = 2 not 1.

Distribution

Dr. V. Manokhin (5 copies)
Dr. S. Pearlstein (5 copies)
Dr. J.J. Schmidt (5 copies)



TRANS 1022

10012.002,003
.006

DETECTOR. Code (LSCIN) obsolete
→ (SCIN).

10023.001

FACILITY. Code (ACCEL) obsolete
GEOMETRY. Keyword obsolete.

TRANS 3011

- 30002.001
 - STANDARD. Code (ABSOL) obsolete
→ ABSOLUTE in free text.
 - STATUS. Code (PUBL) obsolete
 - FACILITY. Code (NONE) obsolete
 - N-SOURCE " " "

- 30018.001
 - ISO-QUANT. Quantity NG,,RV
→ NG,RI, RV
 - FACILITY. Code (REACT) invalid
misspelt. (REAC) used only
under METHOD on N-SOURCE.
 - DETECTOR. Code (Bf3) obsolete
 - STANDARD. Same as 30002.001
 - GEOMETRY. Keyword obsolete
 - SAMPLE. Only free text allowed.
 - STATUS. Code (PRIV) obsolete.

- .002
 - STATUS. Same as 30002.001

- .003
 - STATUS. Same as 30002.001

- 30099.001
 - DETECTOR. Code (GSCIN) obsolete.
 - ERR-ANALYS. Code (NONE) obsolete.
 - STATUS. Code (PUBL) obsolete

- 30134.001
 - DETECTOR. Code (OSCIN) invalid.
→ (SCIN)

- 30153.001
 - GEOMETRY. Keyword obsolete.

- 30171.006
 - ISO-QUANT. (rec.5) '(' in col.12 of free text.

- 30174.001
 - STANDARD. Same as 30002.001.
 - METHOD. Code (TRNSM) obsolete.
 - DETECTOR. Code (OSCIN) invalid
→ (SCIN).
 - GEOMETRY. Keyword obsolete.

- 30.183.001
 - STANDARD. Same as 30002.001
 - STATUS. Code (PUBL) obsolete

- 30187.001
 - METHOD. Code (PNM) invalid
 - STATUS. Code (PUBL) obsolete

- 30201.001
 - STANDARD. Same as 30002.001.

- 30209.001
 - STANDARD. Code (NONE) obsolete

- 30213.001
 - STANDARD. Same as 30002.001.

TRANS 3012

30149.001 . INSTITUTE. (3 GERTUD) → (3DDRTUD)

30173.001 STANDARD. Code (ABSOL) obsolete
→ ABSOLUTE in free text.

30184.002, 006, 008
.010-017. STATUS. Code (PRIV) obsolete

.011, 013, 015 . REFERENCE. Keyword missing.
.017

30209.001 STANDARD. Code (NONE) obsolete