

DAE/324-0

BROOKHAVEN NATIONAL LABORATORY

MEMORANDUM

Memo CP-C/110

INFORMATION

84/01/11

ACKNOWLEDGEMENT

ORIGINAL TO:	<i>J. J. Cullen</i>
FORWARD TO FILE STATION:	
TO:	/
DESCRIPTION:	/

DATE: January 4, 1984
 TO: Distribution
 FROM: V. McLane *vm*
 SUBJECT: Dictionary 36

- 1.) Please delete the following codes from Dictionary 36. The use of the branch code 'PAR' with the parameter codes 'DE' and 'SPC' is redundant.

PAR,DA/DE
 PAR,DA/DE,G
 PAR,DA/DE,G 4PI
 PAR,DE
 PAR,SPC

If there is a special meaning for these, it should be spelled out in a proposal.

- 2.) Add unit codes for the following:

BA,AMP	L
BA,SIG	B
BA/COH,AMP	L
BA/PAR,AMP	L
COH,AMP	L
COH,SIG	B
FA,SIG	B
FA/PAR,AMP	L

cc/Cullen
 Gendarias Cruz
 Lemmer
 Lemel
 Okamoto
 Okuma
 Pronyaev
 Schmidt
 Schwerer
 Seits

001279

3.) For the following combination, the usage is not consistent with other dictionary entries:

PR,DA,N	NO
PR,DE,N	NO

These should probably be coded as PR,NU/DA and PR,NU/DE, respectively. PR,DA,N should have units DA and PR,DE,N should have units DE.



Mulki R. Bhat

VM/df

Distribution

F.E. Chukreev	J.J. Schmidt
B.S. Ishkhanov	H. Tanaka
V. Manokhin	N. Tubbs
S. Pearlstein	NNDC (6)