

Memo CP-D/223

10 January 1992

To: Distribution

From: O. Schwerer *O. Schwerer*

Subject: Comments on TRANS A025

Please find attached out comments on TRANS A025.

Clearance: J.J. Schmidt *W. Wienke*

Distribution:

S. Pearlstein, NNDC
N. Tubbs, NEA-DB
V.N. Manokhin, CJD
F.E. Chukreev, CAJAD
Y. Tendo, RIKEN
V. Varlamov, CDFE
M. Chiba, Study Group
Cai Dunjiu, IAE-CP
V. McLane, NNDC

NDS: R. Arcilla
S. Ganesan
M. Lammer
H.D. Lemmel
D.W. Muir
A. Pashchenko
J.J. Schmidt
O. Schwerer
Wang Dahai
H. Wienke
3 spare copies

Comments on TRANS A025

Entry	Subent	Line(s)	Comment
A0294	13	39	Units for EN-MAX should be MEV
A0408	1	12	delete col. 80
A0434	7	13	ISOMER column should be blank
A0445	1	17	delete col. 80
A0480 *)	3,12,14	9	abundance must be fixed-point number
	4	33-35	same EN value given 3 times
	5	19-21	" "
	31 *)	18	DATA not given
	46 *)		FLAGS not given in DATA section
A0482	7	31	ISOMER column should be blank
A0483 *)	1		DATA not allowed in COMMON section. Probably DATA-ERR is meant, which is, however, given in subentry 2 and therefore must not be repeated. Suggest to delete this column from COMMON section.
	2		REL-REF: codes must start in col. 12
A0485	4	4	delete col. 80
A0487	1	3-6,19,20	"
A0489 *)	1,2		ERR-T given both in subentry 1 and 2 which is redundant. Suggest to delete it in subentry 1.
	4		Change 36-KR-83 to 37-RB-83
A0492	1	8	delete author's initial under REFERENCE
A0494	1	7	" "
		11,12	delete col. 80

*) Retransmission requested