RUSSIA'S NUCLEAR DATA CENTER - RNDC Alias: CENTR JADERNYKH DANNYKH - CJD Bondarenko Sq., 1 Institute of Physics and Power Engineering - IPPE Obninsk 249020 Kaluga Region, Russian Federation

(Internet) manokhin@ippe.obninsk.ru

Telephone: (+7 08439)989-82 FAX: (+7 095)883-3112

MEMO 4C-4/126

DATE:	18 May 2002
TO:	Distribution
From:	S. Maev (alias: S.Mayev)
Subject:	Comments
Reference:	Memos CP-C/305, CP-C/306.

I. Comments concerning code 2XL, MEMO CP-C/305. In my opinion, this code is redundunt. There exists already code

Proposed code refers to a rather special case of EVEN (with respect to angle) angular distribution when all ODD Legendre coefficients are equal to zero. This may be taken into account by the NUMBER Data Heading as we usually did till now. On this reason this new code is not necessary.

II. Comment concerning zeros in error field. From the philosofical point of view, indeed, error cannot be zero: any measurement is made with error. But if VALUE itself is zero, then ERROR may be allowed to be zero, either. The cases mentioned in MEMO CP-C/306 are understandable, too. This will to avoid, in some cases rather cumbersome, data files editing. My conclusion - zeros in error fields may be allowed.

Stanislav Maev

Clearance: Vassily N. Manokhin.