

International Atomic Energy Agency

Updating and Transmission Protocol

Otto Schwerer

IAEA Nuclear Data Section

TRANS exchange

- Preliminary version of TRANS file is sent by FTP to NDS open area, as PRELIM.Xnnn
 - X=center identification character
 - nnn = sequential TRANS no. within center
- Address: ndsalpha.iaea.org
 User NDSX4 (no password)
 subdirectory NDSX4.TRANS.PRELIM
- Notify all centers. Then they have one month time for comments.
 Originating center must react to comments (correct or explain)
- The final version is sent as TRANS.Xnnn to directory NDSX4.TRANS and announced to all
- NDS then deletes Prelim version
- New subdirectory NDSX4.TRANS.PROBLEMS for problematic entries (temporarily) withdrawn (not copied to final TRANS)

Corrections

- In PRELIM stage (and before): informal, no bookkeeping necessary
- Once an entry was transmitted (and therefore processed by other centres): "Retransmission"
- Retransmissions
 - On subentry level (plus always subentry 1)
 - New date on ENTRY and SUBENT records
 - Recorded under HISTORY (remains in file)
 - Flagged in col.80 (important information for receiving centers, but not kept in file)

When to retransmit

- Obligatory in case of any important correction or addition, such as
 - Modifications/additions received from author
 - Mistakes in DATA or correction of REACTION
 - New main reference
 - Addition or deletion of subentries
 - Change of STATUS, received author proof
- Optional for less important corrections
- Retransmissions are a regular part of the network business and a strength of the system!

Alter flags in col.80

- C (corrected): ENTRY and SUBENT records of retransmitted entries
- C Line corrected
- D Line(s) deleted following the flagged line
- T Two changes: record was corrected or inserted AND following line(s) deleted
- R Replace = block change, e.g. whole BIB section, or replace NOCOMMON by COMMON section
- * Subentry deleted (NOSUBENT record)

Deletions of entries and subentries

- Why delete a (sub)entry?
 - Superseded, withdrawn, duplication
 - Combination of several subentries
- How:
 - Subentry: whole subentry replaced by NOSUBENT
 - Entry:
 - subentry 1 (keeping bibliographic keywords) remains in file, with HISTORY entry giving reasons for deletion
 - Other subentries replaced by NOSUBENT
 - This is the ONLY way to delete entries / subentries!
 - NEVER re-use (sub)accession numbers of deleted (sub) entries!



HISTORY

- Records history of (sub)entry from compilation through all retransmissions
- Date + (optional) code from Dict. 15, free text
- HISTORY (19940312C) OS (19960711A) Data units corrected
- Changes in (or before) PRELIM stage need not be recorded, but
- Later changes (retransmissions) must be recorded, and
- HISTORY entries are cumulative (must be kept for ever)

