


MAT 2200

Total
Cross Section

²²Ti-Nat
-90.78 To 3091. %




MAT 2200

Hydrogen Production

²²Ti-Nat

Cross Section -28.76 To 70.79 %




MAT 2200

Deuterium Production

²²Ti-Nat

Cross Section 0.000

To 0.000 %




MAT 2200

Tritium Production

²²Ti-Nat

Cross Section 0.000


To 0.000 %



MAT 2200

He-3 Production
Cross Section


0.000 To 0.000 %
22-Ti-Nat



MAT 2200

He-4 Production
Cross Section

²²Ti-Nat
-100.0 To 11.63 %




MAT 2200


Kerma total (eV-barns)

²²Ti-Nat

Cross Section -99.46 To 9999. %



MAT 2200 Total kinematic kerma (high limit) 22-Ti-Nat
Cross Section -99.99 To 457.8 %




MAT 2200

Dpa total (eV-barns)

²²Ti-Nat

Cross Section

-90.31 To 3301. %




MAT 2200

Dpa elastic (mt2)

22-Ti-Nat

Cross Section

-90.33 To 3334. %




MAT 2200

Dpa inelastic (mt51-91)

22-Ti-Nat

Cross Section -1.876 To 1.092 %



MAT 2200 Dpa disappearance (mt102 -120) ²²Ti-Nat
Cross Section -95.88 To 9999. %

