
29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Principal cross sections
Cross section (barns)
Energy (MeV)
total
absorption
elastic
gamma production


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance total cross section
total
Cross section (barns)
10^2
10^1
10^-4
10^-3
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance total cross section
total
Cross section (barns)
10^3
10^2
10^1
10^0
10^-3
10^-2
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance total cross section
total
Cross section (barns)
10^{2}
10^{1}
10^{0}
10^{-1}
10^{-2}
10^{-1}
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance total cross section
total
Cross section (barns)
10^1
10^0
10^-1
10^0
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance total cross section
total
Cross section (barns)
10^0
10^1
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance absorption cross sections
capture
Cross section (barns)
10^2
10^1
10^0
10^-1
10^-2
10^-4
10^-3
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance absorption cross sections
capture
Cross section (barns)
10^1
10^0
10^-1
10^-2
10^-3
10^-3
10^-2
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance absorption cross sections
capture
Cross section (barns)
10^0
10^-1
10^-2
10^-3
10^-2
10^-1
Energy (MeV)

29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance absorption cross sections




29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance absorption cross sections
capture
Cross section (barns)
10-2
10-3
100
101
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Heating
heating
Heating (MeV/reaction)
10^1
10^0
10^-1
10^-2
10^-3
10^-4
10^-11
10^-9
10^-7
10^-5
10^-3
10^-1
10^1
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Damage
damage
Damage (MeV-barns)
10-1
10-2
10-3
10-4
10-5
10-6
10-11
10-9
10-7
10-5
10-3
10-1
101
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Non-threshold reactions
(n,gma)
Cross section (barns)
10^{2}
10^{1}
10^{0}
10^{-1}
10^{-2}
10^{-3}
10^{-11} 10^{-10} 10^{-9} 10^{-8} 10^{-7} 10^{-6} 10^{-5} 10^{-4} 10^{-3} 10^{-2} 10^{-1} 10^{0} 10^{1}
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Principal cross sections
Cross section (barns)
Energy (MeV)
0
1
2
3
4
5
6
0
20
40
60
80
100
120
140
160
total
absorption
elastic
gamma production


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Heating
heating
Heating (MeV/reaction)
Energy (MeV)
0
5
10
15
20
25
0
20
40
60
80
100
120
140
160


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Damage
*10-3
damage
Damage (MeV-barns)
Energy (MeV)
0
50
100
150
200
250
300
350
400
450
0
20
40
60
80
100
120
140
160


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Non-threshold reactions
(n,gma)
Cross section (barns)
10-2
10-3
0
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Inelastic levels
Cross section (barns)
*10-3
350
300
250
200
150
100
50
0
0
2
4
6
8
10
Energy (MeV)
(n,n*1)
(n,n*2)
(n,n*3)
(n,n*4)
(n,n*5)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Inelastic levels
100
*10-3
80
60
40
20
0
Cross section (barns)
2
3
4
5
6
7
8
9
10
Energy (MeV)
(n,n*6)
(n,n*7)
(n,n*8)
(n,n*9)
(n,n*10)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Inelastic levels
Cross section (barns)
*10-3
70
60
50
40
30
20
10
0
2
3
4
5
6
7
8
9
10
Energy (MeV)
(n,n*11)
(n,n*12)
(n,n*13)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Threshold reactions
(n,x)
(n,2n)
(n,n*)a
(n,n*)p
(n,n*c)
Cross section (barns)
Energy (MeV)
0.0
0.2
0.4
0.6
0.8
1.0
1.2
1.4
1.6
0
20
40
60
80
100
120
140
160


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Threshold reactions
*10-3
30
25
20
15
10
5
0
Cross section (barns)
(n,p)
(n,d)
(n,t)
(n,he3)
(n,a)
0
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Threshold reactions
(n,xp)
(n,xd)
(n,xt)
(n,xhe3)
(n,xa)
Cross section (barns)
1.0
0.8
0.6
0.4
0.2
0.0
0
20
40
60
80
100
120
140
160
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for elastic
Prob\Cos
10^1
10^-1
10^-3
1.0
0.5
0.0
-0.5
-1.0
Cosine
0
5
10
15
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for elastic
Prob\Cos
10^1
10^-1
1.0
0.5
0.0
-0.5
-1.0
Cosine
20
40
60
80
100
120
140
160
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for (n,n*1)
ProbICos
10^0
10^-1
1.0
0.5
0.0
-0.5
-1.0
Cosine
0
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for (n,n*2)
ProbICos
10^0
10^-1
1.0
0.5
0.0
-0.5
-1.0
Cosine
0
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for (n,n*3)
ProbICos
10^0
10^-1
1.0
0.5
0.0
-0.5
-1.0
Cosine
0
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for (n,n*4)
ProbCos
10^{0}
10^{-1}
Cosine
1.0
0.5
0.0
-0.5
-1.0
Energy (MeV)
0
2
4
6
8
10
12
14
16
18
20


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for (n,n*13)
ProbICos
10^{0}
10^{-1}
10^{-2}
Cosine
1.0
0.5
0.0
-0.5
-1.0
Energy (MeV)
2
4
6
8
10
12
14
16
18
20


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Neutron emission for (n,x)
Prob/MeV
10-2
10-4
0
50
100
150
Sec. Energy
0
20
40
60
80
100
120
140
160
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Neutron emission for (n,2n)
Prob/MeV
10-1
10-3
0
5
10
15
Sec. Energy
10
12
14
16
18
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Neutron emission for (n,n*)a
Prob/MeV
10-1
10-3
0
2
4
6
8
Sec. Energy
6
8
10
12
14
16
18
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Neutron emission for (n,n*)p
Prob/MeV
10^{0}
10^{-2}
0
5
10
15
Sec. Energy
6
8
10
12
14
16
18
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Neutron emission for (n,n*c)
Prob/MeV
10^1
10^-1
0
5
10
15
20
Sec. Energy
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,gma)
Prob/MeV
10^{0}
10^{-2}
10^{-4}
0
10
20
E_γ (MeV)
0
5
10
15
20
E_n (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,x)
Prob/MeV
10^{0}
10^{-2}
10^{-4}
E_γ (MeV)
0
10
20
E_n (MeV)
0
20
40
60
80
100
120
140
160


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,2n)
Prob/MeV
10^{0}
10^{-2}
0
5
10
E_γ (MeV)
10
12
14
16
18
20
E_n (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,n*)a
Prob/MeV
10^0
10^-2
0
5
10
E_γ (MeV)
6
8
10
12
14
16
18
20
E_n (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,n*)p
Prob/MeV
10^0
10^-2
0
5
10
E_γ (MeV)
6
8
10
12
14
16
18
20
E_n (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,n*c)
Prob/MeV
10^{1}
10^{-1}
10^{-3}
0
10
20
E_γ (MeV)
2
4
6
8
10
12
14
16
18
20
E_n (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,p)
Prob/MeV
10^0
10^-2
0
5
10
Eγ (MeV)
0
2
4
6
8
10
12
14
16
18
20
En (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,a)
Prob/MeV
10^0
10^-2
0
5
10
Eγ (MeV)
0
2
4
6
8
10
12
14
16
18
20
En (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
thermal capture photon spectrum
Gamma Prod (barns/MeV)
10^2
10^1
10^0
0
2
4
6
8
Gamma Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
14 MeV photon spectrum
Gamma Prod (barns/MeV)
10^1
10^0
10^-1
10^-2
10^-3
0
5
10
15
Gamma Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Particle heating contributions
protons
deuterons
tritons
alphas
MeV/collision
Energy (MeV)
0
2
4
6
8
10
12
14
16
18
20
0
20
40
60
80
100
120
140
160


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Recoil Heating
recoil heating
Heating (MeV/reaction)
Energy (MeV)
0.0
0.5
1.0
1.5
2.0
2.5
0
20
40
60
80
100
120
140
160


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Particle production cross sections
Cross section (barns)
Energy (MeV)
protons
deuterons
tritons
alphas
0.0
0.2
0.4
0.6
0.8
1.0
0
20
40
60
80
100
120
140
160


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
protons from (n,x)
Prob/MeV
10-1
10-3
0
Sec. Energy
100
200
0
20
40
60
80
100
120
140
160
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
protons from (n,n*)p
Prob/MeV
10-1
10-3
0
Sec. Energy
10
20
6
8
10
12
14
16
18
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
protons from (n,p)
Prob/MeV
10-1
10-3
0
Sec. Energy
10
20
0
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
deuterons from (n,x)
Prob/MeV
10-2
10-4
0
Sec. Energy
100
200
0
20
40
60
80
100
120
140
160
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
tritons from (n,x)
Prob/MeV
10-1
10-3
0
Sec. Energy
50
100
0
20
40
60
80
100
120
140
160
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
alphas from (n,x)
Prob/MeV
10-2
10-4
0
100
200
Sec. Energy
0
20
40
60
80
100
120
140
160
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
alphas from (n,n*)a
Prob/MeV
10^0
10^-2
0
Sec. Energy
10
20
6
8
10
12
14
16
18
20
Energy (MeV)


29-CU-65 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
alphas from (n,a)
Prob/MeV
10-1
10-3
0
10
20
Sec. Energy
0
2
4
6
8
10
12
14
16
18
20
Energy (MeV)