
26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Principal cross sections
Cross section (barns)
$10^{2}$
$10^{1}$
$10^{0}$
$10^{-1}$
$10^{-2}$
$10^{-3}$
total
absorption
elastic
gamma production
$10^{-11}$
$10^{-9}$
$10^{-7}$
$10^{-5}$
$10^{-3}$
$10^{-1}$
$10^{1}$
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance total cross section
total
Cross section (barns)
10^2
10^1
10^0
10^-1
10^-2
10^-3
10^-2
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance total cross section
total
Cross section (barns)
10^2
10^1
10^0
10^-1
10^-2
10^-2
10^-1
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance total cross section
total
Cross section (barns)
10^1
10^0
10^-1
10^-2
10^-1
10^0
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance total cross section
total
Cross section (barns)
$10^1$
$10^0$
$10^0$
$10^1$
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance absorption cross sections
capture
Cross section (barns)
10^1
10^0
10^-1
10^-2
10^-3
10^-2
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance absorption cross sections
capture
Cross section (barns)
10^1
10^0
10^-1
10^-2
10^-3
10^-2
10^-1
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance absorption cross sections
capture
Cross section (barns)
10^0
10^-1
10^-2
10^-3
10^-1
10^0
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
resonance absorption cross sections
capture
Cross section (barns)
10-3
100
101
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Heating
heating
Heating (MeV/reaction)
10^1
10^0
10^-1
10^-2
10^-3
10^-4
10^-11
10^-9
10^-7
10^-5
10^-3
10^-1
10^1
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Damage
damage
Damage (MeV-barns)
10-1
10-2
10-3
10-4
10-5
10-11
10-9
10-7
10-5
10-3
10-1
101
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Non-threshold reactions
(n,gma)
Cross section (barns)
10^2
10^1
10^0
10^-1
10^-2
10^-3
10^-11 10^-10 10^-9 10^-8 10^-7 10^-6 10^-5 10^-4 10^-3 10^-2 10^-1 10^0 10^1
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Principal cross sections
Cross section (barns)
Energy (MeV)
0
1
2
3
4
5
0
20
40
60
80
100
120
140
160
total
absorption
elastic
gamma production


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Heating
heating
Heating (MeV/reaction)
Energy (MeV)
0
5
10
15
20
25
30
0
20
40
60
80
100
120
140
160


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Damage
350
*10-3
300
250
200
150
100
50
0
damage
Damage (MeV-barns)
0
20
40
60
80
100
120
140
160
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Non-threshold reactions
(n,gma)
Cross section (barns)
10-3
0
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Inelastic levels
Cross section (barns)
*10-3
800
700
600
500
400
300
200
100
0
0
2
4
6
8
10
Energy (MeV)
(n,n*1)
(n,n*2)
(n,n*3)
(n,n*4)
(n,n*5)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Inelastic levels
140
*10-3
120
100
80
60
40
20
0
Cross section (barns)
(n,n*6)
(n,n*7)
3
4
5
6
7
8
9
10
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Threshold reactions
(n,x)
(n,2n)
(n,n*)a
(n,n*)p
(n,n*c)
Cross section (barns)
Energy (MeV)
0.0
0.2
0.4
0.6
0.8
1.0
1.2
1.4
0
20
40
60
80
100
120
140
160


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Threshold reactions
500
*10-3
400
300
200
100
0
(n,p)
(n,d)
(n,a)
Cross section (barns)
0
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Threshold reactions
(n,xp)
(n,xd)
(n,xt)
(n,xa)
Cross section (barns)
Energy (MeV)
0.0
0.2
0.4
0.6
0.8
1.0
1.2
1.4
0
20
40
60
80
100
120
140
160


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for elastic
ProbICos
10^1
10^-1
1.0
0.5
0.0
-0.5
-1.0
Cosine
0
5
10
15
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for elastic
ProbICos
10^1
10^-1
1.0
0.5
0.0
-0.5
-1.0
Cosine
20
40
60
80
100
120
140
160
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for (n,n*1)
ProbICos
10^0
10^-1
1.0
0.5
0.0
-0.5
-1.0
Cosine
0
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for (n,n*2)
ProbICos
10^0
10^-1
1.0
0.5
0.0
-0.5
-1.0
Cosine
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for (n,n*4)
ProbICos
10^0
10^-1
1.0
0.5
0.0
-0.5
-1.0
Cosine
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for (n,n*5)
ProbICos
10^0
10^-1
1.0
0.5
0.0
-0.5
-1.0
Cosine
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for (n,n*6)
ProbCos
$10^{0}$
$10^{-1}$
1.0
0.5
0.0
-0.5
-1.0
Cosine
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
angular distribution for (n,n*7)
ProbICos
$10^{0}$
$10^{-1}$
1.0
0.5
0.0
-0.5
-1.0
Cosine
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Neutron emission for (n,x)
Prob/MeV
10-2
10-4
0
50
100
150
Sec. Energy
0
20
40
60
80
100
120
140
160
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Neutron emission for (n,2n)
Prob/MeV
10-1
10-3
0
2
4
6
8
Sec. Energy
13
14
15
16
17
18
19
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Neutron emission for (n,n*)a
Prob/MeV
10-1
10-3
0
2
4
6
8
Sec. Energy
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Neutron emission for (n,n*)p
Prob/MeV
$10^{0}$
$10^{-2}$
0
5
10
15
Sec. Energy
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Neutron emission for (n,n*c)
Prob/MeV
$10^{0}$
$10^{-2}$
0
5
10
15
20
Sec. Energy
2
4
6
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,gma)
Prob/MeV
$10^{1}$
$10^{-1}$
$10^{-3}$
0
20
40
$E_\gamma$ (MeV)
0
5
10
15
20
$E_n$ (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,x)
Prob/MeV
$10^{0}$
$10^{-2}$
$10^{-4}$
$E_\gamma$ (MeV)
0
10
20
$E_n$ (MeV)
0
20
40
60
80
100
120
140
160


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,2n)
Prob/MeV
$10^{0}$
$10^{-2}$
0
$E_\gamma$ (MeV)
5
10
13
14
15
16
17
18
19
20
$E_n$ (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,n*)a
Prob/MeV
10^0
10^-2
0
2
4
6
8
10
12
14
16
18
20
E_γ (MeV)
E_n (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,n*)p
Prob/MeV
$10^{0}$
$10^{-2}$
0
5
10
$E_\gamma$ (MeV)
8
10
12
14
16
18
20
$E_n$ (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,n*c)
Prob/MeV
$10^{1}$
$10^{-1}$
0
10
20
$E_\gamma$ (MeV)
2
4
6
8
10
12
14
16
18
20
$E_n$ (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,p)
Prob/MeV
10^0
10^-2
0
5
10
E_γ (MeV)
0
5
10
15
20
E_n (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Photon emission for (n,a)
Prob/MeV
10^0
10^-2
0
10
20
Eγ (MeV)
0
5
10
15
20
En (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
thermal capture photon spectrum
Gamma Prod (barns/MeV)
$10^2$
$10^1$
$10^0$
0
2
4
6
8
10
Gamma Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
14 MeV photon spectrum
Gamma Prod (barns/MeV)
10^1
10^0
10^-1
10^-2
10^-3
10^-4
10^-5
10^-6
0
10
20
30
Gamma Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Particle heating contributions
protons
deuterons
tritons
alphas
MeV/collision
Energy (MeV)
0
5
10
15
20
25
0
20
40
60
80
100
120
140
160


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Recoil Heating
recoil heating
Heating (MeV/reaction)
Energy (MeV)
0.0
0.5
1.0
1.5
2.0
2.5
0
20
40
60
80
100
120
140
160


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
Particle production cross sections
Cross section (barns)
Energy (MeV)
protons
deuterons
tritons
alphas
0.0
0.2
0.4
0.6
0.8
1.0
1.2
1.4
0
20
40
60
80
100
120
140
160


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
protons from (n,x)
Prob/MeV
10-2
10-4
0
100
200
Sec. Energy
0
20
40
60
80
100
120
140
160
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
protons from (n,n*)p
Prob/MeV
10-1
10-3
0
5
10
15
Sec. Energy
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
protons from (n,p)
Prob/MeV
10^1
10^-1
10^-3
0
10
20
Sec. Energy
0
5
10
15
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
deuterons from (n,x)
Prob/MeV
10-2
10-4
0
100
200
Sec. Energy
0
20
40
60
80
100
120
140
160
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
tritons from (n,x)
Prob/MeV
10-2
10-4
0
100
200
Sec. Energy
0
20
40
60
80
100
120
140
160
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
alphas from (n,x)
Prob/MeV
10-1
10-3
0
Sec. Energy
100
200
0
20
40
60
80
100
120
140
160
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
alphas from (n,n*)a
Prob/MeV
10^0
10^-2
0
5
10
15
Sec. Energy
8
10
12
14
16
18
20
Energy (MeV)


26-FE-54 FOR FENDL-3.0 FROM ENDF/B-VII WITH NJOY99.364+
alphas from (n,a)
Prob/MeV
10-1
10-3
0
Sec. Energy
10
20
0
5
10
15
20
Energy (MeV)