

Program Complot  
(Version 2015-2)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550  
U.S.A.


Tele: 925-443-1911

E.Mail: [redcullen1@comcast.net](mailto:redcullen1@comcast.net)  
Web: [home.comcast.net/~redcullen1](http://home.comcast.net/~redcullen1)

Press Mouse Button to Start

MAT 4237


Total Cross Section  
42-Mo-96  
-0.037 To 0.220 %



MAT 4237

Elastic  
Cross Section

42-Mo-96  
-0.056 To 0.252 %



2


Incident Energy (eV)

42-Mo-96

MAT 4237

Inelastic  
Cross Section

42-Mo-96  
-0.471 To 0.114 %



3


Incident Energy (eV)

42-Mo-96

MAT 4237

(n,2n)  
Cross Section


42-Mo-96  
-0.635 To 0.215 %



MAT 4237

(n, n')  $\alpha$   
Cross Section

42-Mo-96  
-0.944 To 1.413 %



5


Incident Energy (MeV)

42-Mo-96

MAT 4237

(n, n') p  
Cross Section

42-Mo-96  
-1.584 To 2.099 %



6


Incident Energy (MeV)

42-Mo-96

MAT 4237

1.148 MeV (n,n') Level  
Cross Section

42-Mo-96  
-0.100 To 1.510 %



7

Incident Energy (eV)


42-Mo-96



MAT 4237

1.330 MeV (n,n') Level  
Cross Section


42-Mo-96  
-0.099 To 0.597 %



MAT 4237

1.498 MeV (n,n') Level  
Cross Section


42-Mo-96  
-0.155 To 0.052 %



MAT 4237

1.626 MeV (n,n') Level  
Cross Section

42-Mo-96  
-0.409 To 0.051 %



10


42-Mo-96

42-Mo-96

MAT 4237

1.628 MeV (n,n') Level  
Cross Section


42-Mo-96  
-0.580 To 0.100 %



MAT 4237

1.870 MeV (n,n') Level  
Cross Section

42-Mo-96  
-0.138 To 0.047 %




12

42-Mo-96

MAT 4237

1.978 MeV (n,n') Level  
Cross Section

42-Mo-96  
-0.305 To 0.050 %



13


Incident Energy (eV)

42-Mo-96

MAT 4237

2.096 MeV (n,n') Level  
Cross Section


42-Mo-96  
-0.971 To 0.051 %



MAT 4237

2.399 MeV (n,n') Level  
Cross Section

42-Mo-96  
-0.224 To 0.047 %



15

Incident Energy (eV)


42-Mo-96



MAT 4237

2.426 MeV (n,n') Level  
Cross Section


42-Mo-96  
-0.493 To 0.051 %



MAT 4237

2.439 MeV (n,n') Level  
Cross Section


42-Mo-96  
-3.949 To 0.044 %



MAT 4237

2.476 MeV (n,n') Level  
Cross Section

42-Mo-96  
-0.122 To 0.048 %



18


Incident Energy (eV)

42-Mo-96

MAT 4237

2.481 MeV (n,n') Level  
Cross Section


42-Mo-96  
-0.134 To 0.050 %



MAT 4237

2.501 MeV (n,n') Level  
Cross Section


42-Mo-96  
-0.179 To 0.052 %



MAT 4237

2.540 MeV (n,n') Level  
Cross Section


42-Mo-96  
-0.515 To 0.050 %



MAT 4237

2.625 MeV (n,n') Level  
Cross Section


42-Mo-96  
-0.116 To 0.048 %



MAT 4237

2.818 MeV (n,n') Level  
Cross Section

42-Mo-96  
-0.027 To 0.440 %






MAT 4237


(n,n') Continuum  
Cross Section

42-Mo-96  
-0.602 To 1.087 %



MAT 4237


(n,  $\gamma$ )  
Cross Section  
42-Mo-96  
-0.080 To 0.186 %



MAT 4237

42-Mo-96  
-0.383 To 0.592 %


(n,p)  
Cross Section



MAT 4237

(n,d)  
Cross Section

42-Mo-96  
-1.095 To 1.598 %




27

42-Mo-96

MAT 4237

(n, t)  
Cross Section

42-Mo-96  
-2.568 To 3.009 %




MAT 4237

42-Mo-96  
-0.117 To 0.436 %

(n,  $\alpha$ )

Cross Section



29

42-Mo-96