

Program Complot  
(Version 2015-2)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550  
U.S.A.

Tele: 925-443-1911

E.Mail: [redcullen1@comcast.net](mailto:redcullen1@comcast.net)


Web: [home.comcast.net/~redcullen1](http://home.comcast.net/~redcullen1)

Press Mouse Button to Start

MAT 1725

Total  
Cross Section

17-Cl-35  
-16.36 To 15.88 %




Incident Energy (eV)

17-Cl-35

MAT 1725

Elastic  
Cross Section

17-Cl-35  
-16.79 To 16.29 %



Incident Energy (eV)

17-Cl-35

2


MAT 1725

(n,2n)

17-C1-35

Cross Section


-50.00 To 0.000 %



MAT 1725

(n, n')  $\alpha$   
Cross Section

17-C1-35  
-50.00 To 0.000 %



4


Incident Energy (eV)

17-C1-35

MAT 1725

(n, n') p  
Cross Section

17-C1-35  
-50.00 To 0.000 %



5


Incident Energy (eV)

17-C1-35


MAT 1725

(n, n') d  
Cross Section

17-C1-35  
-50.00 To 0.000 %



MAT 1725 1.219 MeV (n,n') Level 17-Cl-35  
Cross Section -50.00 To 0.000 %




7 17-Cl-35



MAT 1725

1.763 MeV (n,n') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

2.646 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




9

17-C1-35

MAT 1725

2.694 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



10


Incident Energy (eV)

17-C1-35

MAT 1725

3.003 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




11

17-C1-35

MAT 1725

3.168 MeV (n,n') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

3.918 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




13

17-C1-35

MAT 1725

3.943 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



14


Incident Energy (eV)

17-C1-35

MAT 1725

3.968 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



15

Incident Energy (eV)


17-C1-35



MAT 1725

4.059 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




16

17-C1-35

MAT 1725

4.113 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



17


Incident Energy (eV)

17-C1-35

MAT 1725

4.173 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




18

17-C1-35

MAT 1725

4.178 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



19


Incident Energy (eV)

17-C1-35

MAT 1725

4.348 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




20

17-C1-35

MAT 1725

4.624 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



21


Incident Energy (eV)

17-C1-35

MAT 1725

4.770 MeV (n,n') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

4.839 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %






MAT 1725

4.854 MeV (n,n') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

4.881 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



25


Incident Energy (eV)

17-C1-35

MAT 1725

5.010 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




26

17-C1-35

MAT 1725

5.163 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



27


Incident Energy (eV)

17-C1-35

MAT 1725

5.216 MeV (n,n') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

5.404 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



29


Incident Energy (eV)

17-C1-35

MAT 1725

5.407 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




30

17-C1-35

MAT 1725

5.586 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



31

Incident Energy (eV)


17-C1-35



MAT 1725

5.600 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




32

17-C1-35

MAT 1725

5.646 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




33

17-C1-35

MAT 1725

5.654 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




34

17-C1-35

MAT 1725

5.683 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




35

17-C1-35

MAT 1725

5.724 MeV (n,n') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



36


Incident Energy (eV)

17-C1-35

MAT 1725

(n,n') Continuum  
Cross Section

17-C1-35  
-50.00 To 0.000 %




37

17-C1-35

MAT 1725

(n,  $\gamma$ )  
Cross Section

17-Cl-35  
-61.87 To 60.60 %



38


Incident Energy (eV)

17-Cl-35

MAT 1725

(n,p)  
Cross Section

17-C1-35  
-50.00 To 0.895 %






MAT 1725

(n,d)

17-Cl-35

Cross Section

-50.00 To 33.76 %




40

17-Cl-35

MAT 1725

(n, t)  
Cross Section

17-C1-35  
-50.00 To 0.000 %




41

17-C1-35

MAT 1725

(n,  $\alpha$ )  
Cross Section


17-C1-35  
-50.00 To 2.226 %



MAT 1725

(n,2p)  
Cross Section

17-Cl-35  
-50.00 To 0.000 %




MAT 1725

(n, p)  $\alpha$

17-C1-35

Cross Section


-50.00 To 0.000 %



MAT 1725

(n, p') Ground  
Cross Section


17-C1-35  
-0.122 To 0.895 %



MAT 1725

1.572 MeV (n,p') Level  
Cross Section

17-Cl-35  
-50.00 To 0.000 %




46

17-Cl-35

MAT 1725

1.991 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %






MAT 1725

2.347 MeV (n,p') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

2.718 MeV (n,p') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

2.939 MeV (n,p') Level  
Cross Section

17-Cl-35  
-50.00 To 0.000 %



50


Incident Energy (eV)

17-Cl-35

MAT 1725

3.421 MeV (n,p') Level  
Cross Section

17-Cl-35  
-50.00 To 0.000 %




51

17-Cl-35

MAT 1725

3.561 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




52

17-C1-35

MAT 1725

3.597 MeV (n,p') Level  
Cross Section


17-Cl-35  
-50.00 To 0.000 %



MAT 1725

3.675 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



54


Incident Energy (eV)

17-C1-35

MAT 1725

3.802 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



55


17-C1-35



MAT 1725

3.818 MeV (n,p') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

3.886 MeV (n,p') Level  
Cross Section


17-Cl-35  
-50.00 To 0.000 %



MAT 1725

3.907 MeV (n,p') Level  
Cross Section


17-Cl-35  
-50.00 To 0.000 %



MAT 1725

4.022 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




59

17-C1-35

MAT 1725

4.028 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




60

17-C1-35

MAT 1725

4.107 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




61

17-C1-35

MAT 1725

4.180 MeV (n,p') Level  
Cross Section

17-Cl-35  
-50.00 To 0.000 %




62

17-Cl-35

MAT 1725

4.190 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



63


17-C1-35



MAT 1725

4.302 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




64

17-C1-35

MAT 1725

4.480 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




65

17-C1-35

MAT 1725

4.576 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




66

17-C1-35

MAT 1725

4.617 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




67

17-C1-35

MAT 1725

4.839 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 269.2 %




68

17-C1-35

MAT 1725

4.904 MeV (n,p') Level  
Cross Section


17-C1-35  
-50.00 To 33.34 %



MAT 1725

4.963 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 5.804 %




70

17-C1-35

MAT 1725

4.990 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 1.013 %



71


17-C1-35



MAT 1725

5.058 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




72

17-C1-35

MAT 1725

5.127 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




73

17-C1-35

MAT 1725

5.343 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




74

17-C1-35

MAT 1725

5.343 MeV (n,p') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



75


Incident Energy (eV)

17-C1-35

MAT 1725

(n, d') Ground  
Cross Section


17-C1-35  
-50.00 To 33.76 %



MAT 1725

2.127 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




77

17-C1-35

MAT 1725

3.303 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



78


Incident Energy (eV)

17-C1-35

MAT 1725

3.914 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



79

Incident Energy (eV)


17-C1-35



MAT 1725

4.074 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




80

17-C1-35

MAT 1725

4.114 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



81


Incident Energy (eV)

17-C1-35

MAT 1725

4.623 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 26.67 %



82


Incident Energy (eV)

17-C1-35

MAT 1725

4.688 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 7.073 %



83


Incident Energy (eV)

17-C1-35

MAT 1725

4.876 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 2.393 %




84

17-C1-35

MAT 1725

4.889 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




85

17-C1-35

MAT 1725

5.227 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




86

17-C1-35

MAT 1725

5.318 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



87

Incident Energy (eV)


17-C1-35



MAT 1725

5.382 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




88

17-C1-35

MAT 1725

5.680 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




89

17-C1-35

MAT 1725

5.689 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




Incident Energy (eV)

17-C1-35

MAT 1725

5.753 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




91

17-C1-35

MAT 1725

5.848 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



92


Incident Energy (eV)

17-C1-35

MAT 1725

5.993 MeV (n,d') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

6.120 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



94


Incident Energy (eV)

17-C1-35

MAT 1725

6.173 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



95


17-C1-35



MAT 1725

6.250 MeV (n,d') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

6.251 MeV (n,d') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

6.345 MeV (n,d') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

6.416 MeV (n,d') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

6.480 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



100

Incident Energy (eV)


17-C1-35



MAT 1725

6.639 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



102


Incident Energy (eV)

17-C1-35

MAT 1725

6.683 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



103

Incident Energy (eV)


17-C1-35



MAT 1725

6.688 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




104

17-C1-35

MAT 1725

6.729 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



105


Incident Energy (eV)

17-C1-35

MAT 1725

6.742 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




106

17-C1-35

MAT 1725

6.742 MeV (n,d') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




107

17-C1-35

MAT 1725

(n, t') Ground  
Cross Section

17-C1-35  
-50.00 To 0.000 %



10<sup>7</sup>


10<sup>8</sup>

17-C1-35

MAT 1725

840.9 keV (n,t') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

1.966 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




110

17-C1-35

MAT 1725

2.312 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



111


17-C1-35



MAT 1725

2.866 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



112


Incident Energy (eV)

17-C1-35

MAT 1725

2.934 MeV (n,t') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

2.969 MeV (n,t') Level  
Cross Section


17-C1-35  
-50.00 To 0.000 %



MAT 1725

3.220 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



115


Incident Energy (eV)

17-C1-35

MAT 1725

3.832 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




116

17-C1-35

MAT 1725

3.935 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



117


Incident Energy (eV)

17-C1-35

MAT 1725

4.048 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



118


Incident Energy (eV)

17-C1-35

MAT 1725

4.053 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



119

Incident Energy (eV)


17-C1-35



MAT 1725

4.094 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



120


Incident Energy (eV)

17-C1-35

MAT 1725

4.144 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




121

17-C1-35

MAT 1725

4.210 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



122


Incident Energy (eV)

17-C1-35

MAT 1725

4.375 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



123


Incident Energy (eV)

17-C1-35

MAT 1725

4.424 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



124


Incident Energy (eV)

17-C1-35

MAT 1725

4.729 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



125


Incident Energy (eV)

17-C1-35

MAT 1725

4.746 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




126

17-C1-35

MAT 1725

4.866 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



127

Incident Energy (eV)


17-C1-35



MAT 1725

4.919 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



128


Incident Energy (eV)

17-C1-35

MAT 1725

4.942 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



129


Incident Energy (eV)

17-C1-35

MAT 1725

5.177 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



130


Incident Energy (eV)

17-C1-35

MAT 1725

5.209 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



131


Incident Energy (eV)

17-C1-35

MAT 1725

5.273 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



132


Incident Energy (eV)

17-C1-35

MAT 1725

5.282 MeV (n, t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



133


Incident Energy (MeV)

17-C1-35

MAT 1725

5.337 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




134

17-C1-35

MAT 1725

5.347 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



135

Incident Energy (MeV)


17-C1-35



MAT 1725

5.395 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




136

17-C1-35

MAT 1725

5.475 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



137


Incident Energy (MeV)

17-C1-35

MAT 1725

5.597 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




138

17-C1-35

MAT 1725

5.597 MeV (n,t') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



139


Incident Energy (MeV)

17-C1-35

MAT 1725

(n,  $\alpha'$ ) Ground  
Cross Section

17-C1-35  
-50.00 To 2.226 %



140


Incident Energy (eV)

17-C1-35

MAT 1725

78.10 keV (n,  $\alpha'$ ) Level  
Cross Section

17-Cl-35  
-100.0 To 2498. %



141


Incident Energy (eV)

17-Cl-35

MAT 1725

513.0 keV (n,  $\alpha'$ ) Level  
Cross Section


17-C1-35  
-100.0 To 0.008 %



MAT 1725

1.150 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-100.0 To 2.621 %



143


17-C1-35



MAT 1725

1.323 MeV (n,  $\alpha'$ ) Level  
Cross Section


17-Cl-35  
-100.0 To 9.132 %



MAT 1725

1.755 MeV (n,α') Level  
Cross Section

17-C1-35  
-100.0 To 9.267 %




145

17-C1-35

MAT 1725

2.178 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



146


Incident Energy (eV)

17-C1-35

MAT 1725

2.219 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



147


Incident Energy (eV)

17-C1-35

MAT 1725

2.230 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



148


Incident Energy (eV)

17-C1-35

MAT 1725

2.658 MeV (n,α') Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



149


Incident Energy (eV)

17-C1-35

MAT 1725

2.745 MeV (n,α') Level  
Cross Section

17-Cl-35  
-50.00 To 0.000 %



150


17-Cl-35

17-Cl-35

MAT 1725

3.005 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



151

Incident Energy (eV)


17-C1-35



MAT 1725

3.149 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




152

17-C1-35

MAT 1725

3.264 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



153


Incident Energy (eV)

17-C1-35

MAT 1725

3.322 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



154


Incident Energy (eV)

17-C1-35

MAT 1725

3.443 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %




155

17-C1-35

MAT 1725

3.445 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



156


Incident Energy (eV)

17-C1-35

MAT 1725

3.797 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 3.403 %




157

17-C1-35

MAT 1725

3.880 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



158


Incident Energy (eV)

17-C1-35

MAT 1725

3.989 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



159

Incident Energy (eV)


17-C1-35



MAT 1725

4.007 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



160


Incident Energy (eV)

17-C1-35

MAT 1725

4.007 MeV (n,  $\alpha'$ ) Level  
Cross Section

17-C1-35  
-50.00 To 0.000 %



161

Incident Energy (eV)

17-C1-35