

Program Complot  
(Version 2017-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net


Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 1925

Total  
Cross Section

19-K -39  
-0.212 To 2.424 %




Incident Energy (eV)

19-K -39

MAT 1925

Elastic  
Cross Section


19-K -39  
-0.214 To 2.434 %



MAT 1925

(n,2n) d  
Cross Section

19-K -39  
-100.0 To 0.000 %




MAT 1925

(n,2n)

19-K -39

Cross Section


-100.0 To 0.000 %



MAT 1925

(n,3n)  
Cross Section

19-K -39  
-100.0 To 0.000 %




MAT 1925

(n,n')  $\alpha$

19-K -39

Cross Section

-100.0 To 0.000 %



6


Incident Energy (eV)

19-K -39

MAT 1925

(n,2n)  $\alpha$   
Cross Section

19-K -39  
-100.0 To 0.000 %






MAT 1925

(n, n') p  
Cross Section

19-K -39  
-100.0 To 0.000 %




8

MAT 1925

(n,n')  $2\alpha$   
Cross Section

19-K -39  
-100.0 To 0.000 %




MAT 1925

(n,n') d

19-K -39

Cross Section

-100.0 To 0.000 %



10

Incident Energy (eV)

19-K -39


MAT 1925

(n,n') t

19-K -39

Cross Section

-100.0 To 0.000 %



11


Incident Energy (eV)

19-K -39

MAT 1925

(n, n') He-3  
Cross Section

19-K -39  
-100.0 To 0.000 %



12


Incident Energy (eV)

19-K -39

MAT 1925

(n,2n) p  
Cross Section

19-K -39  
-100.0 To 0.000 %



13


Incident Energy (eV)

19-K -39

MAT 1925

(n,3n) p  
Cross Section


19-K -39  
-100.0 To 0.000 %



MAT 1925

(n,2n) p  
Cross Section

19-K -39  
-100.0 To 0.000 %



15

Incident Energy (eV)

19-K -39






MAT 1925

MT= 51 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



17


Incident Energy (eV)

19-K -39

MAT 1925

MT= 52 (n, n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



18


Incident Energy (eV)

19-K -39

MAT 1925

MT= 53 (n, n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



19


Incident Energy (eV)

19-K -39

MAT 1925

MT= 54 (n, n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



20


Incident Energy (eV)

19-K -39

MAT 1925

MT= 55 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



21


Incident Energy (eV)

19-K -39

MAT 1925

MT= 56 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



22


Incident Energy (eV)

19-K -39

MAT 1925

MT= 57 (n, n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



23

Incident Energy (eV)


19-K -39



MAT 1925

MT= 58 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



24


Incident Energy (eV)

19-K -39

MAT 1925

MT= 59 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



25

Incident Energy (eV)

19-K -39


MAT 1925

MT= 60 (n,n') Level

19-K -39

-100.0 To 0.000 %

Cross Section



26


Incident Energy (eV)

19-K -39

MAT 1925

MT= 61 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



27


Incident Energy (eV)

19-K -39

MAT 1925

MT= 62 (n, n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



28


Incident Energy (eV)

19-K -39

MAT 1925

MT= 63 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



29


Incident Energy (eV)

19-K -39

MAT 1925

MT= 64 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



30


Incident Energy (eV)

19-K -39

MAT 1925

MT= 65 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



31

Incident Energy (eV)


19-K -39



MAT 1925

MT= 66 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



32


Incident Energy (eV)

19-K -39

MAT 1925

MT= 67 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



33


Incident Energy (eV)

19-K -39

MAT 1925

MT= 68 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



34


Incident Energy (eV)

19-K -39

MAT 1925

MT= 69 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



35


Incident Energy (eV)

19-K -39

MAT 1925

MT= 70 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



36

Incident Energy (eV)

19-K -39


MAT 1925

MT= 71 (n,n') Level

19-K -39

-100.0 To 0.000 %

Cross Section



37


Incident Energy (eV)

19-K -39

MAT 1925

MT= 72 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



38


Incident Energy (eV)

19-K -39

MAT 1925

MT= 73 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



39

Incident Energy (eV)


19-K -39



MAT 1925

MT= 74 (n, n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



40


Incident Energy (eV)

19-K -39

MAT 1925

MT= 75 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



41


Incident Energy (eV)

19-K -39

MAT 1925

MT= 76 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



42


Incident Energy (eV)

19-K -39

MAT 1925

MT= 77 (n,n') Level  
Cross Section

19-K -39  
-100.0 To 0.000 %



43


Incident Energy (eV)

19-K -39

MAT 1925

(n, n') Continuum  
Cross Section

19-K -39  
-100.0 To 0.000 %



44


Incident Energy (eV)

19-K -39

MAT 1925

(n,  $\gamma$ )  
Cross Section

19-K -39  
-100.0 To 78.28 %



45

Incident Energy (eV)


19-K -39

MAT 1925

(n,p)  
Cross Section

19-K -39

-100.0 To 9999. %



Incident Energy (eV)

19-K -39

46


MAT 1925

(n, d)

19-K -39

Cross Section

-100.0 To 0.000 %



47

Incident Energy (eV)

19-K -39




MAT 1925

(n, t)

19-K -39

Cross Section

-100.0 To 0.000 %



Incident Energy (eV)

19-K -39


MAT 1925

(n, He-3)

19-K -39

Cross Section

-100.0 To 0.000 %



49


Incident Energy (eV)

19-K -39

MAT 1925

(n,  $\alpha$ )  
Cross Section

19-K -39  
-100.0 To 0.685 %



50

Incident Energy (eV)

19-K -39


MAT 1925

(n,2α)

19-K -39

Cross Section

-100.0 To 0.000 %



51

19-K -39


MAT 1925

(n,2p)

19-K -39

Cross Section

-100.0 To 0.000 %




MAT 1925

(n, p)  $\alpha$

19-K -39

Cross Section


-100.0 To 0.000 %



MAT 1925

(n, d)  $2\alpha$   
Cross Section

19-K -39  
-100.0 To 0.000 %




MAT 1925

(n,p) d

19-K -39

Cross Section

-100.0 To 0.000 %



55

Incident Energy (eV)

19-K -39




MAT 1925

(n, p) t

19-K -39

Cross Section

-100.0 To 0.000 %



MAT 1925

(n, d)  $\alpha$   
Cross Section

19-K -39  
-100.0 To 0.000 %

