

Program Complot
(Version 2015-2)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net


Web: home.comcast.net/~redcullen1

Press Mouse Button to Start

MAT 2049

Total
Cross Section


20-Ca-48
-0.109 To 26.03 %



MAT 2049

Elastic
Cross Section

20-Ca-48
-0.109 To 26.03 %




MAT 2049

(n,2n)

20-Ca-48

Cross Section

-100.0 To 0.000 %




20-Ca-48

MAT 2049

(n,3n)
Cross Section


20-Ca-48
-100.0 To 0.000 %



MAT 2049

$(n, n') \alpha$
Cross Section

20-Ca-48
-100.0 To 0.000 %



5


Incident Energy (eV)

20-Ca-48

MAT 2049

(n, n') p
Cross Section


20-Ca-48
-100.0 To 0.000 %



MAT 2049

3.832 MeV (n,n') Level
Cross Section

20-Ca-48
-100.0 To 0.000 %



7


Incident Energy (eV)

20-Ca-48


MAT 2049

4.283 MeV (n,n') Level
Cross Section

20-Ca-48
-100.0 To 0.000 %



MAT 2049 4.503 MeV (n,n') Level 20-Ca-48
 Cross Section -100.0 To 0.000 %




9 Incident Energy (eV) 20-Ca-48


MAT 2049

4.507 MeV (n,n') Level
Cross Section

20-Ca-48
-100.0 To 0.000 %




MAT 2049 4.612 MeV (n,n') Level 20-Ca-48
 Cross Section -100.0 To 0.000 %



MAT 2049

5.146 MeV (n,n') Level
Cross Section

20-Ca-48
-100.0 To 0.000 %



12


Incident Energy (eV)

20-Ca-48

MAT 2049

5.261 MeV (n,n') Level
Cross Section

20-Ca-48
-100.0 To 0.000 %




13

MAT 2049

5.311 MeV (n,n') Level
Cross Section

20-Ca-48
-100.0 To 0.000 %



14


Incident Energy (eV)

20-Ca-48

MAT 2049

5.314 MeV (n,n') Level
Cross Section

20-Ca-48
-100.0 To 0.000 %




15

MAT 2049

5.370 MeV (n,n') Level
Cross Section

20-Ca-48
-100.0 To 0.000 %



16


Incident Energy (eV)

20-Ca-48

MAT 2049

5.461 MeV (n,n') Level
Cross Section

20-Ca-48
-100.0 To 0.000 %




17

MAT 2049

(n,n') Continuum
Cross Section

20-Ca-48
-100.0 To 0.000 %




18

MAT 2049

(n, γ)
Cross Section


20-Ca-48
-100.0 To 89.71 %



MAT 2049

(n,p)
Cross Section

20-Ca-48
-100.0 To 0.000 %




MAT 2049

(n, α)

20-Ca-48

Cross Section


-100.0 To 0.000 %



MAT 2049

(n, p') Ground
Cross Section


20-Ca-48
-100.0 To 0.000 %



MAT 2049

0.000 keV (n,p') Level
Cross Section


20-Ca-48
-100.0 To 0.000 %



MAT 2049

(n, α') Ground
Cross Section

20-Ca-48
-100.0 To 0.000 %



MAT 2049

1.789 MeV (n, α') Level
Cross Section

20-Ca-48
-100.0 To 0.000 %

