

Program Complot  
(Version 2015-2)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550  
U.S.A.

Tele: 925-443-1911

E.Mail: [redcullen1@comcast.net](mailto:redcullen1@comcast.net)  
Web: [home.comcast.net/~redcullen1](http://home.comcast.net/~redcullen1)

Press Mouse Button to Start


MAT 4234

Total

42-Mo-95

Cross Section


-9.574 To 46.72 %



MAT 4234

Elastic  
Cross Section


42-Mo-95  
-6.771 To 28.02 %



MAT 4234

### Nonelastic Cross Section

42-Mo-95  
-24.82 To 9541. %




MAT 4234

(n,2n)

42-Mo-95

Cross Section

-50.00 To 0.000 %




4

42-Mo-95

MAT 4234


(n,3n)  
Cross Section

42-Mo-95  
-50.00 To 0.000 %



MAT 4234

(n, n')  $\alpha$   
Cross Section  
42-Mo-95  
-50.00 To 0.000 %



6


Incident Energy (eV)

42-Mo-95

MAT 4234

(n, n') p  
Cross Section

42-Mo-95  
-50.00 To 0.000 %



7


42-Mo-95



MAT 4234

(n, n') d  
Cross Section


42-Mo-95  
-50.00 To 0.000 %



MAT 4234

204.1 keV (n,n') Level  
Cross Section


42-Mo-95  
-50.00 To 0.000 %



MAT 4234

765.8 keV (n,n') Level  
Cross Section

42-Mo-95  
-50.00 To 0.000 %



10


Incident Energy (eV)

42-Mo-95

MAT 4234

786.2 keV (n,n') Level  
Cross Section


42-Mo-95  
-50.00 To 0.000 %



MAT 4234

820.6 keV (n,n') Level  
Cross Section

42-Mo-95  
-50.00 To 0.000 %




12

42-Mo-95

MAT 4234

947.7 keV (n,n') Level  
Cross Section

42-Mo-95  
-50.00 To 0.000 %



13

42-Mo-95


MAT 4234

1.039 MeV (n,n') Level

42-Mo-95

-50.00 To 0.000 %

Cross Section



14


Incident Energy (eV)

42-Mo-95

MAT 4234

1.057 MeV (n,n') Level  
Cross Section

42-Mo-95  
-50.00 To 0.000 %



15

Incident Energy (eV)


42-Mo-95



MAT 4234

1.074 MeV (n,n') Level  
Cross Section

42-Mo-95  
-50.00 To 0.000 %




16

Incident Energy (eV)

42-Mo-95


MAT 4234 1.092 MeV (n,n') Level 42-Mo-95  
 Cross Section -50.00 To 0.000 %



MAT 4234

1.303 MeV (n,n') Level  
Cross Section

42-Mo-95  
-50.00 To 0.000 %



18


Incident Energy (eV)

42-Mo-95

MAT 4234

1.324 MeV (n,n') Level  
Cross Section


42-Mo-95  
-50.00 To 0.000 %



MAT 4234

1.370 MeV (n,n') Level  
Cross Section

42-Mo-95  
-50.00 To 0.000 %




20

Incident Energy (eV)

42-Mo-95


MAT 4234 1.376 MeV (n,n') Level 42-Mo-95  
 Cross Section -50.00 To 0.000 %



MAT 4234

1.426 MeV (n,n') Level  
Cross Section


42-Mo-95  
-50.00 To 0.000 %



MAT 4234

1.441 MeV (n,n') Level  
Cross Section

42-Mo-95  
-50.00 To 0.000 %






MAT 4234

1.541 MeV (n,n') Level  
Cross Section


42-Mo-95  
-50.00 To 0.000 %



MAT 4234

1.552 MeV (n,n') Level  
Cross Section


42-Mo-95  
-50.00 To 0.000 %



MAT 4234

1.620 MeV (n,n') Level  
Cross Section


42-Mo-95  
-50.00 To 0.000 %



MAT 4234

1.645 MeV (n,n') Level  
Cross Section


42-Mo-95  
-50.00 To 0.000 %



MAT 4234

1.660 MeV (n,n') Level  
Cross Section


42-Mo-95  
-50.00 To 0.000 %



MAT 4234

1.666 MeV (n,n') Level  
Cross Section


42-Mo-95  
-50.00 To 0.000 %



MAT 4234

1.683 MeV (n,n') Level  
Cross Section

42-Mo-95  
-50.00 To 0.000 %



30


Incident Energy (eV)

42-Mo-95

MAT 4234

1.698 MeV (n,n') Level  
Cross Section

42-Mo-95  
-50.00 To 0.000 %



31

Incident Energy (eV)


42-Mo-95



MAT 4234

1.743 MeV (n,n') Level  
Cross Section

42-Mo-95  
-50.00 To 0.000 %




32

42-Mo-95

MAT 4234

1.797 MeV (n,n') Level  
Cross Section


42-Mo-95  
-50.00 To 0.000 %



MAT 4234

1.808 MeV (n,n') Level  
Cross Section

42-Mo-95  
-50.00 To 0.000 %




34

42-Mo-95

MAT 4234

(n,n') Continuum  
Cross Section

42-Mo-95  
-50.00 To 0.000 %




35

42-Mo-95

MAT 4234

(n,  $\gamma$ )  
Cross Section

42-Mo-95  
-50.00 To 9584. %




MAT 4234

(n,p)

42-Mo-95

Cross Section

-50.00 To 0.000 %



37

Incident Energy (eV)

42-Mo-95


MAT 4234

(n, d)

42-Mo-95

Cross Section

-50.00 To 0.000 %



38


MAT 4234

(n, t)

42-Mo-95

Cross Section

-50.00 To 0.000 %



39

42-Mo-95




MAT 4234

(n, He-3)

42-Mo-95

Cross Section

-50.00 To 0.000 %



MAT 4234

(n,  $\alpha$ )  
Cross Section  
-50.00 To 945.9 %  
42-Mo-95

