

Program Complot
(Version 2015-2)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net


Web: home.comcast.net/~redcullen1

Press Mouse Button to Start

MAT 4525

Total
Cross Section

45-Rh-103
-96.35 To 12.63 %




45-Rh-103

MAT 4525

Elastic Cross Section


45-Rh-103
-96.89 To 15.28 %



MAT 4525

(n,2n) d
Cross Section

45-Rh-103
-100.0 To 0.000 %




MAT 4525

(n,2n)

45-Rh-103

Cross Section

-100.0 To 0.000 %



45-Rh-103


MAT 4525

(n, 3n)

45-Rh-103

Cross Section

-100.0 To 0.000 %




MAT 4525

(n, n') α

45-Rh-103

Cross Section

-100.0 To 0.000 %



6


Incident Energy (eV)

45-Rh-103

MAT 4525

(n, 3n) α
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

(n, n') p
Cross Section

45-Rh-103
-100.0 To 0.000 %




9

Incident Energy (eV)

45-Rh-103

MAT 4525

(n, n') 2α
Cross Section
45-Rh-103
-100.0 To 0.000 %



10


Incident Energy (eV)

45-Rh-103

MAT 4525

(n, n') d
Cross Section

45-Rh-103
-100.0 To 0.000 %




MAT 4525

(n, n') t

45-Rh-103

Cross Section

-100.0 To 0.000 %



12


Incident Energy (eV)

45-Rh-103

MAT 4525

(n,n') He-3
Cross Section


45-Rh-103
-100.0 To 0.000 %




MAT 4525

(n, 4n)
Cross Section

45-Rh-103
-100.0 To 0.000 %



MAT 4525 (n,2n) p 45-Rh-103
Cross Section -100.0 To 0.000 %



45-Rh-103


Incident Energy (eV)

15

MAT 4525

(n, 3n) p
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

(n,2n) p
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

(n,n') p α
Cross Section

45-Rh-103
-100.0 To 0.000 %



45-Rh-103


Incident Energy (eV)

18

MAT 4525

39.76 keV (n,n') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

93.04 keV (n,n') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




Incident Energy (eV)

45-Rh-103

MAT 4525

295.0 keV (n,n') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

357.4 keV (n,n') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

536.8 keV (n,n') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

607.4 keV (n,n') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

650.1 keV (n,n') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



25


Incident Energy (eV)

45-Rh-103

MAT 4525

651.8 keV (n,n') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

657.7 keV (n,n') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

780.5 keV (n,n') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




28

45-Rh-103

MAT 4525

803.1 keV (n,n') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

821.5 keV (n,n') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




30

45-Rh-103

MAT 4525

847.6 keV (n,n') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



31


Incident Energy (eV)

45-Rh-103

MAT 4525

880.5 keV (n,n') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




32

45-Rh-103

MAT 4525

920.1 keV (n,n') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



33


Incident Energy (eV)

45-Rh-103

MAT 4525

(n, n') Continuum
Cross Section

45-Rh-103
-100.0 To 0.000 %



34


Incident Energy (eV)

45-Rh-103

MAT 4525

(n, γ)
Cross Section

45-Rh-103
-100.0 To 1.942 %



35


Incident Energy (eV)

45-Rh-103


MAT 4525

(n,p)
Cross Section

45-Rh-103
-100.0 To 0.000 %



MAT 4525 (n, d) Cross Section 45-Rh-103 -100.0 To 0.000 %




MAT 4525

45-Rh-103

-100.0 To 0.000 %

(n, t)
Cross Section




MAT 4525

(n, He-3)

45-Rh-103

Cross Section

-100.0 To 0.000 %



39

Incident Energy (eV)

45-Rh-103


MAT 4525

(n, α)

45-Rh-103

Cross Section

-100.0 To 186.6 %



40

Incident Energy (eV)

45-Rh-103


MAT 4525

(n, 2α)

45-Rh-103

Cross Section


-100.0 To 0.000 %



MAT 4525

(n, 2p)
Cross Section

45-Rh-103
-100.0 To 0.000 %




42

45-Rh-103

MAT 4525

(n,p) α
Cross Section
-100.0 To 0.000 %
45-Rh-103




43

MAT 4525

(n,p) t
Cross Section

45-Rh-103
-100.0 To 0.000 %



45

Incident Energy (eV)

45-Rh-103


MAT 4525

(n,d) α

45-Rh-103

Cross Section

-100.0 To 0.000 %



46


Incident Energy (eV)

45-Rh-103

MAT 4525

(n, p') Ground
Cross Section


45-Rh-103
-100.0 To 0.010 %



MAT 4525

2.810 keV (n,p') Level
Cross Section


45-Rh-103
-100.0 To 0.010 %



MAT 4525

136.1 keV (n,p') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

174.3 keV (n,p') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



50


Incident Energy (eV)

45-Rh-103

MAT 4525

213.6 keV (n,p') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

238.2 keV (n,p') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

297.1 keV (n,p') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

298.1 keV (n,p') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

346.4 keV (n, p') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

404.2 keV (n,p') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



56


Incident Energy (eV)

45-Rh-103

MAT 4525

406.1 keV (n,p') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



57


Incident Energy (eV)

45-Rh-103

MAT 4525

432.1 keV (n,p') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



58


Incident Energy (eV)

45-Rh-103

MAT 4525

501.2 keV (n,p') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

535.4 keV (n,p') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



60


Incident Energy (eV)

45-Rh-103

MAT 4525

548.2 keV (n,p') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



61


Incident Energy (eV)

45-Rh-103

MAT 4525

554.6 keV (n,p') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



62


Incident Energy (eV)

45-Rh-103

MAT 4525

554.6 keV (n,p') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



63


Incident Energy (eV)

45-Rh-103

MAT 4525

(n, d') Ground
Cross Section

45-Rh-103
-100.0 To 0.000 %



64


Incident Energy (eV)

45-Rh-103

MAT 4525

475.1 keV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




65

45-Rh-103

MAT 4525

943.7 keV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




66

45-Rh-103

MAT 4525

1.103 MeV (n,d') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



67

45-Rh-103

MAT 4525 1.106 MeV (n,d') Level 45-Rh-103
 Cross Section -100.0 To 0.000 %




68 Incident Energy (eV) 45-Rh-103

MAT 4525

1.522 MeV (n,d') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

1.581 MeV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




70

45-Rh-103

MAT 4525

1.603 MeV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




71

45-Rh-103

MAT 4525

1.799 MeV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




72

45-Rh-103

MAT 4525

1.837 MeV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



73


Incident Energy (eV)

45-Rh-103

MAT 4525

1.873 MeV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




74

45-Rh-103

MAT 4525

1.969 MeV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




75

45-Rh-103

MAT 4525

2.037 MeV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




76

45-Rh-103

MAT 4525

2.044 MeV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




77

45-Rh-103

MAT 4525

2.190 MeV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




78

45-Rh-103

MAT 4525

2.219 MeV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




79

45-Rh-103

MAT 4525

2.219 MeV (n,d') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




80

45-Rh-103

MAT 4525

(n, t') Ground
Cross Section

45-Rh-103
-100.0 To 0.000 %




81

45-Rh-103

MAT 4525

127.2 keV (n, t') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

306.9 keV (n, t') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

311.3 keV (n, t') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




84

45-Rh-103

MAT 4525

324.8 keV (n, t') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




85

45-Rh-103

MAT 4525

344.0 keV (n, t') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

422.3 keV (n, t') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




87

45-Rh-103

MAT 4525

527.5 keV (n, t') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




88

45-Rh-103

MAT 4525

535.0 keV (n,t') Level
Cross Section


45-Rh-103
-100.0 To 0.000 %



MAT 4525

545.1 keV (n, t') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




90

45-Rh-103

MAT 4525

598.3 keV (n, t') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




91

45-Rh-103

MAT 4525

616.3 keV (n, t') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




92

45-Rh-103

MAT 4525

623.0 keV (n,t') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




93

45-Rh-103

MAT 4525

624.0 keV (n,t') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




94

45-Rh-103

MAT 4525

684.0 keV (n,t') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




95

45-Rh-103

MAT 4525

718.0 keV (n, t') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




96

45-Rh-103

MAT 4525

718.0 keV (n,t') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




97

45-Rh-103

MAT 4525

(n,He-3') Ground
Cross Section

45-Rh-103
-100.0 To 0.000 %



98


Incident Energy (eV)

45-Rh-103

MAT 4525

9.320 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



99


Incident Energy (eV)

45-Rh-103

MAT 4525

15.60 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



100


Incident Energy (eV)

45-Rh-103

MAT 4525

207.5 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



101


Incident Energy (eV)

45-Rh-103

MAT 4525

288.5 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




102

45-Rh-103

MAT 4525

394.9 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




103

45-Rh-103

MAT 4525

500.4 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



104


Incident Energy (eV)

45-Rh-103

MAT 4525

515.3 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



105


Incident Energy (eV)

45-Rh-103

MAT 4525

520.6 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



106


Incident Energy (eV)

45-Rh-103

MAT 4525

533.5 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



107


107

45-Rh-103

MAT 4525

589.9 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




108

45-Rh-103

MAT 4525

606.5 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




109

45-Rh-103

MAT 4525

616.3 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



110


Incident Energy (eV)

45-Rh-103

MAT 4525

618.8 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %



111


Incident Energy (eV)

45-Rh-103

MAT 4525

622.1 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




112

45-Rh-103

MAT 4525

642.2 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




113

45-Rh-103

MAT 4525

642.2 keV (n,He-3') Level
Cross Section

45-Rh-103
-100.0 To 0.000 %




114

45-Rh-103

MAT 4525

(n, α') Ground
Cross Section

45-Rh-103
-100.0 To 0.006 %



115


Incident Energy (eV)

45-Rh-103

MAT 4525

172.2 keV (n, α') Level
Cross Section


45-Rh-103
-100.0 To 0.007 %



MAT 4525

200.7 keV (n, α') Level
Cross Section


45-Rh-103
-100.0 To 0.006 %



MAT 4525

223.5 keV (n, α') Level
Cross Section


45-Rh-103
-100.0 To 0.010 %



MAT 4525

244.0 keV (n, α') Level
Cross Section


45-Rh-103
-100.0 To 0.010 %



MAT 4525

263.6 keV (n, α') Level
Cross Section

45-Rh-103
-100.0 To 0.009 %



120


Incident Energy (eV)

45-Rh-103

MAT 4525

287.5 keV (n, α') Level
Cross Section


45-Rh-103
-100.0 To 0.010 %



MAT 4525

294.9 keV (n, α') Level
Cross Section

45-Rh-103
-100.0 To 0.010 %



122


Incident Energy (eV)

45-Rh-103

MAT 4525

299.7 keV (n, α') Level
Cross Section

45-Rh-103
-100.0 To 0.009 %




123

45-Rh-103

MAT 4525

319.5 keV (n, α') Level
Cross Section


45-Rh-103
-100.0 To 0.009 %



MAT 4525

335.2 keV (n, α') Level
Cross Section

45-Rh-103
-100.0 To 0.009 %



125


Incident Energy (eV)

45-Rh-103

MAT 4525

341.0 keV (n,α') Level
Cross Section


45-Rh-103
-100.0 To 0.009 %



MAT 4525

355.5 keV (n, α') Level
Cross Section

45-Rh-103
-100.0 To 0.010 %



127


Incident Energy (eV)

45-Rh-103

MAT 4525

400.6 keV (n, α') Level
Cross Section


45-Rh-103
-100.0 To 0.007 %



MAT 4525

424.4 keV (n, α') Level
Cross Section


45-Rh-103
-100.0 To 0.010 %



MAT 4525

440.4 keV (n, α') Level
Cross Section

45-Rh-103
-100.0 To 0.009 %



MAT 4525

440.4 keV (n, α') Level
Cross Section

45-Rh-103
-100.0 To 186.6 %

