

Program Complot
(Version 2015-2)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net


Web: home.comcast.net/~redcullen1

Press Mouse Button to Start

MAT 5034

Total
Cross Section


50-Sn-115
-46.89 To 132.3 %



MAT 5034

Elastic
Cross Section

50-Sn-115
-14.20 To 98.73 %



2


Incident Energy (eV)

50-Sn-115

MAT 5034

(n,2n)
Cross Section

50-Sn-115
-100.0 To 0.000 %




3

50-Sn-115

MAT 5034

(n,3n)
Cross Section

50-Sn-115
-100.0 To 0.000 %




MAT 5034

(n, n') α

50-Sn-115

Cross Section

-100.0 To 0.000 %




5

MAT 5034

(n,2n) α
Cross Section

50-Sn-115
-100.0 To 0.000 %




Incident Energy (eV)

50-Sn-115

MAT 5034

(n, n') p
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

(n, n') d
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

(n,2n) p
Cross Section

50-Sn-115
-100.0 To 0.000 %



9


Incident Energy (eV)

50-Sn-115

MAT 5034

497.3 keV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %



10


Incident Energy (eV)

50-Sn-115

MAT 5034

612.8 keV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %



11

Incident Energy (eV)

50-Sn-115


MAT 5034

713.6 keV (n,n') Level

50-Sn-115

-100.0 To 0.000 %

Cross Section



12


Incident Energy (eV)

50-Sn-115

MAT 5034

986.6 keV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %



13


Incident Energy (eV)

50-Sn-115

MAT 5034

1.280 MeV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %



14


Incident Energy (eV)

50-Sn-115

MAT 5034

1.417 MeV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %



15


Incident Energy (eV)

50-Sn-115

MAT 5034

1.634 MeV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %



16


Incident Energy (eV)

50-Sn-115

MAT 5034

1.644 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

1.644 MeV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %



18


Incident Energy (eV)

50-Sn-115

MAT 5034

1.734 MeV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %



19


Incident Energy (eV)

50-Sn-115

MAT 5034

1.786 MeV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %



20


Incident Energy (eV)

50-Sn-115

MAT 5034

1.805 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

1.825 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

1.857 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

1.946 MeV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %



24


Incident Energy (eV)

50-Sn-115

MAT 5034

1.974 MeV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %




25

MAT 5034

1.994 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



26

50-Sn-115


MAT 5034 1.997 MeV (n,n') Level 50-Sn-115
 Cross Section -100.0 To 0.000 %



MAT 5034

2.025 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

2.060 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

2.077 MeV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %



30


Incident Energy (eV)

50-Sn-115

MAT 5034

2.084 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

2.156 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

2.165 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

2.193 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

2.197 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

2.207 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

2.230 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %




MAT 5034

2.265 MeV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %






MAT 5034

2.314 MeV (n,n') Level
Cross Section

50-Sn-115
-100.0 To 0.000 %




50-Sn-115

MAT 5034

2.347 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

2.352 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

2.365 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

2.371 MeV (n,n') Level
Cross Section


50-Sn-115
-100.0 To 0.000 %



MAT 5034

(n,n') Continuum
Cross Section

50-Sn-115
-100.0 To 0.002 %



45


Incident Energy (eV)

50-Sn-115

MAT 5034

(n, γ)
Cross Section

50-Sn-115
-24.99 To 9999. %



46

50-Sn-115


MAT 5034

(n,p)

50-Sn-115

Cross Section

-100.0 To 0.000 %



47

Incident Energy (eV)

50-Sn-115


MAT 5034

(n,d)

50-Sn-115

Cross Section

-100.0 To 0.000 %



48

Incident Energy (eV)

50-Sn-115


MAT 5034

(n, t)

50-Sn-115

Cross Section

-100.0 To 0.000 %




MAT 5034

(n, He-3)

50-Sn-115


Cross Section

-100.0 To 0.000 %



MAT 5034


(n, α)
Cross Section
50-Sn-115
-100.0 To 0.453 %



MAT 5034

(n,2p)
Cross Section

50-Sn-115
-100.0 To 0.000 %



52

50-Sn-115