

Program Complot  
(Version 2015-2)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550  
U.S.A.

Tele: 925-443-1911


E.Mail: [redcullen1@comcast.net](mailto:redcullen1@comcast.net)

Web: [home.comcast.net/~redcullen1](http://home.comcast.net/~redcullen1)

Press Mouse Button to Start

MAT 7425

Total Cross Section  
74-W -180  
-0.105 To 80.08 %




74-W -180

MAT 7425

Elastic  
Cross Section

74-W -180  
-0.107 To 72.71 %




2

Incident Energy (eV)

74-W -180

MAT 7425


(n,  $\gamma$ )  
Cross Section  
74-W -180  
-0.106 To 99.34 %



MAT 7425

(n,  $\alpha'$ ) Ground  
Cross Section


74-W -180  
-100.0 To 0.143 %



MAT 7425

459.0 keV (n,  $\alpha'$ ) Level  
Cross Section

74-W -180  
-100.0 To 0.142 %




74-W -180

MAT 7425

508.1 keV (n,  $\alpha'$ ) Level  
Cross Section

74-W -180  
-100.0 To 0.143 %




Incident Energy (eV)

74-W -180

MAT 7425

559.4 keV (n,α') Level  
Cross Section

74-W -180  
-100.0 To 0.143 %






MAT 7425

604.4 keV (n,  $\alpha'$ ) Level  
Cross Section

<sup>74</sup>W -180  
-100.0 To 0.143 %



8


Incident Energy (eV)

<sup>74</sup>W -180

MAT 7425

608.0 keV (n,α') Level  
Cross Section

74-W -180  
-100.0 To 0.143 %



74-W -180

MAT 7425

608.0 keV (n,α') Level  
Cross Section

74-W -180  
-100.0 To 0.143 %

