

Visit the [Isotope Explorer](#) home page!

22 reference(s) found :

Keynumber: [1999VO02](#)

Reference: Phys.Rev. C59, 1154 (1999)

Authors: F.Voss, K.Wisshak, C.Arlandini, F.Kappeler, L.Kazakov, T.Rauscher

Title: Stellar Neutron Capture Cross Sections of Pr and Dy Isotopes

Keyword abstract: NUCLEAR REACTIONS ^{141}Pr , 160 , 161 , 162 , 163 , $^{164}\text{Dy}(n,\gamma)$, $E=3-225$ keV; measured total,capture σ ; deduced Maxwellian averaged neutron capture σ at stellar energies. Astrophysical implications discussed.

Keynumber: 1999MI27

Reference: J.Nucl.Sci.Technol.(Tokyo) 36, 493 (1999)

Authors: S.Mizuno, M.Igashira, K.Masuda

Title: Measurements of keV-Neutron Capture Cross Sections and Capture Gamma-Ray Spectra of $^{161,162,163}\text{Dy}$

Keyword abstract: NUCLEAR REACTIONS 161 , 162 , $^{163}\text{Dy}(n,\gamma)$, $E=10-90,550$ keV; measured E_γ, I_γ , capture σ . Comparison with evaluated data, previous measurements.

Keynumber: 1998WIZW

Reference: Proc.Intern.Symposium on Nuclear Astrophysics, Nuclei in the Cosmos V, Volos, Greece, July 6-11, 1998, N.Prantzos, S.Harissopoulos, Eds., Editions Frontieres, Paris, p.212 (1998)

Authors: K.Wisshak, F.Voss, C.Arlandini, F.Kappeler, T.Rauscher

Title: Neutron Capture in Dy and Yb Isotopes: Implications for the s-process

Keyword abstract: NUCLEAR REACTIONS ^{141}Pr , 160 , 161 , 162 , 163 , ^{164}Dy , 170 , 171 , 172 , 173 , 174 , $^{176}\text{Yb}(n,\gamma)$, $E=3-225$ keV; measured capture σ ; deduced stellar capture σ , s-process implications.

Keynumber: 1997MIZZ

Reference: Proc.9th Intern.Symposium on Capture Gamma-Ray Spectroscopy and Related Topics, Budapest, Hungary, October 1996, G.L.Molnar, T.Belgya, Zs.Revay, Eds., Vol.1, p.434 (1997)

Authors: S.Mizuno, M.Igashira, H.Kitazawa

Title: Measurements of keV-Neutron Capture Gamma Rays of 161 , 162 , ^{163}Dy

Keyword abstract: NUCLEAR REACTIONS 161 , 162 , $^{163}\text{Dy}(n,\gamma)$, $E \approx 60$ keV; measured E_γ, I_γ .

Keynumber: 1997KAZR

Reference: Proc.Intern.on Nuclear Data for Science and Technology, Trieste, Italy, 19-24 May, 1997, G.Reffo, A.Ventura, C.Grandi, Eds., Editrice Compositori, Italy, Pt.2, p.1576 (1997)

Authors: F.Kappeler, K.Wisshak, F.Voss, G.Reffo

Title: Improved (n, γ) Cross Sections in the Rare Earth Region: Implications for s- and r-Process Nucleosynthesis

Keyword abstract: NUCLEAR REACTIONS ^{141}Pr , 142 , 143 , 144 , 145 , 146 , ^{148}Nd , 160 , 161 , 162 , 163 , ^{164}Dy , 164 , $^{170}\text{Er}(n,\gamma)$, E not given; measured Maxwellian averaged σ at $kT=30$ keV. Activation technique.

Keynumber: 1995BE02

Reference: Nucl.Phys. A584, 413 (1995)

Authors: J.Berzins, P.Prokofev, R.Georgii, R.Hucke, T.von Egidy, G.Hlawatsch, J.Klora, H.Lindner, U.Mayerhofer, H.H.Schmidt, A.Walter, V.G.Soloviev, N.Yu.Shirikova, A.V.Sushkov

Title: ^{162}Dy Studied with (n, γ), (n,n' γ), (d,p) and (d,t) Reactions

Keyword abstract: NUCLEAR REACTIONS $^{161}\text{Dy}(n,\gamma)$, $^{162}\text{Dy}(n,n'\gamma)$, E=fast,thermal; measured γ -spectra. $^{161}\text{Dy}(d,p)$, E=15,22 MeV; $^{163}\text{Dy}(d,t)$, E=22 MeV; measured spectra. ^{162}Dy deduced levels, configurations. Quasiparticle-phonon nuclear model.

Keyword abstract: NUCLEAR STRUCTURE ^{162}Dy ; calculated levels, B(λ). Quasiparticle-phonon nuclear model.

Keynumber: 1994BEZU

Reference: Proc.8th Int.Symposium on Capture Gamma-Ray Spectroscopy and Related Topic, Fribourg, Switzerland, 20-24 September 1993, J.Kern, Ed., World Scientific, Singapore, p.366 (1994)

Authors: J.Berzins, P.Prokofjev, R.Georgii, T.von Egidy, R.Hucke, G.Hlawatsch, J.Klora, H.Linder, U.Mayerhofer, H.H.Schmidt, A.Walter, V.G.Soloviev, A.V.Sushkov, N.Y.Shirikova

Title: ^{162}Dy Studied with the (d,p), (d,t), (n, γ) and (n,n' γ) Reactions

Keyword abstract: NUCLEAR REACTIONS $^{161}\text{Dy}(n,\gamma)$, $^{162}\text{Dy}(n,n'\gamma)$, E=reactor; measured $E\gamma$, $I\gamma$, $\gamma\gamma$ -coin. $^{161}\text{Dy}(d,p)$, E=15,22 MeV; $^{163}\text{Dy}(d,t)$, E=22 MeV; measured particle spectra. ^{162}Dy deduced levels, J, π .

Keynumber: 1992BEZA

Reference: Program and Thesis, Proc.42nd Ann.Conf.Nucl.Spectrosc.Struct.At.Nuclei, Alma-Ata, p.84 (1992)

Authors: J.Berzins, M.Ganko, P.T.Prokofev, T.von Egidy, R.Hucke, G.Hlawatsch, J.Klora, H.Lindner, U.Mayerhofer, H.H.Schmidt, A.Walter

Title: Study of ^{162}Dy with the (d,p), (d,t) and (n,n' γ) Reaction

Keyword abstract: NUCLEAR REACTIONS $^{161}\text{Dy}(n,\gamma)$, E=thermal; $^{161}\text{Dy}(d,p)$, E=15.22 MeV; $^{162}\text{Dy}(n,n'\gamma)$, E=fast; $^{163}\text{Dy}(d,t)$, E=22 MeV; measured σ , γ -spectra. ^{162}Dy deduced levels, J, π , K. Q3D spectrograph, GAMS spectrometers.

Keynumber: 1984BE34

Reference: Phys.Rev. C30, 464 (1984)

Authors: H.Beer, G.Walter, R.L.Macklin, P.J.Patchett

Title: Neutron Capture Cross Sections and Solar Abundances of 160 , ^{161}Dy , 170 , ^{171}Yb , 175 , ^{176}Lu , and 176 , ^{177}Hf for the s-Process Analysis of the Radionuclide ^{176}Lu

Keyword abstract: NUCLEAR REACTIONS 160 , ^{161}Dy , 170 , ^{171}Yb , 175 , ^{176}Lu , 176 , $^{177}\text{Hf}(n,\gamma)$, E \approx 3-500 keV; measured $\sigma(E)$, γ yields; deduced Maxwellian $\langle\sigma\rangle$ solar abundances, s-process temperature constraints. 176 , ^{177}Lu , 177 , ^{178}Hf , 161 , ^{162}Dy , 171 , ^{172}Yb deduced resonances, parameters, (g Γ n Γ γ / Γ), s-wave strength functions.

Keynumber: 1983WA08

Reference: Phys.Rev. C27, 2292 (1983)

Authors: D.D.Warner, R.F.Casten, W.R.Kane, W.Gelletly

Title: Average Resonance Capture Studies of 162 , ^{164}Dy

Keyword abstract: NUCLEAR REACTIONS 161 , $^{163}\text{Dy}(n,\gamma)$, E=2,24 keV, resonance; measured $E\gamma$, $I\gamma$. 162 , ^{164}Dy deduced levels, J, π , band structure, B(E2) ratios. Average resonance capture spectroscopy, enriched targets, Ge(Li) detectors. Interacting boson approximation, geometrical models.

Keynumber: 1983CAZX

Reference: Bull.Am.Phys.Soc. 28, No.4, 702, EE11 (1983)

Authors: R.F.Casten, D.D.Warner

Title: ARC Spectroscopy of $^{162,164}\text{Dy}$: Systematics of $K^\pi = 3^+$ and 4^+ Excitations

Keyword abstract: NUCLEAR REACTIONS $^{161, 163}\text{Dy}(n,\gamma), E=2,24$ keV; measured γ -transitions. $^{162, 164}\text{Dy}$ deduced $K^\pi=3^+, 4^+$ band systematics.

Keynumber: 1982IS05

Reference: Phys.Rev. C25, 3184 (1982)

Authors: M.A.Islam, T.J.Kennett, W.V.Prestwich

Title: Neutron Separation Energies of Some Heavy Nuclides

Keyword abstract: NUCLEAR REACTIONS $^{142, 143, 145}\text{Nd}, ^{155, 157}\text{Gd}, ^{161, 162, 164}\text{Dy}, ^{165}\text{Ho}, ^{174, 173}\text{Yb}(n,\gamma), E=\text{thermal}$; measured E_γ . $^{143, 144, 146}\text{Nd}, ^{156, 158}\text{Gd}, ^{162, 163, 164, 165}\text{Dy}, ^{166}\text{Ho}, ^{175, 174}\text{Yb}$ deduced neutron separation energy.

Keynumber: 1980HU06

Reference: J.Phys.(London) G6, 741 (1980)

Authors: P.Hungerford, W.D.Hamilton, S.M.Scott, D.D.Warner

Title: Gamma-Gamma Directional Correlation Measurements in $^{162, 164}\text{Dy}$ Following Thermal Neutron Capture

Keyword abstract: NUCLEAR REACTIONS $^{161, 163}\text{Dy}(n,\gamma), E=\text{th}$; measured $E_\gamma, I_\gamma, \gamma\gamma(\theta)$. $^{162, 164}\text{Dy}$ deduced levels, J, π, δ . Deformed rotor model.

Keynumber: 1978ZA10

Reference: Yad.Fiz. 27, 1534 (1978); Sov.J.Nucl.Phys. 27, 808 (1978)

Authors: D.F.Zaretskii, V.K.Sirotkin

Title: Total Radiative Widths of Neutron Resonances

Keyword abstract: NUCLEAR REACTIONS $^{35}\text{Cl}, ^{55}\text{Mn}, ^{68}\text{Zn}, ^{78}\text{Se}, ^{88}\text{Sr}, ^{96}\text{Mo}, ^{107}\text{Ag}, ^{116}\text{Sn}, ^{129}\text{I}, ^{143}\text{Nd}, ^{149}\text{Sm}, ^{161}\text{Dy}, ^{169}\text{Tm}, ^{179}\text{Hf}, ^{191}\text{Ir}, ^{199}\text{Hg}, ^{203}\text{Tl}, ^{235, 238}\text{U}, ^{243}\text{Am}(n,\gamma)$; calculated total Γ_γ assuming dipole transitions.

Keynumber: 1978GE03

Reference: J.Phys.(London) G4, 575 (1978)

Authors: W.Gelletly, W.F.Davidson, J.Simic, H.G.Borner, A.F.Diggory, W.Mampe, K.Schreckenbach, D.D.Warner

Title: Intraband Transition Rates in the Gamma-Vibrational Bands of ^{162}Dy and ^{168}Er

Keyword abstract: NUCLEAR REACTIONS $^{167}\text{Er}, ^{161}\text{Dy}(n,\gamma)$; measured γ -spectrum. $^{168}\text{Er}, ^{162}\text{Dy}$ deduced transition rates, δ .

Keynumber: 1977GEZN

Coden: CONF Tokyo (Nucl Structure), Proc, Vol1, P405, Gelletly

Keyword abstract: NUCLEAR REACTIONS $^{167}\text{Er}, ^{161}\text{Dy}(n,\gamma), E=\text{slow}$; measured E_γ, I_γ . $^{168}\text{Er}, ^{162}\text{Dy}$ levels deduced γ -branching, δ .

Keynumber: 1975LI02

Reference: Phys.Rev. C11, 462 (1975)

Authors: H.I.Liou, G.Hacken, J.Rainwater, U.N.Singh

Title: Neutron Resonance Spectroscopy: The Separated Isotopes of Dy

Keyword abstract: NUCLEAR REACTIONS $^{160, 161, 162, 163, 164}\text{Dy}(n,n), (n,\gamma), E=1-2.5$ keV; measured total $\sigma(E)$. $^{161, 162, 163, 164, 165}\text{Dy}$ deduced resonances, n-width, γ -width.

Keynumber: 1974ALYA

Coden: CONF Uppsala(Hyperfine Interactions),Contrib P120

Keyword abstract: NUCLEAR REACTIONS $^{161}, ^{163}\text{Dy}(n,\gamma)$; measured resonance shifts from polarized targets. $^{162}, ^{164}\text{Dy}$ levels deduced g.

Keynumber: 1973KAZL

Coden: REPT JINR-P3-6948,E N Karzhavina

Keyword abstract: NUCLEAR REACTIONS $^{111}, ^{113}\text{Cd}, ^{157}\text{Gd}, ^{161}, ^{163}\text{Dy}(n,\gamma), E > \text{thermal}$; deduced $^{112}, ^{114}\text{Cd}, ^{158}\text{Gd}, ^{162}, ^{164}\text{Dy}$ resonances deduced J.

Keynumber: 1971DO19

Reference: Int.J.Mass Spectrom.Ion Phys. 6, 435 (1971)

Authors: R.Dobrozemsky, F.Pichlmayer, F.P.Viehbock

Title: Massenspektrometrische Bestimmung der Neutronen-Einfangsquerschnitte von Isotopen der Seltenen Erden

Keyword abstract: NUCLEAR REACTIONS $^{147}, ^{148}\text{Sm}, ^{154}, ^{158}\text{Gd}, ^{160}, ^{161}, ^{162}, ^{163}\text{Dy}, ^{166}\text{Er}, ^{170}, ^{171}, ^{172}, ^{173}\text{Yb}(n,\gamma), E = \text{pile, thermal}$; measured σ ; deduced effective resonance integral.

Keynumber: 1970VEZZ

Coden: REPT BNL-tr-495,V P Vertebnyi,1/3/73

Keyword abstract: NUCLEAR REACTIONS $^{161}, ^{162}, ^{163}, ^{164}\text{Dy}(n,X), (n,\gamma), E < 1 \text{ eV}$; measured $\sigma(nT)$ (E). $^{11}\text{B}, \text{C}, \text{V}, \text{Cu}, ^{63}, ^{65}\text{Cu}, \text{Ge}, ^{70}, ^{72}, ^{73}, ^{74}\text{Ge}, \text{Cd}, ^{110}, ^{111}, ^{112}, ^{114}, ^{116}\text{Cd}, \text{Ce}, ^{140}, ^{142}\text{Ce}, ^{153}\text{Eu}, \text{Dy}, ^{161}, ^{162}, ^{163}, ^{164}\text{Dy}, \text{Ho}, \text{Er}, ^{162}, ^{164}, ^{166}, ^{167}, ^{168}, ^{170}\text{Er}, \text{Yb}, \text{Lu}, \text{Pb}(n,n), E < 10 \text{ eV}$; measured $\sigma(E)$.

Keynumber: 1969BA11

Reference: Arkiv Fysik 39, 221 (1969)

Authors: A.Backlin, R.Boleu, B.Fogelberg

Title: Gamma-Rays in the 1 MeV Region from the Reaction $^{161}\text{Dy}(n,\gamma)^{162}\text{Dy}$

Keyword abstract: NUCLEAR REACTIONS $^{161}\text{Dy}(n,\gamma), E = \text{thermal}$; measured $E\gamma, I\gamma$. ^{162}Dy deduced levels, K, J, π , branching ratio. Ge(Li) detector.