

References

- [1] E. G. Fuller and H. Gerstenberg, “Photonuclear data - abstract sheets 1955-1982,” Report of the US National Bureau of Standards, NBSIR 83-2742, vol. I-XV (1983-1986), National Institute for Standards and Technology, Gaithersburg, MD.
- [2] B. L. Berman, “Atlas of photoneutron cross-sections obtained with monoenergetic photons,” *Atomic Data and Nucl. Data Tables* **15**, 319 (1975).
- [3] S. S. Dietrich and B. L. Berman, “Atlas of photoneutron cross-sections obtained with monoenergetic photons,” *Atomic Data and Nuclear Data Tables* **38**, 199 (1988).
- [4] J. F. Briesmeister, “MCNP—a general Monte Carlo n-particle transport code, version 4 B,” Technical Report No. LA-12625-M (1997), Los Alamos National Laboratory, Los Alamos, NM.
- [5] I. Gudowska, A. Brahme, P. Andreo, W. Gudowski, and J. Kierkegaard, “Calculation of absorbed dose and biological effectiveness from photonuclear reactions in a bremsstrahlung beam of end point 50 MeV,” *Phys. Med. Biol.* **44**, 2099 (1999).
- [6] M. B. Chadwick, P. G. Young, S. Chiba, S. Frankle, G. M. Hale, H. G. Hughes, A. J. Koning, R. C. Little, R. E. MacFarlane, R. E. Prael, and L. S. Waters, “Cross-section evaluations to 150 MeV for accelerator-driven systems and implementation in MCNPX,” *Nucl. Sci. Eng.* **131**, 293 (1999).
- [7] A. V. Varlamov, V. V. Varlamov, D. S. Rudenko, and M. E. Stepanov, “Atlas of giant dipole resonance parameters and graphs of photonuclear reaction cross-sections,” Technical Report No. INDC (NDS)-394 (1999), International Atomic Energy Agency, Vienna.
- [8] O. V. Bogdankevich and F. A. Nikolaev, *Methods in Bremsstrahlung Research* (Academic Press, New York, USA, 1966).
- [9] E. Van Camp, R. Van der Vyver, E. Kerhove, J. Ryckbosch, H. Ferdinande, P. Van Otten, and P. Berkvens, “Experimental determination of the proton escape width in the giant-dipole resonance of ^{89}Y ,” *Phys. Rev. C* **24**, 2499 (1981).
- [10] A. S. Penfold and J. Leiss, “Analysis of photonuclear cross-sections,” *Phys. Rev.* **144**, 1332 (1959).
- [11] E. Bramanis, T. K. Deaque, R. S. Hicks, R. J. Hunger, E. G. Muirhead, R. H. Sambell, and R. J. J. Stewart, “The analysis of photonuclear yield curves,” *Nucl. Instr. and Methods* **100**, 59 (1972).
- [12] A. N. Tikhonov, V. G. Shevchenko, V. Galkin, B. I. Goryachev, P. N. Zaikin, B. S. Ishkhanov, and I. M. Kapitonov, “About the determination of photonuclear reaction cross-sections,” *Vestnik Moskovskogo Universiteta. Fizika. and Astronomia* **2**, 208 (1970).

- [13] B. C. Cook, "Least structure solution of photonuclear yield functions," Nucl. Instrum. and Methods **24**, 256 (1963).
- [14] K. N. Geller and E. G. Muirhead, Phys. Rev. Lett. **11**, 371 (1963).
- [15] I. F. Turchin, V. P. Kozlov, and M. S. Malkevich, "The method of mathematical statistics using for the uncorrect ill-posed task solving," Uspekhi Fizicheskikh Nauk **102**, 345 (1970).
- [16] C. Tzara, Compt. Rend. Acad. Sci. (Paris) **56**, 245 (1957).
- [17] B. L. Berman and S. C. Fultz, Rev. Mod. Phys. **47**, 713 (1975).
- [18] L. S. Cardman, "Photon tagging: present practice and future prospects," Technical Report No. P/83/12/168 (1983), University of Illinois, Urbana-Champaign, Illinois, USA.
- [19] I. C. Nascimento, E. Woly nec, and D. S. Onley, Nucl. Phys. A **246**, 210 (1975).
- [20] W. R. Dodge, R. G. Leicht, E. Hayward, and E. Woly nec, "Electrodisintegration of ^{56}Fe , ^{59}Co , and ^{64}Zn ," Phys. Rev. C **24**, 1952 (1981).
- [21] V. I. Antonescu, "IAEA bibliographical series, photonuclear reactions," Technical Report No. 10 (1964), International Atomic Energy Agency, Vienna.
- [22] V. V. Varlamov and V. V. Sapunenko, "Photonuclear data index 1976 - 1995," Technical Report No. Izdatel'stvo Moskovskogo Universiteta (1996), Moscow State University, Moscow, Russia.
- [23] T. Asami and T. Nakagawa, "Bibliographic index to photonuclear reaction data (1955 - 1992)," Technical Report No. JAERI-M-93-195, INDC(JPN)- 167L (1993), Japan Atomic Energy Research Institute, Ibaraki-ken, Japan.
- [24] V. V. Varlamov *et al.*, "Photonuclear data index 1976 - 1980," Technical Report No. Izdatel'stvo Moskovskogo Universiteta (1982), Moscow State University, Moscow, Russia.
- [25] V. McLane, "Exfor systems manual, nuclear reaction data exchange format," Technical Report No. BNL-NCS-63330 (1996), Brookhaven National Laboratory, National Nuclear Data Center, Upton, NY.
- [26] H. D. Lemmel, "The Nuclear Data Centres Network, IAEA Nuclear Data Section," Technical Report No. INDC(NDS)-359 (1997), International Atomic Energy Agency, Vienna.
- [27] B. L. Berman, "Atlas of photoneutron cross-sections obtained with monoenergetic photons," Technical Report No. UCRL-78482 (1976), Lawrence Livermore National Laboratory, Livermore, CA.
- [28] B. Forkman and R. Petersson, "Photonuclear reaction cross-sections. Handbook on nuclear activation data," Technical Report Series No. 273 (1987), International Atomic Energy Agency, Vienna.
- [29] A. I. Blokhin and S. M. Nasyrova, "Plots of the experimental and evaluated photoneutron cross-sections," Technical Report No. INDC(CCP)-337 (1991), International Atomic Energy Agency, Vienna.

- [30] A. Lepretre, H. Beil, R. Bergere, P. Carlos, J. Fagot, A. De Miniac, and A. Veyssiere, “Measurements of the total photonuclear cross-section from 30 mev to 140 MeV for Sn, Ce, Ta, Pb, and U nuclei,” *Nucl. Phys. A* **367**, 237 (1981).
- [31] M. B. Chadwick, P. Oblozinsky, P. E. Hodgson, and G. Reffo, “Pauli blocking in the quasideuteron model of photoabsorption,” *Phys. Rev. C* **44**, 814 (1991).
- [32] N. Kishida, “Methods used in photonuclear data evaluation at JNDC,” in *Proc. of the Symposium on Nuclear Data Evaluation Methodology*, Brookhaven National Laboratory, Upton, NY, 12-16 Oct. 1992, edited by C. Dunford (World Scientific, Singapore, 1993), p. 598.
- [33] M. B. Chadwick and P. G. Young, “Preequilibrium model for photonuclear reactions up to the pion threshold,” *Acta Physica Slovaca* **45**, 633 (1995).
- [34] A. Fasso, A. Ferrari, and P. R. Sala, “Designing electron accelerator shielding with FLUKA,” in *Proc. of 8th. International Conference on Radiation Shielding*, Arlington, Texas, April 24-28, 1994 (American Nuclear Society, La Grange Park, IL, 1994), pp. 643–649.
- [35] Y.-O. Lee, T. Fukahori, and J. Chang, “Evaluation of photonuclear reaction data on tantalum-181 up to 140 MeV,” *Journal of Nuclear Science and Technology* **35**, 685 (1998).
- [36] A. Fasso, A. Ferrari, and P. R. Sala, “Total giant resonance photonuclear cross-sections for light-nuclei: A database for the FLUKA monte carlo transport code,” in *Proc. of Third Specialists Meeting on Shielding Aspects of Accelerators, Targets, and Irradiation Facilities (SATIF-3)*, Tohoku University, Sendai, Japan, 12-13 May 1997 (Organization for Economic Cooperation and Development (OECD) Nuclear Energy Agency, Paris, France, 1998), pp. 61–74.
- [37] J. R. Wu and C. C. Chang, “Pre-equilibrium particle decay in photonuclear reactions,” *Phys. Rev. C* **16**, 1812 (1977).
- [38] M. Blann, B. L. Berman, and T. T. Komoto, “Precompound-model analysis of photonuclear reaction,” *Phys. Rev. C* **28**, 2286 (1983).
- [39] T. A. Gabriel, “Intermediate-energy ($40 \text{ MeV} \leq E_\gamma \leq 400 \text{ MeV}$) photonuclear interactions,” *Phys. Rev. C* **13**, 240 (1976).
- [40] N. V. Mokhov, S. I. Striganov, A. Van Ginneken, S. G. Mashnik, A. J. Sierk, and J. Ranft, “MARS code developments,” in *Proc. of Fourth Specialists Meeting on Shielding Aspects of Accelerators, Targets, and Irradiation Facilities (SATIF-4)* (LANL report LA-UR-5716 (1998)), Knoxville, Tennessee, September 14-16 1998 (Organization for Economic Cooperation and Development (OECD) Nuclear Energy Agency, Paris, France, 1998).
- [41] H. Feshbach, A. Kerman, and S. Koonin, “The statistical theory of multi-step compound and direct reactions,” *Ann. Phys. (N.Y.)* **125**, 429 (1980).
- [42] P. G. Young, E. D. Arthur, and M. B. Chadwick, “Comprehensive nuclear model calculations: Introduction to the theory and use of the GNASH code,” Technical Report No. LA-12343-MS (1992), Los Alamos National Laboratory, Los Alamos, NM.

- [43] M. B. Chadwick, P. G. Young, D. C. George, and Y. Watanabe, “Multiple preequilibrium emission in Feshbach-Kerman-Koonin analyses,” *Phys. Rev. C* **50**, 996 (1994).
- [44] D. Ryckbosch, L. Vanhoorebeke, R. Vandevyver, F. Desmet, J. O. Adler, D. Nilsson, B. Schroder, and R. Zorro, “Determination of the absorption mechanism in photon-induced preequilibrium reactions,” *Phys. Rev. C* **42**, 444 (1990).
- [45] International Atomic Energy Agency, *Handbook for Calculations of Nuclear Reaction Data: Reference Input Parameter Library*, IAEA-TECDOC-1034, Vienna, (1998).
- [46] J. C. McGeorge *et al.*, “The $^{12}\text{C}(\gamma, p)$ reaction at $E_\gamma=60$ and $E_\gamma=80$ MeV,” *Phys. Lett. B* **179**, 212 (1986).
- [47] M. B. Chadwick, P. G. Young, R. E. MacFarlane, M. C. White, and R. C. Little, “Photonuclear physics in radiation transport: I. Cross-sections and spectra photonuclear cross-section evaluations to 150 MeV,” *Nucl. Sci. Eng.* (2000, submitted).
- [48] M. B. Chadwick, P. G. Young, and S. Chiba, “Photonuclear angular distribution systematics in the quasideuteron regime,” *Journal of Nuclear Science and Technology* **32**, 1154 (1995).
- [49] A. Lepretre, H. Beil, R. Bergere, P. Carlos, J. Fagot, A. Veyssiere, and I. Halpern, “Analysis of neutron multiplicities in photo-nuclear reactions from 30 to 140 MeV in heavy-elements,” *Nucl. Phys. A* **390**, 221 (1982).
- [50] C. Kalbach, “Systematics of continuum angular distributions: Extensions to higher energies,” *Phys. Rev. C* **37**, 2350 (1988).
- [51] M. B. Chadwick and P. Oblozinsky, “Continuum angular distributions in preequilibrium nuclear reactions: Physical basis for Kalbach systematics,” *Phys. Rev. C* **50**, 2490 (1994).
- [52] A. Bohr, “On the theory of nuclear fission,” in *Proc. 1st UN Int. Conf. Peaceful Uses of Atomic Energy*, Geneva, 1955 (United Nations, New York, 1956), Vol. I, p. 151.
- [53] V.M.Strutinsky, “Shell effects in nuclear masses and deformation energies,” *Nuclear Physics* **A95**, 420 (1967).
- [54] V. Weisskopf, *Physical Review* **52**, 295 (1937).
- [55] P. Axel, “Electric dipole ground state transition width strength function and 7 MeV photon interaction,” *Physical Review* **126**, 671 (1962).
- [56] *The Nuclear Fission Process*, edited by C. Wagemans (CRC Press, 1991).
- [57] A. Storozhenko, A. Blokhin, A. Ignatyuk, and A. Soldatov, “Theoretical investigation of subbarrier photofission of ^{232}Th ,” in *Proc. 5th Int. Seminar on Neutron-Nucleus Interactions (ISINN-5). Neutron Spectroscopy, Nuclear Structure and Related Topics*, Dubna, 1996 (JINR, Dubna, 1997), p. 337.
- [58] A. Veyssiere, H. Bell, R. Bergere, P. Carlos, A. Leprete, and K. Kernbath, “A study of photofission and photoneutron processes in the giant dipole resonance of Th-232, U-238 and Np-237,” *Nuclear Physics* **A199**, 45 (1973).

- [59] B. L. Berman, J. T. Caldwell, E. J. Dowdy, S. S. Dietrich, P. Meyer, and R. A. Alvarez, "Photofission and photoneutron cross-sections and photofission neutron multiplicities for U-233, U-234, Np-237 and Pu-249," *Physical Review* **34(6)**, 2201 (1986).
- [60] J. Caldwell, E. Dowdy, R. Alvarez, B. Berman, and P. Meyer, "Experimental determination of photofission neutron multiplicities for U-235, U-236, U-238 and Th-232 using monoenergetic photons," *Nuclear Science and Engineering* **73**, 153 (1980).
- [61] D. G. Madland and J. R. Nix, "New calculation of prompt fission neutron-spectra and average prompt neutron multiplicities," *Nucl. Sci. and Eng.* **81**, 213 (1982).
- [62] E. K. Hyde, "The nuclear properties of the heavy elements. vol. III," *The nuclear properties of the heavy elements. Vol. III* (Prentice-Hall, Englewood Cliffs, NJ, 1964).
- [63] M. Y. Kondratenko and J. Petrzhak, *Atomnaya Energiya* **23(6)**, 559 (1967).
- [64] E. Jacobs, A. De Clercq, and H. Thierens, "Fragment mass and kinetic energy distributions for the photofission of U-238 with 12-,15-,20-,30-, and 70-Mev bremsstrahlung," *Phys. Rev. C* **20**, 2249 (1979).
- [65] P. G. Young, E. D. Arthur, and M. B. Chadwick, "Comprehensive nuclear model calculations: Theory and use of the GNASH code," in *Proc. of the IAEA Workshop on Nuclear Reaction Data and Nuclear Reactors - Physics, Design, and Safety*, Trieste, Italy, April 15 - May 17, 1996, edited by A. Gandini and G. Reffo (World Scientific Publishing, Ltd., Singapore, 1998), pp. 227-404.
- [66] T. Fukahori, "ALICE-F calculation of nuclear data up to 1 GeV," in *Proc. of the Specialists' Meeting on High Energy Nuclear Data*, 3-4 October 1991, JAERI, Tokai, Japan (JAERI, Tokai, Ibaraki-ken, Japan, 1992), No. JAERI-M 92-039, p. 114.
- [67] M. Blann, "A priori pre-equilibrium decay models," *Nucl. Phys. A* **213**, 570 (1973).
- [68] N. Kishida and H. Kadotani, "On the validity of the intranuclear-cascade and evaporation model for high energy proton induced reactions," in *Proc. of the International Conference on Nuclear Data for Science and Technology*, Mito, Japan, May 30 - June 3, 1988, edited by S. Igarasi (Saikon Publishing Co. Ltd, Tokyo, 1988), p. 1209.
- [69] K. K. Gudima, G. A. Osokov, and V. D. Toneev, "Model for pre-equilibrium decay of excited nuclei," *Sov. J. Nucl. Phys.* **21**, 138 (1975).
- [70] J. Zhang, "Illustration on photonuclear data calculation with GUNF code," *Communication of Nuclear Data Progress* **19**, 33 (1998).
- [71] J. Zhang, Y. Han, and L. Cao, "Summary of monoenergetic neutron beam sources for energies >14 MeV," *Nucl. Sci. Eng.* **133**, 1 (1999).
- [72] A. Blokhin, "The XGFISS code for analysis of photonuclear cross-sections for actinide nuclei," *Yadernye Konstanty* **2**, in press (1999).
- [73] H. Uberall, *Electron Scattering from Complex Nuclei, Part B* (Academic Press, New York, USA, 1971).
- [74] J. M. Eisenberg and W. Greiner, *Excitation Mechanisms of the Nucleus* (North-Holland Publ. Co., Amsterdam, Netherlands, 1970).

- [75] W. C. Barber, *Ann. Rev. Nucl. Sci.* **12**, 1 (1962).
- [76] V. V. Varlamov, N. G. Efimkin, N. A. Lenskaja, and A. P. Chernjaev, “Investigation of the reasons for discrepancies in results of photonuclear experiments at the beams of bremsstrahlung and quasimonoenergetic gamma-quanta. the problem of interpretation,” Technical Report No. MSU INP Preprint-89-66/14 (1989), Moscow State University, Moscow, Russia .
- [77] E. G. Fuller, “Photonuclear reaction cross-sections for C-12, N-14 and O-16,” *Physics Reports* **127**, 187 (1985).
- [78] N. G. Efimkin and V. V. Varlamov, “The method of reduction as photonuclear data evaluation tool,” in *Proc. of the Symposium on Nuclear Data Evaluation Methodology*, Brookhaven National Laboratory, Upton, NY, 12-16 Oct. 1992, edited by C. Dunford (World Scientific, Singapore, 1993), p. 585.
- [79] V. V. Varlamov, N. G. Efimkin, B. S. Ishkhanov, and V. V. Sapunenko, *Voprosy Atomnoi Nauki i Tekhniki. Seriya: Yadernye Konstanty* **1**, 52 (1993).
- [80] L. M. Young, PhD. thesis, University of Illinois, 1972.
- [81] Y. P. Pyt’ev, *Matematicheskyy Sbornik* **118**, 19 (1982).
- [82] Y. P. Pyt’ev, *Vestnik Moskovskogo Universiteta. Fizika. and Astronomia* **25**, 53 (1984).
- [83] V. V. Varlamov, N. G. Efimkin, and B. S. Ishkhanov, “Simultaneous analysis of discrepant photonuclear data,” in *Proc. of the International Conference on Nuclear Data for Science and Technology*, Gatlinburg, TN, 1994, edited by J. Dickens (American Nuclear Society, La Grange Park, IL, 1994), p. 662.
- [84] A. Blokhin, N. Buleeva, S. Nasyrova, O. Pakhomova, S. Zabrodskaya, and A. Tsi-bulya, “Formation and application of evaluated photoneutron data library BOFOD,” *Yadernye Konstanty* **3**, 3 (1992).
- [85] N. Kishida, Private Communication to T. Fukahori, 1988.
- [86] Y. Lee, Y. Han, and J. Chang, “Evaluation of photonuclear data of Mo, Zn, S and Cl for medical and accelerator applications,” in *Proc. of 9th International Conference on Radiation Shielding*, Tsukuba, Japan, Oct. 17-22, 1999.
- [87] Y. Lee, Y. Han, J. Lee, and J. Chang, “Evaluated photonuclear data library in kaeri,” in *Proc. of the Korean Nuclear Society Autumn Meeting*, Seoul, Korea, Oct. 29-30, 1999.
- [88] A. Blokhin, Photonuclear Data Library BOFOD, private communication, October 1999.
- [89] B. Yu, J. Zhang, and Y. Han, “Chinese evaluated photonuclear data file,” *Communication of Nuclear Data Progress* **22**, 114 (1999).
- [90] V. V. Varlamov, Photonuclear Data Library EPNDL, private communication, October 1999.
- [91] Y.-O. Lee, Photonuclear Data File (PDF) of the JENDL Library, private communication, October 1999.

- [92] Y.-O. Lee, Photonuclear Data Library KAERI, private communication, October 1999.
- [93] V. McLane, CSISRS experimental nuclear data file, National Nuclear Data Center (NNDC), 1997, Brookhaven National Laboratory: WWW address: <http://www.nndc.bnl.gov/>.
- [94] R. E. MacFarlane and D. W. Muir, "The NJOY nuclear data processing system, version 91," Technical Report No. LA-12740-M (1994), Los Alamos National Laboratory, Los Alamos, NM.
- [95] H. G. Hughes, K. J. Adams, M. B. Chadwick, J. C. Comly, H. W. Egdorf, S. C. Frankle, J. S. Hendricks, R. C. Little, R. E. MacFarlane, S. G. Mashnki, R. E. Prael, A. J. Sierk, L. S. Waters, M. C. White, P. G. Young, F. X. Gallmeier, and E. C. Snow, "MCNPX for neutron-proton transport," in *Proc. of the Mathematics and Computation, Reactor Physics and Environmental Analysis in Nuclear Applications*, Madrid, Spain, September 27-30, 1999, edited by J. M. Aragonés (Senda Editorial, S. A., Madrid, Spain, 1999), p. 939.
- [96] V. McLane, "ENDF-102 data formats and procedures for the evaluated nuclear data file ENDF-6," Technical Report No. BNL-NCS-44945, Rev. 2/97, Brookhaven National Laboratory, National Nuclear Data Center, Upton, NY.