

=====	Legend
PROGRAM LEGEND	Legend
VERSION 80-1 (SEPTEMBER 1980)	Legend
VERSION 84-1 (NOVEMBER 1984)	Legend
VERSION 86-1 (JANUARY 1986)	*CORRECTED BASED ON USER COMMENTS Legend
	*FORTRAN-77/H VERSION Legend
VERSION 87-1 (JANUARY 1987)	*CORRECTED BASED ON USER COMMENTS Legend
VERSION 88-1 (JULY 1988)	*OPTION...INTERNALLY DEFINE ALL I/O FILE NAMES (SEE, SUBROUTINE FILEIO FOR DETAILS). Legend
	*IMPROVED BASED ON USER COMMENTS. Legend
VERSION 89-1 (JANUARY 1989)	*PSYCHOANALYZED BY PROGRAM FREUD TO INSURE PROGRAM WILL NOT DO ANYTHING CRAZY. Legend
	*UPDATED TO USE NEW PROGRAM CONVERT KEYWORDS. Legend
	*ADDED LIVERMORE CIVIC COMPILER CONVENTIONS. Legend
VERSION 92-1 (JANUARY 1992)	*FOR ANGULAR DISTRIBUTIONS CALCULATED FROM LEGENDRE COEFFICIENTS, INTERVAL HALF TO CONVERGENCE. Legend
	*UPDATED BASED ON USER COMMENTS Legend
	*ADDED FORTRAN SAVE OPTION Legend
	*ADDED SELECTED OF DATA TO PROCESS BY MAT/MF/MT/ENERGY RANGES. Legend
	*WARNING...THE INPUT PARAMETER FORMAT HAS BEEN CHANGED - FOR DETAILS SEE BELOW. Legend
VERSION 92-2 (SEPT. 1992)	*CORRECTED PROCESSING OF ISOTROPIC ANGULAR DISTRIBUTIONS Legend
VERSION 94-1 (JANUARY 1994)	*VARIABLE ENDF/B DATA FILENAMES TO ALLOW ACCESS TO FILE STRUCTURES (WARNING - INPUT PARAMETER FORMAT HAS BEEN CHANGED) Legend
	*CLOSE ALL FILES BEFORE TERMINATING (SEE, SUBROUTINE ENDIT) Legend
VERSION 96-1 (JANUARY 1996)	*COMPLETE RE-WRITE Legend
	*IMPROVED COMPUTER INDEPENDENCE Legend
	*ALL DOUBLE PRECISION Legend
	*ON SCREEN OUTPUT Legend
	*UNIFORM TREATMENT OF ENDF/B I/O Legend
	*IMPROVED OUTPUT PRECISION Legend
	*INCREASED MAX. POINTS FROM 5,000 TO 20,000. Legend
VERSION 99-1 (MARCH 1999)	*CORRECTED CHARACTER TO FLOATING POINT READ FOR MORE DIGITS Legend
	*UPDATED TEST FOR ENDF/B FORMAT VERSION BASED ON RECENT FORMAT CHANGE Legend
	*GENERAL IMPROVEMENTS BASED ON USER FEEDBACK Legend
VERS. 2000-1 (FEBRUARY 2000)	*GENERAL IMPROVEMENTS BASED ON USER FEEDBACK Legend
VERS. 2001-1 (MARCH 2001)	*UPDATED TO HANDLE COMBINATIONS OF LEGENDRE COEFFICIENTS AT LOW ENERGY AND TABULATED DATA AT HIGH ENERGY. Legend
VERS. 2002-1 (MAY 2002)	*OPTIONAL INPUT PARAMETERS Legend
VERS. 2004-1 (MARCH 2004)	*ADDED INCLUDE FOR COMMON Legend
	*ZERO ANGULAR DISTRIBUTIONS ARE O.K. (PREVIOUSLY ZERO OR NEGATIVE WAS TREATED AS AN ERROR - ZERO IS O.K. FOR SOME REACTIONS OVER SOME COSINE RANGES) Legend

Legend
Legend

Legend

Legend
Legend
Legend
Legend
Legend
Legend
Legend
Legend

Legend

Legend
Legend
Legend

Legend

Legend
Legend
Legend

Legend
Legend

Legend

Legend
Legend
Legend
Legend

Legend
Legend
Legend
Legend

Legend
Legend
Legend
Legend
Legend
Legend
Legend

Legend
Legend
Legend
Legend
Legend
Legend
Legend
Legend
Legend

Legend

Legend
Legend
Legend
Legend

CORRECTIVE ACTIONS WILL BE TAKEN (SEE, INPUT OPTIONS),	Legend
(1) NO CORRECTION	Legend
(2) CHANGE INDIVIDUAL LEGENDRE COEFFICIENTS (EACH BY LESS THAN 1.0 PER-CENT) UNTIL THE RECONSTRUCTED ANGULAR DISTRIBUTION IS POSITIVE (MINIMUM MORE THAN 1 MILLI-BARN). THE ALLOWABLE PER-CENT CHANGE IN COEFFICIENTS AND MINIMUM CROSS SECTION CAN BE CHANGED BY INPUT.	Legend Legend Legend Legend Legend
(3) CHANGE ALL LEGENDRE COEFFICIENTS TO FORCE DISTRIBUTION TO BE POSITIVE (MINIMUM MORE THAN 1 MILLI-BARN). WITH THIS OPTION THERE IS NO RESTRICTION ON THE AMOUNT THAT EACH COEFFICIENT IS CHANGED AND AS SUCH THIS OPTION SHOULD BE USED WITH CAUTION AND ONLY AS A LAST RESORT IF NO OTHER APPROACH CAN BE USED TO MAKE THE DISTRIBUTION POSITIVE.	Legend Legend Legend Legend Legend Legend Legend Legend
OUTPUT	Legend
-----	Legend
THE USER MAY REQUEST OUTPUT OF EITHER,	Legend
(1) TABULATED VALUES - POSSIBLY CORRECTED TO ELIMINATE NEGATIVE VALUES. THE TABULATED DISTRIBUTION WILL BE NORMALIZED BEFORE OUTPUT.	Legend Legend Legend
(2) LEGENDRE COEFFICIENTS - POSSIBLY CORRECTED TO ELIMINATE NEGATIVE VALUES AND WITHOUT HIGHER ORDER ZERO COEFFICIENTS. BY DEFINITION DISTRIBUTIONS DEFINED BY LEGENDRE COEFFICIENTS ARE NORMALIZED TO UNITY.	Legend Legend Legend Legend Legend
(3) ANGULAR DISTRIBUTIONS GIVEN BY A TABULATION (LTT=2)	Legend
-----	Legend
TABULATED ANGULAR DISTRIBUTIONS ARE GIVEN AT A SERIES OF ENERGIES. AN INTERPOLATION LAW IS GIVEN BETWEEN ENERGIES. THE INTERPOLATION LAW BETWEEN ENERGIES IS COPIED AS INPUT (I.E., NO ATTEMPT IS	Legend Legend
MADE TO LINEARIZE THE VARIATION WITH ENERGY). FOR EACH ENERGY AT AT WHICH TABULATED DATA ARE GIVEN A LINEARLY INTERPOLABLE ANGULAR DISTRIBUTION IS CONSTRUCTED IN THE SYSTEM IN WHICH THE TABULATED DATA ARE GIVEN (I.E., CM OR LAB - NO ATTEMPT IS MADE TO CONVERT FROM ONE SYSTEM TO THE OTHER). A MAXIMUM OF 60000 POINTS IS ALLOWED TO REPRESENT THE ANGULAR DISTRIBUTION AT EACH ENERGY.	Legend Legend Legend Legend Legend Legend Legend
ELIMINATION OF NEGATIVE VALUES	Legend
-----	Legend
THE RECONSTRUCTED ANGULAR DISTRIBUTION WILL BE TESTED AND IF IT IS NEGATIVE AT ONE OR MORE COSINES AN ERROR MESSAGE WILL BE OUTPUT AND BASED ON THE INPUT OPTION SELECTED ONE OF THE FOLLOWING CORRECTIVE ACTIONS WILL BE TAKEN (SEE, INPUT OPTIONS),	Legend Legend Legend Legend
(1) NO CORRECTION	Legend
(2) CHANGE ALL TABULATED VALUES TO FORCE DISTRIBUTION TO BE POSITIVE (MINIMUM MORE THAN 1 MILLI-BARN). THE MINIMUM VALUE MAY BE CHANGED BY INPUT. WITH THIS OPTION THERE IS NO RESTRICTION ON THE AMOUNT THAT EACH VALUE IS CHANGED AND AS SUCH THIS OPTION SHOULD BE USED WITH CAUTION AND ONLY AS A LAST RESORT IF NO OTHER APPROACH CAN BE USED TO MAKE THE DISTRIBUTION POSITIVE.	Legend Legend Legend Legend Legend Legend Legend Legend
OUTPUT	Legend
-----	Legend
THE OUTPUT WILL BE THE LINEARIZED ANGULAR DISTRIBUTION. THE TABULATED DISTRIBUTION WILL BE NORMALIZED TO UNITY BEFORE OUTPUT.	Legend Legend
CORRECTING NEGATIVE ANGULAR DISTRIBUTION	Legend
-----	Legend
IF AN ANGULAR DISTRIBUTION IS NEGATIVE AN ERROR MESSAGE WILL BE PRINTED AND THE USER MAY DECIDE (BASED ON INPUT OPTION) TO,	Legend Legend
(1) NOT PERFORM ANY CORRECTIVE ACTION.	Legend

- (2) FOR TABULATED DISTRIBUTIONS - ADD THE SAME VALUE TO EACH POINT VALUE SUCH THAT WHEN THE DISTRIBUTION IS RE-NORMALIZED THE MINIMUM VALUE IS 0.001 (1 MILLI-BARN). THE MINIMUM VALUE CAN BE CHANGED BY INPUT. WARNING...EXCEPT FOR SELECTION OF THE MINIMUM VALUE (BY INPUT) THE USER HAS NO CONTROL OVER HOW MUCH THE DISTRIBUTION IS CHANGED. THEREFORE THIS OPTION SHOULD BE USED WITH CAUTION.
- (3) FOR LEGENDRE COEFFICIENTS ONE OF TWO OPTIONS MAY BE SELECTED,
 - (A) CHANGE INDIVIDUAL COEFFICIENTS (NO ONE COEFFICIENT BY MORE THAN 1 PER-CENT) TO MAKE THE DISTRIBUTION POSITIVE WITH A MINIMUM VALUE OF 0.001 (1 MILLI-BARN). THE MAXIMUM PER-CENT CHANGE IN EACH COEFFICIENT AND MINIMUM VALUE MAY BE CHANGED BY INPUT. INPUT THE PROGRAM CANNOT MAKE THE DISTRIBUTION POSITIVE BY CHANGING EACH COEFFICIENT BY UP TO THE MAXIMUM ALLOWABLE AMOUNT, THE ORIGINAL ANGULAR DISTRIBUTION OR COEFFICIENTS WILL BE OUTPUT. ONLY IN THE LATTER CASE SHOULD ONE CONSIDER USING OPTION (B) DESCRIBED BELOW.
 - (B) LOGICALLY ADD THE SAME VALUE TO EACH POINT VALUE SUCH THAT WHEN THE DISTRIBUTION IS RE-NORMALIZED THE MINIMUM VALUE IS 0.001 (1 MILLI-BARN). THIS IS EQUIVALENT AT INCREASING P_0 BY A CERTAIN AMOUNT AND RE-NORMALIZATION IS EQUIVALENT TO THEN DIVIDING EACH COEFFICIENT BY A CERTAIN AMOUNT. THEREFORE, WHAT IS PHYSICALLY DONE BY THE PROGRAM IS TO DIVIDE EACH COEFFICIENT BY THE SAME AMOUNT. WARNING...EXCEPT FOR SELECTION OF THE MINIMUM VALUE (BY INPUT) THE USER HAS NO CONTROL OVER HOW MUCH THE DISTRIBUTION IS CHANGED. THEREFORE THIS OPTION SHOULD BE USED WITH CAUTION.

WARNING MESSAGES FROM PROGRAM

 THE WARNING MESSAGES PRINTED BY THIS PROGRAM SHOULD ONLY BE CONSIDERED TO BE EXACTLY THAT..WARNINGS..NOT AN ABSOLUTE JUDGEMENT BY THIS PROGRAM THAT THERE IS SOMETHING WRONG WITH THE DATA. WHEN WARNING MESSAGES ARE PRINTED EXAMINE THE DATA AND EITHER TAKE NO ACTION (IF YOU FEEL THAT THE DATA IS O.K.) OR CORRECT THE DATA (IF YOU FEEL THAT THE DATA IS INCORRECT AND YOU CAN CORRECT IT).

VALIDITY OF MODIFIED DATA

 BEFORE BELIEVING AND USING DATA WHICH HAS BEEN MODIFIED (EITHER TABULATED ANGULAR DISTRIBUTIONS OR LEGENDRE COEFFICIENTS) THE USER SHOULD INSURE THAT THE MODIFIED DATA IS PHYSICALLY MORE ACCEPTABLE THAN THE ORIGINAL DATA. IN ORDER TO DO THIS ONE OR MORE OF THE FOLLOWING METHODS SHOULD BE USED,

- (1) USE THE ENERGY VARIATION TESTS BUILT-IN TO THIS PROGRAM AND EVALPLOT TO PLOT THE ENERGY DEPENDENCE OF THE LEGENDRE COEFFICIENTS IN ORDER TO IDENTIFY AND CORRECT (BY HAND...NOT BY THIS PROGRAM) ANY COEFFICIENTS WHICH HAVE UNREALISTIC ENERGY AND L ORDER VARIATIONS. THIS SHOULD ALWAYS BE DONE FIRST TO ELIMINATE MAJOR PROBLEMS BEFORE USING THIS PROGRAM TO AUTOMATICALLY MAKE MINOR CORRECTIONS.
- (1) OUTPUT AND PLOT THE UNCORRECTED AND CORRECTED ANGULAR DISTRIBUTIONS. COMPARE THE PLOTS TO INSURE THAT THE CORRECTED DATA DOES NOT SERIOUSLY CHANGE THE ENERGY DEPENDENCE OF THE ANGULAR DISTRIBUTION.
- (2) IF PLOTTING CAPABILITY IS NOT AVAILABLE, USE THE PRINTED OUT OF THIS PROGRAM TO DETERMINE HOW MUCH THE TABULATED ANGULAR DISTRIBUTION OR LEGENDRE COEFFICIENTS HAVE BEEN MODIFIED. GENERALLY IF ONE COEFFICIENT HAS BEEN ONLY SLIGHTLY MODIFIED THE DISTRIBUTION WILL BE ACCEPTABLE. HOWEVER IF MANY COEFFICIENTS HAVE BEEN MODIFIED THE RESULT WILL NOT BE RELIABLE.

SEEING ANGULAR DISTRIBUTIONS AND LEGENDRE COEFFICIENTS

PROGRAM EVALPLOT CAN BE USED TO PLOT ANGULAR DISTRIBUTION AND LEGENDRE COEFFICIENTS - WHEN IT COMES TO CHECKING THIS TYPE OF DATA THERE IS NO SUBSTITUTE FOR PLOTS OF THE DATA TO MAKE THE JOB EASY AND STRAIGHTFORWARD.

FOR LEGENDRE COEFFICIENTS EVALPLOT CAN BE USED TO SEE THE ENERGY DEPENDENCE OF EACH COEFFICIENT - THIS IS AN EXTREMELY EASY AND USEFUL WAY TO CHECK FOR ERRORS IN THE BASIC DATA.

FOR ANGULAR DISTRIBUTION EVALPLOT CAN BE USED TO PLOT THEM AT EACH ENERGY THAT THEY ARE TABULATED - THIS IS ALSO AN EASY AND USEFUL WAY TO CHECK FOR ERRORS.

I/O UNIT DEFINITIONS

UNIT DESCRIPTION

UNIT	DESCRIPTION
2	INPUT CARDS
3	OUTPUT REPORT
10	ORIGINAL DATA IN ENDF/B FORMAT
11	FINAL DATA IN ENDF/B FORMAT

OPTIONAL STANDARD FILE NAMES (SEE SUBROUTINE FILIO1 AND FILIO2)

UNIT FILE NAME

UNIT	FILE NAME
2	LEGEND.INP
3	LEGEND.LST
10	ENDFB.IN
11	ENDFB.OUT

INPUT CARD

CARD COLS. FORMAT DESCRIPTION

CARD	COLS.	FORMAT	DESCRIPTION
1	1-11	E11.4	FRACTIONAL THINNING CRITERIA
	12-22	I11	MAXIMUM NUMBER OF POINTS IN ANGULAR DISTRIBUTION RECONSTRUCTED FROM LEGENDRE COEFFICIENTS (PRESENT LIMITS ARE 11 TO 60000 POINTS) *THIS OPTION CAN BE USED TO RUN QUICK, BUT NOT NECESSARILY SO ACCURATE CALCULATIONS - TO ROUGHLY SEE WHAT THE ANGULAR DISTRIBUTIONS LOOK LIKE. *IT IS RECOMMENDED THAT YOU USE 0 AS INPUT - IN WHICH CASE THE PROGRAM WILL USE THE MAXIMUM ALLOWABLE NUMBER OF POINTS = 60000.
	23-33	I11	TABULATED ANGULAR DISTRIBUTION TREATMENT = 0 - COPY TABLES = 1 - LINEARIZE TABLES (OUTPUT TABLES) = 2 - LINEARIZE AND THIN TABLES (OUTPUT TABLES)
	34-44	I11	LEGENDRE COEFFICIENT TREATMENT = 0 - COPY LEGENDRE COEFFICIENTS = 1 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT TABLES). = 2 - RECONSTRUCT TABULATED ANGULAR DISTRIBUTION. (OUTPUT LEGENDRE COEFFICIENTS).
	45-55	I11	NEGATIVE ANGULAR DISTRIBUTION TREATMENT. = 0 - NO CORRECTION = 1 - TABULATE DATA - NO CORRECTION. - LEGENDRE DATA - CHANGE COEFFICIENTS (NONE BY MORE THAN 1.0 PER-CENT - CAN BE

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

Legend

			CHANGED BY INPUT).	Legend
			= 2 - FORCE DISTRIBUTIONS TO BE POSITIVE	Legend
			(TABULATED OR LEGENDRE DATA).	Legend
56-66	I11		LEGENDRE COEFFICIENT VARIATION TEST FLAG.	Legend
			= 0 - TEST TESTS.	Legend
			= 1 - PERFORM TESTS,	Legend
			(A) LEGENDRE ORDER INCREASES WITH ENERGY.	Legend
			(C) MONOTONIC VARIATION OF COEFFICIENTS	Legend
			AS A FUNCTION OF ENERGY.	Legend
			(C) COEFFICIENTS DECREASE AS A FUNCTION OF	Legend
			LEGENDRE ORDER.	Legend
2	1-60	60A1	ENDF/B INPUT DATA FILENAME	Legend
			(STANDARD OPTION = ENDFB.IN)	Legend
3	1-60	60A1	ENDF/B OUTPUT DATA FILENAME	Legend
			(STANDARD OPTION = ENDFB.OUT)	Legend
4-N	1- 6	I6	LOWER MAT LIMIT	Legend
	7- 8	I2	LOWER MF LIMIT	Legend
	9-11	I3	LOWER MT LIMIT	Legend
	12-17	I6	UPPER MAT LIMIT	Legend
	18-19	I2	UPPER MF LIMIT	Legend
	20-22	I3	UPPER MT LIMIT	Legend
	23-33	E11.4	LOWER ENERGY LIMIT	Legend
	34-44	E11.4	UPPER ENERGY LIMIT	Legend
	45-55	E11.4	MINIMUM ALLOWABLE VALUE OF ANGULAR DISTRIBUTION	Legend
	56-66	E11.4	ALLOWABLE FRACTION (NOT PER-CENT) CHANGE IN ANY	Legend
			ONE LEGENDRE COEFFICIENT TO MAKE THE ANGULAR	Legend
			DISTRIBUTION POSITIVE (AND AT LEAST EQUAL TO THE	Legend
			INPUT MINIMUM ALLOWABLE VALUE).	Legend

*UP TO 100 MAT/MT/E RANGES MAY BE INPUT, EACH SPECIFYING AN ALLOWABLE MINIMUM SIGMA AND MAXIMUM CHANGE IN COEFFICIENTS.

*INPUT IS TERMINATED BY A BLANK CARD.

*ALL MAY/MT/E RANGES NOT SPECIFIED BY INPUT WILL BE TREATED BY ALLOWING A MINIMUM SIGMA OF 0.001 (1 MILLI-BARN) AND A CHANGE IN EACH COEFFICIENT BY UP TO 0.01 (1 PER-CENT).

*THESE MAT/MT/E RANGES ARE NOT USED TO CORRECT ALL ANGULAR DISTRIBUTIONS WHERE SIGMA IS LESS THAN THE MINIMUM. THEY ARE ONLY USED TO CORRECT DISTRIBUTION THAT ARE NEGATIVE AND TO INSURE THAT THE CROSS SECTION AT THE COSINES WHERE THE ANGULAR DISTRIBUTION ARE INITIALLY NEGATIVE ARE CORRECTED TO BE POSITIVE AND AT LEAST AS LARGE AS THE MINIMUM ALLOWABLE SIGMA (SPECIFIED BY INPUT).

EXAMPLE INPUT NO. 1

PROCESS BOTH LEGENDRE COEFFICIENTS AND TABULATED DATA TO OBTAIN ANGULAR DISTRIBUTION WHICH ARE ACCURATE TO WITHIN 0.1 PER-CENT AND OUTPUT UNCORRECTED TABULATED ANGULAR DISTRIBUTION USING A MAXIMUM OF 501 POINTS IN EACH TABULATED ANGULAR DISTRIBUTION. SINCE LEGENDRE COEFFICIENTS WILL NOT BE CORRECTED THE INPUT NEED NOT SPECIFY MAT/MT/E RANGES.

READ /ENDFB6/K300/LEAD.IN AND WRITE /ENDFB6/K300/LEAD.OUT

THE FOLLOWING 4 INPUT LINES ARE REQUIRED,

1.00000-	3	501	2	1	0
----------	---	-----	---	---	---

/ENDFB6/K300/LEAD.IN

/ENDFB6/K300/LEAD.OUT

(BLANK CARD TERMINATED INPUT)

EXAMPLE INPUT NO. 2
