INDC-18/L



International Atomic Energy Agency

INTERNATIONAL NUCLEAR DATA COMMITTEE

OFFICIAL MINUTES OF THE SEVENTH INDC MEETING

Lucas Heights, 7-11 October 1974

Compiled by

V. Benzi (CNEN Bologna, Italy)

(Executive Secretary)

NDS LARARY COPY

Aided by

W. Gemmell (AAEC Lucas Heights, Australia) (Chairman) J.J. Schmidt (IAEA) (Scientific Secretary)

October 1975

IAEA NUCLEAR DATA SECTION, KÄRNTNER RING 11, A-1010 VIENNA

Reproduced by the IAEA in Austria November 1975 75-8482

OFFICIAL MINUTES OF THE SEVENTH INDC MEETING

Lucas Heights, 7-11 October 1974

Compiled by

V. Benzi (CNEN Bologna, Italy) (Executive Secretary)

Aided by

W. Gemmell (AAEC Lucas Heights, Australia)

(Chairman)

J.J. Schmidt (IAEA)
(Scientific Secretary)

TABLE OF CONTENTS

List	ist of participants				
<u>I.</u>	Introductory items				
<u>II.</u>	Cor	4			
	Α.	Consideration and Approval of Minutes of Sixth INDC Meeting	4		
	Β.	Consideration and Adoption of Agenda for Seventh INDC Meeting	4		
	С.	Attendance of Advisers and Observers	5		
	D.	Biennal Report of 1972/1973 Chairman	5		
	Ε.	Review of Actions Aristing from the Sixth Meeting	5		
	F.	INDC Programme Review	10		
<u>III.</u>	Pro	13			
	Α.	Short Additions from Participants to Submitted Progress Reports	13		
	Β.	Short Report on Nuclear Data Measurements in Countries Not Represented on INDC	27		
<u>IV.</u>	Nuc	lear Data Measurement Requirements	28		
	Α.	WRENDA	28		
	Β.	Targets and Sample Program	31		
	С.	Nuclear Data Measurements in Developing Countries	31		
	D.	Review of Recommandations from 1973/1974 NDS Meetings	31		
٧.	Neutron Nuclear Data				
	Α.	Tenth Four-Centres Meeting	32		
	Β.	Additional Information from Neutron Data Centre	33		
	С.	Evaluated Data and Evaluated Data Exchange	34		
	D.	International Newsletter on Evaluation	37		
<u>VI.</u>	Non	38			
	Α.	i) Charged Particle and Photonuclear Data;			
		ii) Nuclear Data for Applications	38		
	Β.	Additional Information on Existing and Projected "Non-Neutron" Nuclear Data Centres and Groups	46		
	С.	Discussion of Reccommendations from "Non-Neutron" Nuclear Data Meetings	48		

		page
VII.	Topical Discussion	49
VIII.	Reports of Sub-Committees and Discussions	49
	A. Nuclear Standard Reference Data	49
	B. Discrepancies in Important Nuclear Data and Evaluations	53
IX.	Miscellaneous Items	57
	A. Partecipation of Trieste Centre in Nuclear Data Workshop	57
	B. Nuclear Data Programs in Developing Countries	59
	C. INDC Correspondents and Document Distribution	60
<u>x.</u>	Report of Sub-Committees and Discussions	61
	A. Energy Applications of Nuclear Data	61
	B. Nuclear Data for Non Energy Applications	67
<u>XI.</u>	Meetings and Conferences	72
	A. Reports on Past Meetings	72
	B. Publication of IAEA Meeting Proceedings	72
	C. Future Meetings	72
<u>XII.</u>	Committee Business (Part II)	74
	A. Relationship Between INDC and NEANDC	74
	B. IAEA Policy Regarding INDC	75
	C. Modification of INDC Methods of Work	76
	D. Notes on Review of Recommendations and Actions	77
	E. Next (8th) INDC Meeting	78
	F. Adjournement of the Meeting	78

LIST OF APPENDICES

	Appendix	Ι	:	Meeting Agenda (attachment A)	80
	Appendix	ΙI	:	Biennial Report of 1972/1973 Chairman	83
	Appendix	III	:	List of Standing Sub-Committees Members	88
	Appendix	IV	:	List of Ad-Hoc Sub-Committees Members	.90
	Appendix	۷	:	"Relationship Between INDC and NEA-NDC" (NDS W.P.1)	91
	Appendix	VI	:	"Notes on NEANDC and INDC Sub-Committes on Standards and Discrepancies" by B.Rose	92
	Appendix	VII	:	"Modification of INDC Method of Work" (NDS W.P. 2)	94
	Appendix	VIII	:	"Extension of the List of Correspondents and List of Documents to include Non-Neutron Nuclear Data (NDS W.P.3)	96
	Appendix	IX	:	Selected Topics from "Report on WRENDA" by C. Dunford (NDS W.P. 4)	101
	Appendix	Х	:	"Unique Definition of Nuclear Data Accuracy" by L.N. Usachev	102
	Appendix	ΧI	:	ORNL Electromagnetic Isotopes Inventory and Requirements as of March 31, 1974	108
	Appendix	XII	:	"Use of Evaluated Data Files" (NDS W.P. 6)	116
	Appendix	XIII	:	Topical Discussion on "Gamma Rays from Nuclear Reactions" List of Papers	119
	Appendix	XIV	:	Progress Report of the Sub-Committe on Standard Reference Data	122
	Appendix	XV	:	Progress Report of the Sub-Committee on Discrepancies in Important Nuclear Data and Evaluations	136
	Appendix	XVI	:	Potential Partecipation of the Agency's International Centre for Theoretical Physics at Trieste in the	
				Development of Nuclear Theory for Nuclear Data Evaluation" (NDS W.P. 7)	142
	Appendix	XVII	:	Report of the Ad-Hoc Sub-Committee on Nuclear Data Programs in Developing Countries	145
	Appendix	XVIII	:	Report of the Sub-Committee on Energy Applications of Nuclear Data	146
	Appendix	XIX	:	Lott's proposal on Fission Product Decay Heath Benchmark Experiments	148
4	Appendix	XX	:	Report of the Sub-Committe on Non-Energy Application of Nuclear Data	151

Appendix	XXI	:	Report of the Ad-Hoc Sub-Committe on Relationship between INDC and NEANDC	154
Appendix	XXII	:	IAEA Financing of Future INDC Meetings (NDS W.P.9)	155
Appendix	XXIII	:	"INDC Methods of Work" (Draft)	158
Appendix	XXIV	:	NDS Working Paper 10	165
Appendix	XXV	:	Publication of IAEA Meeting Proceedings (NDS W.P.8)	169
Appendix	XXVI	:	Formal Recommendations to the Director General of IAEA	172
Appendix	XXVII	:	List of Actions Arising from the 7th INDC Meeting.	176

page

LIST OF PARTICIPANTS

1. INDC members

W. Gemmell, AAEC/Lucas Heights, Australia
V. Benzi, CNEN/Bologna, Italy
J.J. Schmidt, NDS/IAEA
D. Berenyi, INR/Debrecen, Hungary
S. Cierjacks, KFK/Karlsruhe, Germany F.R.
H. Condé, RINDS/Stockholm, Sweden
W.G. Cross, AECL/Chalk River, Canada
T. Fuketa, JAERI/Tokai-Mura, Japan
R. Joly, CEA/Saclay, France
M.K. Mehta, A.R.C./Trombay, India
B. Rose, A.E.R.E./Harwell, U.K.
L.N. Usachev, I.P.E./Obninsk, USSR
A.H. Wapstra, IKO/Amsterdam, Netherlands

2. Scientific advisers

Y. Le Gallic, CEN/Saclay, France
A. Michaudon, CEA/Bruyers-le-Châtel, France
H.T. Motz, LASL/Los Alamos, USA
A.B. Smith, ANL/Argonne, USA
G.B. Yankov, Kurchatov Inst./Moscow, USSR

3. Observers

B.J. Allen, A.A.E.C./Lucas Heights, Australia
 J.R. Bird, A.A.E.C./Lucas Heights, Australia
 J.W. Boldeman, A.A.E.C./Lucas Heights, Australia
 B. Clancy, A.A.E.C./Lucas Heights, Australia
 J. Coombs, A.A.E.C./Lucas Heights, Australia
 M.J. Kenny, A.A.E.C./Lucas Heights, Australia (Local Secretary)
 H. Liskien, BCMN/Geel, Belgium, Euratom

(Chairman)
(Executive Secretary)
(Scientific Secretary)

I. INTRODUCTORY ITEMS

Mr. K.F. Alder, Commissioner and Head of the Nuclear Science and Technology Branch of the A.A.E.C. and himself a former Director of the AAEC Research Establishment for over a decade, welcomed the participants to the Seventh INDC meeting on behalf of the Australian Atomic Energy Commission and the staff of Lucas Heights Research Establishment. After a brief outline of the Research Establishment work in nuclear applications, Mr. Alder pointed out the importance of the IAEA and INDC in advising the smaller and developing nations in the planning of research and development. "We feel - said Mr. Alder - that in giving this type of help to the smaller and developing nations, it is important to avoid making the choice for them: the aim should be to ensure that the choice is relevant". In particular, in advising deve<u>1</u> oping countries whether or not to participate in the field of nuclear data measurements and compilation, the INDC should help them to ensure that their projects are both manageable and relevant, in order to avoid the creation of groups of frustrated scientists having inadequate access to modern facilities.

Mr. Alder also pointed out that there are many expensive and sophisticated machines for physics research around the world, which apparently are underutilized. The distribution of these facilities, and problems of funding, restricts their greater use and the possibility for small or developing countries to send people to work on them. A more even geographical distribution of facilities would assist in making better use of the talents available and hence assist in training and real collaboration and cooperation. Since these are primary abjectives of the IAEA, these problems are undoubtedly worthy of consideration by a body such as INDC, which, while it has scientific objectives, has also aims and responsibilities in connection with international collaboration and understanding.

The Scientific Secretary, Dr. J. Schmidt, thanked Mr. Alder for his pertinent remarks on behalf of the Agency and participants, and the Australian Government for its financial support in holding this INDC meeting at Lucas Heights. The association between the NDS and the AAEC Research Establishment has been a long and fruitful one, (he only needed to mention the fission product data library as an example), and he hoped this meeting would cement and continue the association. Schmidt thanked the previous Chairman, Professor Usachev, for his efforts during the 1972/73 calendar years and welcomed the new members and participants (M.K. Mehta, A.H. Wapstra, T. Fuketa, D. Berenyi and Y. Le Gallic).

Dr. Schmidt outlined some of the roles the IAEA expected the INDC to fulfill, particularly as this was the beginning of a new 3 year's period in

- 1 -

which increased attention was being given to non-neutron nuclear data. The main function of the INDC lay in the policy advisory field, in advising, and directing recommendations to, the Director General of the IAEA on all aspects of nuclear data, both short and long term, in advising him on NDS activities in the field of data for nuclear reactions, nuclear safety, safeguards, environmental protection, and programs for developing countries, and, in the longer term data for fusion, life sciences and industry. These fields had been clearly brought out at the last General Conference of the IAEA to be the important areas of IAEA activity.

Dr. Schmidt hoped that the INDC would and could sustain improving and increasing contact with NDS activities in between INDC meetings, and members of INDC should show initiative in

- soliciting support for fellowships and research contracts for nuclear data studies by developing countries (he mentioned the Romanian contract to measure thermal fission cross sections as an example);
- 2. stimulating and suggesting regional cooperative projects on nuclear data requested in the WRENDA lists.

Other roles for the INDC suggested by Schmidt included

- timely recommendations for meetings on special topics, and assistance with the preparation and organisation of such meetings. A very successful recent meeting was that on Fission Product Nuclear Data at Bologna in 1973;
- assessing the adequacy of NDS' staff and resources for fulfilling its growing tasks in relation to the Agency's overall programme;
- act as a dissemination source for nuclear data by various means, such as establishing regional and national data committees which could collect and screen data requests. A number of such committees have already been formed;
- open up communication channels to data users. He noted that this would become more difficult as the scope of work envisaged by the committee widened away from classical reactor data.

Schmidt drew attention to the experience of the INDC in the reactor physics data field where the reactor physicist needing the most accurate basic information had bridged the gap with the nuclear physicist, making the measurements. He expressed the hope that the INDC would continue to help bridge the gap between the pure and applied sciences. In this context Schmidt pointed out how appropriate it was to meet in a laboratory where the research in progress is both basic and applied.

In conclusion, Dr. Schmidt thanked the AAEC and the Australian Government for the opportunity of holding this INDC meeting in Australia.

The introductory speech of the Chairman for the 1974/1975 period, W. Gemmell, was mainly devoted to an analysis of the present situation in the field of nuclear data. There are many signs that, since many of the data objectives have been realised or are within sight of realisation, the manpower, effort and funding in the area of the measurement and compilation activities associated with neutron nuclear data have decreased.

In the area of nuclear power, in particular, the number of IAEA Memeber States active in fission reactor design has decreased, and as experience develops, data requirements here with their stringent accuracies are likely to recede. However, most member countries are potential or actual consumers of nuclear power and they will want to be self-sufficient in their analysis of fuel cycles, fission products, actinide waste and radiation shielding. There is, therefore, much still to be accomplished here, but possibly with less frequent major reviews.

Continuing his analysis, the Chairman said that as a consequence of the above mentioned expected reduction in neutron data requirements for nuclear fission reactors, there would appear to be an excess of experimental capability. Therefore, the INDC or IAEA might examine the possibility of using its good offices to assist in the utilisation of some of this excess capacity.

A consequence of possible reduction in experimental data output - said the Chairman - could be a questioning of the need for the Four Data Centre concept. Without weakening the cooperation between the various groups which is a major strength of the NDS and INDC, the possibility of achieving some degree of specia<u>1</u> isation and avoidance of duplication should be considered.

The Chairman also pointed out that the INDC has been innovative in its support of small specialist meetings and in experimenting with their format. New approaches could also be suggested in order to establish the need for data in atomic energy application areas. For example, two INDC members (or INDC nominations) might be sent to attend IAEA meetings on nuclear applications and report back to the INDC with a critical review of what the data problems are likely to be.

The last point examined by the Chairman was the widening of the NDS scope. In looking for areas of diversification - said the Chairman - it would be useful to have agreed guidelines for new endeavours. The choice must be made carefully, but not so widely that it overextends the resources of NDS.

- 3 -

A.B. Smith (USA) expresses G.L. Rogosa's apologies for being unable to attend this particular meeting. Rogosa, who recently had assumed increased responsibilities as Assistant Director to the Division of Physical Research, had expressed his confidence in the success of the meeting.

II. COMMITTEE BUSINESS (Part I)

Benzi was elected Executive Secretary and the Chairman agreed to assist him with the minutes in view of language difficulties. The Chairman commented on the need for either the Secretary or Chairman to be close to Vienna.

II.A. Consideration and Approval of Minutes of Sixth INDC Meeting

The edited draft minutes were adopted subject to minor changes proposed by Cierjacks being incorporated, and after an assurance by Schmidt that modifications proposed by the USA had been incorporated. Schmidt apologised for the fact that all corrections had not been typed, but this would be remedied in the official document to be issued as INDC-14(L). (Action 1)

The Chairman thanked Joly for his labors in producing excellent minutes, bearing in mind that English was not his mother tongue.

II.B. Consideration and Adoption of Agenda for Seventh INDC Meeting

The Scientific Secretary, in introducing this item, noted that the Agenda was a heavy one and, as had been suggested at the last INDC meeting, was relying to a large extent on sub-committee work, with one full day sub-committee discussions and another full day for the reports of the sub-committees back to the plenary session. He suggested that other items which might lead to longed discussion should be dealt with first by ad-hoc sub-committees (See Appendix I, Tentative Agenda attachment A). With regard to the proposed ad-hoc Sub-committee on INDC Methods of Work, after some discussion it was agreed that sub-commit_ tees would be responsible for their own methods of work and that the proposed ad-hoc sub-committee devote itself to the methods of work of INDC. Smith queried the availability of some working papers listed in Attachment B of the Tentative Agenda, which he had not seen. All the papers became available in the afternoon.

The Chairman complimented NDS for the prevision of attachment B to the Tentative Agenda which he hoped would be a regular feature and Smith indicated his delight with the timing suggested for various items.

In conclusion, the "Tentative Agenda" was adopted with no substantial

- 4 -

modifications, except the order of items. $(^{\circ})$

II.C. Attendance of Advisers and Observers

It was unanimously agreed that the meeting would benefit from full participation in all non-executive sessions of Dr. H. Liskien. Cross proposed that the Local Secretary, Dr. M.J. Kenny, should attend all sessions. Gemmell proposed additionally that Dr. J.R. Bird and Dr. B. Clancy should participate in all non-executive sessions as advisers to the Australian member and that in addition Boldeman, Allen and Coombs be coopted to various sub-committees where their expertise was relevant. All the above proposals were unanimously accepted.

Schmidt announced that representatives from South Korea, Bangladesh and New Zealand had been invited to attend as observers, but for a variety of reasons none has been able to accept. This was unfortunate in view of the Agenda items on cooperative projects for developing countries.

II.D. Biennial Report of 1972/73 Chairman

This matter was held over pending late arrival of Professor Usachev. The text of his report, which was circulated during the meeting, is given in Appendix II.

II.E. Review of Actions Arising from the Sixth Meeting

The list of actions is given in Appendix XXVIII of the minutes of the Sixth Meeting. Actions which have been completed and/or were not subject to significant comments will not be repeated here.

ACTIONS

1.

NDS/INDC Secretariat: issue the "official minutes" of the Sixth Meeting. It will be done as soon as possible. (see II.A, above).

- 5 -

^(°) In these minutes the various items are ordered following the "Tentative Agenda".

- 4. Rogosa: Keep INDC participants informed about international participation in a USA underground nuclear explosion for physics. It was agreed to delete this action, which will be raised again when funding will be available.
- 7. Liskien: Investigate the possibility of providing NDS with a sufficient number of copies of the European Community Progress Report covering the year 1973. The 1973 report is at the printers. In future, EC-countries will issue their own progress report individually to speed distribution. However, they all will bear the same NEANDC-number. Liskien suggested that INDC numbering should be similar. Action on NDS to advise NEANDC members of INDC about the required distribution of future progress reports. (Action 2)
- 8. Rose: Arrange for the transmittal to the CCDN of Uttley's data on the total cross section of ⁶Li. The data have been sent to the CCDN, but on August 15 were not yet received at NNCSC. Smith considers this breakdown of international exchange important and serious. Joly indicated that the problem lay with EXFOR format difficulties. The data from CCDN are available immediately to anyone as a file in NEUDADA format. Now work was continuing on EXFOR problems and the data should be available in EXFOR format by the end of 1974.
- 13. NDS/INDC Secretariat. Issue the "Report of subcommittee on discrepancies in important nuclear data and evaluation" as U-document. No final document has been produced yet. It is hoped to issue the final document after this meeting. (Action 3 on Joly and Action 4 on NDS/ /INDC Secretariat).
- 14. Rogosa: Keep the INDC participants informed about his further contacts with Prof. H. Goldstein on important nuclear data for shielding. Smith reported Goldstein's view that "only now it is possible to treat shielding problems reliably from first principles with basic data". The major shortcoming was seen in the absence of reliable measurements of neutron spectra following penetration by neutrons in deep (i.e.: order of metres) media. Continuing action on Rogosa. (Action 61)
- 15. Schmidt: When discussing CINDA problems at the next "Four Centres Meeting" raise the problem of references for which data remain for a long time as "preliminary data" in the data files of the Centres. In past years, preliminary data used in group cross section sets had

- 6 -

been unavailable to data centres. The situation is still difficult, but improving. Although EXFOR offers the possibility of labelling data as preliminary, some centres are still reluctant to release this kind of data. Thus, this problem seems to be a problem for national data centres first. Centres had agreed to establish a "delinquency list" of those authors who do not submit preliminary data, but no action had occurred yet. (Smith indicated that he felt incensed about a delinquency list and felt people had to be sure of their facts before compiling such a list). As far as CINDA is concerned, it should be remembered that CINDA has a wider scope - from planning to completion. However, data considered final should not remain labelled as preliminary.

- 18. Heads of the four Centres: When it is noted that CINDA entries are missing (or delayed) from a particular country, advise immediately the responsible Centre for appropriate action. Continuing action. (Action 62)
- 20. All members: Send comments to Dunford on his proposed concepts for future presentation of WRENDA before 31 December 1973. Schmidt said few comments had been received and he asked if WRENDA format was acceptable. Rose said he had discussed the numbering system with Dunford, who resisted changing work in progress. Unless both element and request number are known, or a special index prepared, it is difficult to find what a number refers to.
- 22. All members. Send comments for future presentation of WRENDA. A paper entitled "Unique definition of nuclear data accuracy" prepared by Usachev was circulated during the meeting. Rose had sought clarification of this action in writing and had received no reply.
- 23. Dunford: Make an attempt to introduce in the WRENDA comments the conclusions of the review works done by the Sub-Committee on discrepancies and by NDS on dosimetry cross-sections. Schmidt mentioned that WRENDA 75 should be published in Spring 1975.
- 24. Nishimura: Try to prepare a Japanese CTR nuclear data request list using the priority criteria approved by the IFRC. A working group has been recently formed in Japan for preparing such a list. The list will be sent before the next meeting (continuing action on Fuketa).

- 27. Schmidt: Investigate if the Trieste Centre will consider undertaking studies on nuclear structure and nuclear models having in view further applications by evaluators. Although not much enthusiasm for applied activities may have to be expected from a centre concentrating on fundamental studies, the Director (Salam) is interested to host the consul tants' meeting on "Use of Nuclear Theory for Neutron Nuclear Data Evaluation".
- 29. NDS/INDC secretariat. Compile a concise listing of available facilities and major experimental programmes (related to INDC interest) in developing countries. The list is in preparation, sample pages are available in INDC(SEC)-63(L).
- 30. Members of ad-hoc sub-committee. Attempt to specify a few measurement programs which could be undertaken in developing countries. Suggestions were given by Smith and Condé.
- 32. All members. Enquire in their own countries about possible bilateral arrangements for helping developing countries in proposed measurements program. Keep NDS informed. No comments were sent to NDS, in spite of the fact that several countries (represented in the INDC) have bilat eral agreements or contacts with developing countries, as mentioned by Cierjacks, Liskien, Mehta, Rose, Smith and Wapstra. Information were obtained from Sweden about training courses in Swedish laboratories for physicists from developing countries sponsored by Uppsala University, Swedish International Development Authority (SIDA), IAEA and UNESCO. The German arrangement of having a person work in a German laboratory for a period and then discussing what projects should be undertaken in the developing country, considering equipment, staff and country's needs, seemed particularly good. Cierjacks asked about the provision of fellowships. Schmidt said that this depended primarily on priority assigned to the proposal by the member states when approaching the IAEA. The project must be initiated by the member state. (Action continues on all members). (Action 64) A friendly response was elicited, but good projects need to be proposed to take the matter further. Schmidt will investigate positive proposals when he visits various Asian laboratories after the meeting and will report back to INDC on possible programs. (Action 5).

- 33. NDS. Explore with UNESCO the possibility of additional funding for measurement programs in developing countries. Contacts between IAEA (Glubrecht) and UNESCO (Harrison) have been made in November 1973, remained, however, so far without consequences.
- 35/36/37 Rosen & Schmidt: Inquire about the possibility of: a) making the NNDEN Evaluation Newsletters available outside OECD area; b) issuing a non--OECD Evaluation Newsletters. Keep INDC participants informed. No action had occurred. In view of the absence of Rosen and USSR members it was decided to defer the matter until a later agenda item. Continuing action on Schmidt (action 65).
- 38. Chairman "Sub-committee on Nuclear Data for Non-Energy Applications" and Eisenlohr/IAEA. Inquire for the next INDC meeting about the problem of sensitivity studies of the nuclear data requested by the "Working Group on Physical Data for Radiation Dosimetry, Radiation Biology and Radiotherapy". No action. Eisenlohr was on duty travel leave and could not be contacted. Smith (for Rogosa) will raise relevant issues in Non-

-Energy Applications Sub-committee.

- 40. All members. Inquire inside their own countries about the interest in the IAEA Symposium in "Research Materials for Nuclear Measurements" proposed for 1976. Inform NDS before the middle of November 1973. No comments were received by the NDS. However, a strong positive recommendation was made by the UK (Rose).
- 41. NDS/INDC Secretariat-INDC Chairman. Look at the best way to improve the efficiency of the work of the INDC by condensing the Agenda of future meetings. This section will continue as "all member" action (action 66).
- 44. Executive Secretary. Issue the list of actions as soon as possible after INDC meeting. Standing action.
- 45. All members. Urge nuclear physicists in their respective countries to send experimental neutron data to the "Neutron Data Centre" in their area. The action has to be considered "Standing action" (action 67).

- 9 -

- 46. All members. Urge nuclear physicists in their respective countries to send experimental data on nuclear levels, decay schemes and related subjects to the ORNL Nuclear Data Project. This action is a "standing action" (action 68).
- 48. NDS/INDC Secretariat. Issue proceedings of Kiev Conference 1973 as INDC(CCP)-G document. The proceedings can not be translated by the Agency.
- 49. NDS/INDC Secretariat. Continue to inform INDC members of UNISIST developments likely to affect Data Centres. The action will continue (action 69).

II.F. INDC Programme Review

a) Reappointmentment of Membership of Standing Sub-Committees.

In connection with the meetings of Standing Sub-committees scheduled for Monday afternoon, October 7, it was felt necessary to reconstruct the composition of the sub-committees, taking into account the changes in the list of participants since the last meeting.

In view of the fact that many participants were members of more than one sub-committee, sub-committee chairmen should post sub-committee draft agendae to enable members to select which part of the agendae they might attend. Rose and Berenyi drew attention to the fact that the Standing Sub-committee for Non-Energy Applications was chairmanless at this meeting. Joly wondered whether the Chairman or Secretary had a solution to the problem of members being at two or more meetings, acting in parallel. Gemmell said this point had been foreseen by Cierjacks at the last meeting and it had been agreed that members unable to attend the sub-committee meeting would have the opportunity of expressing their views when the sub-committee report was presented to the full meeting. Berenyi pointed out that some sub-committees had members no longer participating in the INDC and that there were also new members. Schmidt proposed, and it was accepted, that all participants should be eligible for sub-committee duties. The meeting proceeded to elect the membership of the various standing sub--committees.

The revised list of members of the four standing sub-committees, namely:

- 1. Nuclear standard reference data.
- 2. Discrepancies in important data and evaluations.
- 3. Energy applications of nuclear data.
- 4. Non-energy applications of nuclear data.

is given in Appendix III.

With regard to the Standing Sub-Committee on Discrepancies, the Chairman (Joly) said that at the last meeting it had been decided to restrict the agenda to ten items. Since then, Schmidt had wanted three items added fission products, in-pile dosimetry and 2200 m/s fission constants. He felt that it was essential that Schmidt be a member of the sub-committee if these new problems were to be undertaken.

Gemmell proposed that the NDS should send sub-committee reports and deliberations to those sub-committee members unable to be present at this meeting (action 6).

Membership of the four standing sub-committees was such that the Standards and Discrepancies Sub-committees had no common membership and that this was also the case for the Energy and Non-Energy Applications Sub--committees. This semplified the sub-committee problem and it was agreed that the Standards and Discrepancies Sub-committees meet in parallel sessions and that this arrangement apply also to the other two. It was also agreed that Standing Committees 1 and 2 (Standards and Discrepancies) meet before Committees 3 and 4 (Energy and Non-Energy).

b) Appointment of ad-hoc Sub-committees.

The following ad-hoc Sub-committees were appointed:

- i) Relationship of INDC and NEANDC.
- Modification of INDC Methods of Work (including responsibilities and working procedures of standing sub-committees).
- iii) Nuclear data measurements in developing countries.

The member lists of the above ad-hoc sub-committees are given in Appendix IV.

Referring to the relationship between INDC and NEANDC, (see NDS Working Paper I, Appendix V, and the letter by B. Rose to Liskien, Appendix VI), the Scientific Secretary summarized the similarities and differences between the terms of references of the two committees. Guidelines for the Sub-committee on "Modification of INDC Method of Work" were prepared by the NDS Secretariat (Appendix VII). c) Appointment of ad-hoc sub-committee 3: "INDC Correspondants and document distribution list for non-neutron nuclear data".

Berenyi proposed to discuss the above arguments (for which a Working Paper was prepared by Lorenz - see Appendix VIII) during the meetings of the Standing Sub-committee for Non-Energy Applications. The proposal was unanimously accepted, so that the ad-hoc sub-committee was not appointed.

III. PROGRESS REPORTS ON NUCLEAR DATA MEASUREMENTS AND FACILITIES (°)

III.A. Short Additions from Participants to Submitted Progress Reports

AUSTRALIA

Gemmell apologised for the lateness of the Australian 1973 progress report. He had hoped that the report to July 1974 would be available for this meeting. Indeed, the report was with the printer but not yet available. He asked Allen and Clancy to deal with various aspects of the Australian program.

A) Measurements

Allen indicated that $\overline{\nu}(E)$ for ^{233}U showed fine structure in accord with theoretical expectation, while none had been found for ^{235}U . The progress report would show mass yields and fission product angular distributions for ^{233}U and ^{235}U in addition to $\overline{\nu}_{Cf252}$ as a function of fission fragment charge and mass.

Analysis of high resolution neutron capture cross sections in collaboration with Oak Ridge has concentrated on light nuclei and those with near closed shell configurations. The ⁹⁰Zr analysis indicated a high valence neutron contribution and a high correlation between neutron and gamma resonance parameters. The study showed major disagreement with earlier RPI results.

In Fe the valence model calculations did not account satisfactorily for all the gamma ray intensities observed with Ge(<0.5 MeV) and NaI (<1 MeV) detectors.

The two lowest Si resonances found in the total cross section had been found to be asymmetric and the capture gamma ray intensities indicate that valence neutron effects are strong.

Capture gamma ray studies in the keV neutron region have been performed at 0.5 MeV for a variety of nuclei across the periodic table in a search for anomalous features as a function of mass number. These are of relevance to the systematic study of capture cross sections for fission products.

B) Evaluation

Clancy highlighted two areas in the forthcoming report, namely,

- (i) A revision of AAEC/E277 on neutron strength functions including data to January 1974 and the preparation of similar information on neutron resonance parameters.
- (ii) The more recent and more hopeful prediction of fission product mass and charge distributions - an extension of work reported at the Bologna fission product meeting.

CANADA

The Canadian Progress Report was distributed as G-document INDC(Can)-14/G. Cross restricted then his presentation to the following points:

A) <u>Measurements</u>

- The cross section measurements for the ¹⁰³Rh(n,n')¹⁰³Rh^m and ¹¹⁵In(n,n')¹¹⁵In^m reactions in the energy range from 0.122 to 14.74 MeV have been analysed. The results obtained by different methods of measuring neutron flux were found to be consistent.

The number of gamma rays per disintegration of ¹¹⁵In is uncertain. A six year old Chalk River unpublished value of gammas per disintegration is probably the most accurate available.

- From measurements at a neutron energy of 0.0551 eV, a cross section of 18.0 ± 1.6 b at 2200 m/sec was deduced for the 59 Ni(n, $_{\alpha}$)⁵⁶Fe reaction. This value compares with 13.7\pm0.6 b reported by Eiland and Kirouac.
- ²³⁵U thermal fission yields of Palladium isotopes were measured at McMaster University. The obtained preliminary values suggest that the data for the 105 fission yield (cumulative) are about 50% higher than the expected value from the fission yield curve.
- B) Facilities
- The NRU reactor at Chalk River is operating again after modifications that improve the experimental facilities. A number of beam holes have been increased in size and the emerging flux increased about 2-8 times. Two new holes have been added. The central hole in the thermal column has been enlarged to permit installation of a cold neutron source.
- The TRIUMF accelerator at Vancouver is expected to have its first beam (5 MeV) in the middle of October 1974. If start up goes according to plan, the energy will be increased from 5 MeV to 450 MeV within a few days. Experiments using polarized beams will start immediately using the low (1µA) beam available. Medical experiments are scheduled to start in a few

months. The beam current will gradually be increased to 100 μA over the next year.

- In the Chalk River 13 MV Tandem Accelerator, the installation of a Pelletron charging system reduced the ripple on the terminal from 25 KeV to 500 eV at 10 MeV. It appears that further reduction of the ripple is possible; while the Pelletron system works very well electrically there are still mechanical problems.
- A new 14 MeV neutron generator with an expected output of 4×10^{12} n/sec is under construction. It will be used for dosimetry and medical studies.
- A new Bremsstrahlung monochromator has been installed on the electron LINAC at the University of Toronto. The tagged gamma rays have a measured resolution better than 20 KeV at 7 MeV. A preliminary test is described in the progress report.

FRANCE

Joly mentioned that after the consolidated EURATOM report for 1973, the 1974 report would be issued nationally to speed its publication.

A) <u>Measurements</u>

The following activities were mentioned by Joly:

- i) <u>Saclay</u> The 60 MeV linac at Saclay would cease neutron cross section work after 1974. The analysis of the ²⁴¹Am $\sigma_{\rm f}$ and $\sigma_{\rm t}$ measurements from this machine in the resonance region was now complete and the high resolution (9 keV at 1 MeV) fission cross section ratio measurements for ²³⁵U and ²³⁸U in the energy range 0 to a few MeV were in progress. A similar measurement will be made with ²⁴³Am relative to ²³⁵U. Other projects were examining intermediate structure at low energies, the study of vibrational states near the fission barrier and the neutron capture cross section of gold in the energy range to 30 KeV with resolved Γ_{γ} to 600 eV.
- ii) <u>Cadarache</u> The group at Cadarache were continuing the EANDC cooperation project on absolute neutron flux measurements with the 5 MeV Van de Graaff and were working on ⁶Li as a neutron standard reaction. A $C_{6}F_{6}$ liquid scintillator (Maier-Leibnitz detector) was used in a series of capture cross section measurements: Cr, Ni, Fe, Rh from 10 to 65 KeV; Na, Ta, Au from 10 to 160 KeV; Mn, ²³⁸U from 10 to 550 KeV.

In addition to the above, a summary report on the experimental activities carried out at Bruyères-le-Chatel (Nuclear Physics Division) was presented by Michaudon.

The progress report included:

\overline{v} and \overline{E}	in the slow neutron resonances of 241 Pu using the Saclay 60 MeV
γ	linac (joint experiment with the Saclay group).
	In contrast to what has been observed for 239_{Pu} and 235_{H}
	in contrast to what has been observed for ru and 0, no
	variation of v and E has been detected in the Pu reso- γ
	nances.
\overline{v} . ²³⁵ U	from 200 KeV-1 MeV. Due to high background, the existence of
	structure in the $\overline{ u}$ variation with E cannot be confirmed at
	present.
(n,2n)	cross sections from threshold to 15 MeV have been measured for the
	following nuclei:
	⁴⁵ Sc, Fe, ⁵⁹ Co, ⁸⁹ Y, ¹⁶⁹ Tm, ¹⁷⁵ Lu, ¹⁸¹ La, ¹⁹⁷ Au and ²⁰⁹ Bi
	(additional points have been obtained at 14.5 and 15 MeV).
	- W, Pt, Ni, Nb, Rh (data obtained).
	- separated isotopes of Sm and Se (in progress).
(d,n)	angular distributions of the emitted neutrons have been measured
	for:
	- ⁵⁶ Fe (good agreement with (³ He,d) data)
	$-\frac{26}{Mg}, \frac{30}{Si}, \frac{31}{P}, \frac{69}{Ga}, \frac{71}{Ga}, \frac{140}{Ce}$
<pre>/ ````````````````````````````````````</pre>	
(n,n)	- separated isotopes of Se (76-78-80-82)
(n,x)	- separated isotopes of Sm (148-150-152).
239Pu(d.pf)	measurements of anisotropy, mass distribution and kinetic energy
	of the fission fragments emitted in this reaction combined with
	dete en enertenesse ficcien of energy states and the iccurring state
	uata on spontaneous fission of ground state and the isomeric state
	seem to show that two modes of fission appear in the Pu system
	depending on the energy and damping on the fissioning state:
	- superfluid motion for the ground state, the isomeric state, and
	the vibrational state at 4.65 MeV.

- viscous motion for states above 4.65 MeV excitation energy.

B) Evaluation

Joly mentioned that 3 laboratories were engaged in fission product work involving decay schemes and mass distribution of fission products from various fissile isotopes at different energies. This is part of the support for CEA file on fission product recommended data $(T_{\frac{1}{2}}, E, E, yields, etc..)$ being established in ENDF/B-III format and in the process of translation into ENDF/B-IV format to allow introduction of accuracy.

Michaudon mentioned that a description of several model calculations has been made at the Topical discussion of the NEANDC meeting in Tokyo. These calculations include:

- Neutron-Nucleus Cross Sections in Heavy Nuclei with a Coupled Channel Model from 10 KeV to 20 MeV. (These calculations are extended to medium-mass nuclei such as ⁹³Nb, ⁸⁹V).
- Effects of Nuclear Deformations on Neutron Total Cross Sections (especially for Sm isotopes in the transition region).
- Calculations of (n,n') Cross Sections from 2 MeV to 7 MeV neutron energy for light nuclei (Cr,Ni).
- Evaluation of the (n,xn) and (n,xnf) Cross Sections for Heavy Nuclei with the Statistical Model Results are obtained from 2 MeV to 15 MeV for Uranium Isotopes (²³²U to ²³⁹U).
- Statistical Model Evaluation of Neutron-Induced Fission and Capture Cross Sections of Heavy Nuclei from 3 KeV to 2 MeV. Results for ²³²U, ²³⁵U, ²³⁸Pu and ²⁴⁰Pu are available.

FED. REP. of GERMANY

Cierjacks reported that besides the activities included in the European Progress Report NEA-NDC(E)/161"U", the following work in progress or recently completed had to be mentioned.

- A) Measurements (Karlsruhe)
- a) At 3 MV VdG accelerator
 - measurements of 238 U capture cross section in the energy range 10-500 KeV relative to capture cross section of Au and fission cross section of 235 U.

Complementary measurements are underway to normalize the relative data at about 500 KeV.

- 18 -
- the measurements of γ -production in resonance capture of Fe and Ni using a Ge(Li) detector were completed.

The results have been reported at the Petten Conference.

- measurements of $\frac{1}{\nu}$ and α for ²³⁹ Pu are in progress.
- capture cross section measurements for ²⁴⁰Pu, ²⁴²Pu and ²⁴¹Am with a Moxon-Rae detector are in preparation.
- b) At FR 2 reactor
 - in the framework of the Safeguards program, decay schemes and transition probabilities of ²⁴⁰Pu and ²⁴²Pu have been measured and published.
- c) At the cyclotron
 - measurements of (n,n',γ) cross sections on Ni and Cr have been completed, and the analysis of the experimental results is underway.
 - elastic scattering cross section measurements on C , O , Si and Ca at 10 scattering angles with high resolution have been completed.
 Measurements on Fe and Pb are in progress.
- B) New facilities
- Hamburg: the variable energy cyclotron has come into full operation with the following characteristics:

Projectile	Energy range	Beam current (µA)		
type	(MeV)	Internal	External	
р	3-28	100	30	
d	2-17	100	30	
³ He	10-44	25	5-10	
α	10-32	25	5-10	

- Bochum: the new dynamitron of the University was put into operation at the beginning of 1974.
- Braunschweig: the compact cyclotron is expected to be installed in the very near future at the PTB.
- Darmstadt: the Heavy-ion accelerator UNILAC will go into operation at the beginning of 1975. The machine will accelerate ions up to U with an energy of ~10 MeV/nucleon.

C) Evaluation

The evaluations of σ_f for ²³⁵U and ²³⁸U between 1-20 MeV, relative to H(n,p) are almost completed. Results are expected to be available at the end of 1974.

HUNGARY

Nuclear Data activities in Hungary in 1973 were described in the INDC(HUN)-11/L document.

Berenyi indicated that two universities and two research institutes were engaged in production of nuclear data and that increased collaboration was occurring with other branches of science.

INDIA

In addition to the Progress Report from India published as INDC report INDC(SEC)-42/L which covers the work performed during 1973, the following points were underscored by Mehta.

A) Measurements

- i) Charged Particles At Trombay, the major effort concerns the absolute measurement of (p,n) cross sections. Measurements are underway for the (p,n) reaction in ⁵⁵Mn from near threshold to about 5 MeV. Apart from this, there is a programme of studying elastic alpha scattering from light nuclei in which ${}^{6}Li(\alpha,\alpha){}^{6}Li$ work is completed and data have been measured for ${}^{24}Mg$ and ${}^{26}Mg$ isotopes.
- ii) Fission Fission studies at Trombay have included determination of fragment isotopic yields in the case of spontaneous fission of ²⁵²Cf accompanied by the emission of light charged particles (LCP). These measurements utilised high resolution detection of prompt gamma rays emitted from fragments in case of LCP fission relative to binary fission. An experiment was in progress with encouraging preliminary results to measure the cross section for the excitation of fission isomers of ²³⁸U by inelastic scattering with 14 MeV neutrons.

B) Facilities

Mehta mentioned that the variable energy cyclotron (Calcutta) should be operational in 1975 and that a Li(p,n) facility would be installed for neutron data work. The 100 MW research reactor will provide 2.10^{14} n cm⁻² s⁻¹ in 1979 and will be equipped with hot and cold neutron sources.

C) Evaluation

The theoretical reactor physics group had calculated total, elastic, inelastic cross sections with optical and statistical models for fissile and fertile materials used in the fast breeder reactor thorium fuel cycle over the energy range 0.1 to 20 MeV. For multigroup cross section sets 1020 energy point values over the energy range 0.4 eV to 10 MeV scattering matrices have been prepared for various light and medium mass nuclides. These were now on magnetic tape in ENDF/B format.

ITALY

A summary of the Italian contribution to the European Progress Report NEA-NDC(E)/161"U" was circulated by Benzi. He underscored the following points:

A) <u>Measurements</u>

The following work was carried out by the Trieste group using the Padua VdG:

- i) Elastic scattering of neutrons from carbon in the incident neutron energy range 1.98 to 4.64 MeV. Angular distributions were obtained by means of a neutron time-of-flight spectrometer. Data were taken for eight energies and for thirteen scattering angles. A phase-shift analysis was carried out and a set of phase angles capable of reproducing the elastic data was obtained.
- ii) Angular distributions of the neutrons scattered by ⁶Li , which have been measured by means of a neutron time of flight spectrometer for eight values of the incident neutron energy in the interval from 1.98 MeV to 4.64 MeV. The angular distributions have been determined at thirteen angles in the interval from 30° to 140°, in the laboratory frame of reference. The differential and the total elastic cross-sections have been then deduced from the angular distributions.

B) Facilities

The fast-thermal RB-2/TV reactor went critical at the beginning of September 1974 in Bologna.

In the framework of a joint CNEN-AGIP/N-CCR/ISPRA-CEA agreement, integral measurements based on the zero-reactivity method will be carried out during 1975 in order to have experimental values of capture integrals of Fe, Ni, Cr in neutron fluxes having energy spectra similar to those of large fast reactors.

JAPAN

In addition to the Japanese Progress Report INDC(JAP)23"L" the following activities were mentioned by Fuketa.

A) Measurements

R.C. Block et al. at Kumatori Linac (Research Reactor Institute, Kyoto University) performed iron filtered beam, t.o.f. transmission measurements on C , Be and O near 24 KeV. The obtained total cross section values are supposed to have very high precision.

B) Facilities

In reply to Joly, Fuketa said that the JAERI Linac is fully operational, but the repetition rate had yet to meet specification. The achievement of high currents would require installation of a new gun.

C) Evaluation

Fuketa highlighted the fission product evaluation for fast reactors in the recently issued progress report INDC(JAP)22/G. This was a preliminary evaluation and a preliminary benchmark integral experiment has been established to test this work.

NETHERLANDS

The progress report is included in INDC(SEC)-43/L. Wapstra highlighted these subjects:

A) Measurements

- (a) The use of polarised neutrons and polarised targets to determine the spins in ²³⁵U neutron capture. A better polarised neutron source was being developed using a better mirror and should be ready in 1975. The neutron capture gamma rays in rare isotopes such as ⁵⁰Cr were being studied as was the circular polarisation of gamma rays following capture of polarised neutron.
- (b) Table 24 in the report on fission product cross sections and reactivity should be available soon and an evaluation of cross sections for fission products for 60 isotopes be completed by late 1975.

B) Evaluation

Regular adjustements to and evaluation of nuclear masses. An up to date file was maintained and data would be provided to those interested. A broad overall review would show:

- substantial improvement in masses of Th, U and Pu isotopes.
 This improvement over earlier compilations was due mainly to new mass spectrometry results from Minnesota.
- (ii) vast improvement in masses of extremely neutron deficient isotopes (150<A<220) arises from better knowledge of α active chains.
- (iii) very interesting information on neutron-rich light isotopes
 (A<50), partly obtained at Orsay through mass spectrometry on very unstable isotopes.
- (iv) Little improvement in masses of neutron rich isotopes, particular ly fission nuclides. Measurements are still poor, but prospects have been improved by the recent developments in mass spectrometry of unstable nuclides.

SWEDEN

A) Measurements

Conde reported continuation of the scattering (elastic and inelastic) work at Studsvik. For elastic scattering, the angular representation had been refined, and the energy range increased up to about 10 MeV. The inelastic measurements were intended to check nuclear theories. Inelastic scattering measurements at KeV energies were being undertaken for 238 U. In addition to the neutron fission spectrum measurements, new experiments were in progress on delayed gamma rays from fission in the range 1 to 1000 s. The reactor physics group at Studsvik was measuring calorimetrically the fission decay heat of fission products 20 to 30 seconds after irradiation.

At the Chalmers University of Technology measurements were planned in the KeV-region using a neutron filter constructed for the R 2 reactor at Studsvik giving 10^6 neutrons cm⁻² s⁻¹. The measurement of the ⁵⁹Ni(n, α) cross section gave a slightly higher value than previously reported by Eiland and Kirouac.

The Lund University had measured the activation cross section of 115 In(n, γ)^{116m}In at 15 MeV and obtained values an order of magnitude lower than previous measurements. These would be repeated using an improved target system to decrease the contribution of low energy neutrons.

At the Research Institute of National Defense, measurements have been made of fission cross section ratios and gamma-ray production cross section ratios in the neutron energy region above 5 MeV. The Swedish Research Council Laboratory had continued the measuring program on fission products by an on-line mass spectrometer allied with the R 2 reactor and was obtaining half lives and other decay properties.

B) Facilities

The 6 MeV tandem-pelletron installation at Lund has been delayed until spring 1975.

U.K.

Rose underlined the following activities among those described in the U.K. Nuclear Data Progress Report for the period April 1973 - March 1974:

A) Measurements

- a) The natural isotopes of hafnium were the subject of thorough investigation of total and capture cross sections from a few MeV to 100 KeV and a resonance analysis has been done up to 40 eV.
- b) Cunninghame has measured the absolute yield of five fission products from the fission of ²³⁵U and ²³⁹Pu, at six energies between 130 KeV and 17 MeV. The yields on the peak are constant to uncertainties of 4 per cent in the case of ²³⁵U and yields in the valley and wings of the distribution increase with initiating neutron energy.
- c) The measurements of the half lifes of ²³⁷Np and ²³⁹Pu previously reported should be complete this year and the measurement of ²⁴⁴Cm production cross section from ²⁴³Am is proposed for a ZEBRA fast reactor spectrum.

B) Evaluation

Rose indicated the major changes in Sowerby's simultaneous evaluation of 238 U capture, 235 U fission and the ratio of 238 U capture to 235 U fission in the energy range 100 KeV to 1 MeV. It is thought that incompatibility between them arises from errors in the ratio measurement.

The possibility that the experimental and calculated neutron spectra in fast ceramic fuelled reactors could be reconciled by invoking the 238 U(n, γ n') reaction as an additional moderating mechanism has been discussed by Lynn, who has found the cross section to be two orders of magnitude too small. (Smith later confirmed that Moldauer has reached similar conclusions in Nucl. Sci. and Eng. The reaction has a μ b cross section).

U.S.A.

Smith and Motz confined their remarks mainly to highlights of USNDC-11 Progress Report.

A) Measurements

Smith mentioned that a paper had been produced on fast neutron capture in uranium between 500 and 3500 KeV and other fast neutron capture studies on gold, nickel and niobium. Inelastic scattering work for ²³⁸U and heavily deformed nuclei had continued and a major effort into intermediate structural materials had occurred. Smith reported also papers on molybdenum and zirconium in which the physics of isospin and shell closure had been investigated for elastic and inelastic scattering over a wide range.

At Ohio University a new group has commenced work on neutron scattering in light nuclei (B, Li, etc..) at energies greater than 1 MeV and using R matrix theory to interpret the study. Progress was being made in (n,p) and (n,α) reactions.

Important neutron polarisation scattering experiments with light elements (Li, He, Be and C) were in progress at Yale.

Motz indicated the potential significance of the 233 U fission work at Columbia. The partial $\sigma_{\rm f}$ was correlated with the energy bin of the lower peak of the fission fragment distribution, taking 10 slices on this lower peak. Subtle but significant changes in the apparent resonance structure are found for all three nuclei (3 U, 5 U and 9 Pu) as the gating is changed. Resonances appear and disappear, double, and have a skew effect with bias. This indicates a new complication to fission which might require an additional quantum number.

The 235 U fission cross section relative to H(n,p) over the energy range 3 MeV to 20 MeV is being measured at Livermore as mentioned in the sub-committee. Also at LLL measurement of the ratios of fission cross sections of 233 U, 238 U, and 239 Pu to the fission cross section of 235 U is in progress over the energy range of a few hundred KeV to 30 MeV.

Continuing thermal neutron capture experiments at Los Alamos have shown new weak transitions in Be with 4 μ b cross sections, which gives an indication of the sensitivity of the experimental system.

Oak Ridge work on capture gamma rays from capture of neutrons in the 100 KeV to 20 MeV region continued with the gamma rays in the range of a fraction of MeV to the binding energy, of great interest in shielding. A new 238 U capture measurement was planned with new detectors because of the discrepancies which existed and could not be understood.

B) Facilities

- a) At Duke University, the Cyclo-Graaff (a 15 MeV cyclotron injecting into a Model FN tandem Van de Graaff) has been in operation for six years. A neutron time of flight system was obtained from the Aereospace Laboratory at the Wright Patterson Air Force Base. This system is completely devoted to fast neutron cross section measurements.
- b) The 100 m flight path at NBS was now operational.

C) Evaluation

In addition to the experimental work, a number of activities on evaluation were mentioned. Smith reported that a revision of Nb for CTR applications was completed. He drew attention to the effort devoted to the conversion of the fission product file at NRTS into ENDF/B-IV format. Referring to the above mentioned experimental work, Smith noted the uncertainties in model calculations and drew attention to a forthcoming paper at the American Physical Society's October 1974 meeting, entitled "How and Why the Hauser-Feshbach Formula Works". He suggested there were many serious unresolved problems associated with the compound nucleus process.

Smith tabled a number of Argonne reports which might not otherwise come to members' attention.

The National Bureau of Standards has issued NBS 138, a comprehensive graphical summary and guide to total cross section measurements.

An R matrix study of the 6 Li(n α) reactions was mentioned by Motz in which 19 individual reaction observations over various energy regions had been fitted and all charged particle information had been correlated simultaneously in the fit.

The delayed neutron spectra from ²³⁵U was also mentioned, as was the NSE paper from the University of Washington on the same topic, giving similar results, but which compared their work with the 1952 Batchelor data and made comments on the corrections necessary to both.

Discrepancies have been found in the decay scheme and branching ratios of 241 Pu which are of importance in safeguards work.

Motz drew members attention to a review paper by de Saussure (ORNL) at the recent ANS Topical Meeting on Reactor Physics, September 1974, which was in effect a critique of evaluations.

USSR

Several papers on experimental neutron studies (Ya.F.I. collected papers 17 and 18) and a collection of nuclear constants (Ya.K. 13 and 15) have been

sent to the IAEA. Yankov dealt with some aspects of these compendia.

At the Energy Physics Institute (Smirenkov group), the neutron spectrum from the spontaneous fission of 252 Cf, 244 Cm and 240 Pu were found to take a Maxwellian form. For 252 Cf, T=1.42+0.03.

Kazansky et al. were continuing alpha measurement in 239 Pu at the following energies: 2, 24.5 and 140 KeV and the Kononov group were measuring α , $\sigma_{\rm f}$ and $\sigma_{\rm n\gamma}$ for 235 U and 239 Pu from a few to 100 KeV. Papers from this group were presented to the sub-committee on Discrepancies.

Measurements of $\overline{\nu}$ for ²⁴⁰Pu, ²⁴¹Pu and ²³³U were being made by the Kusminov group also.

At the Experimental Reactor Institute,Zamyatin is investigating $\overline{\nu}$ for the curium isotopes 244 Cm, 246 Cm and 248 Cm and Smirenkin the fission cross section of 249 Cf.

Muradyan (Atomic Energy Institute) is measuring neutron resonance parameters for fission products, including those of ⁹⁹Tc.

Salnikov at the Physics Energy Institute is studying the secondary neutron spectrum from inelastic scattering on Fe, Co, Ni, Cu, Nb, Sn, Bi at a variety of angles for 9.1 MeV initial neutron energy.

CBNM - EURATOM (Geel)

A) Measurements

As many of Geel's activities were concerned with standards and as these have been discussed in the Standards Sub-committee report, Liskien restricted himself to complementary issues.

On the linac, resonance parameters for 238 U were being measured from 10 eV to 4 KeV and average capture cross section below 100 KeV. Other resonance parameter or $\sigma_{n\gamma}$ measurements were available on 91 Zr and 96 Zr(E<15 KeV) and for 237 Np(<250 eV).

The VdG was in use in measuring (n, 2n) cross sections for Au and ⁶⁶Zn in the 12-20 MeV energy range. The neutron fission spectrum of ²³⁹Pu was being measured for neutron fission with 300 KeV neutrons. The laboratory had partic<u>i</u> pated in the first round of neutron flux intercomparison between five laboratories.

B) Facilities

Liskien reported that the two existing machines were being modernised:

- the linac upgraded with new sections to 120 MeV with a 4 ns pulse capability;
- the Van de Graaff will be replaced (1975/1976) with a 7 MV machine with a klystron buncher instead of the Mobley buncher.

III.B. Short Report on Nuclear Data Measurements in Countries Not Represented on INDC

Schmidt reported a substantial increase in the number of countries providing information on their neutron and non-neutron nuclear data activities. This was reaching the stage of being a useful survey of nuclear physics activity and of increasing importance and use to other Agency bodies. The report, INDC 43(L) indicated substantial international cooperation, particularly between East European countries and Dubna. He drew attention to a report from the Tehran University Nuclear Centre (late arrival) and the Brazilian investigation of the resonance fluctuation factor in Hauser-Feshbach theory - a topic already suggested for inclusion in the agenda of the forthcoming IAEA Consultants Meeting in the use of Nuclear Theory for Neutron Rata Evaluation at Trieste.

IV. NUCLEAR DATA MEASUREMENT REQUIREMENTS

IV.A. WRENDA^(°)

A paper by Dunford prepared for the 1974 Four Centres meeting provided the background to the discussion on this item and it was agreed to deal with the proposals set out by Dunford in this document, labelled "Working Paper 4". (Appendix IX).

The proposals were:

- INDC endorse the policy of withdrawing from WRENDA those requests from a country which has not reviewed their WRENDA entries for two successive years or more.
- Care should be taken to submit WRENDA requests in the agreed manner. If the current country retrieval method is inconvenient, could INDC suggest some alternative approach.
- 3. Countries provide sufficient information to enable the request to be given a status flag with the following categories suggested: new, revised, satisfied, no longer required.

Schmidt explained that the first proposal had arisen in order to give to the NDS some necessary control over the entries. It was unanimously endorsed by the Committee members.

The second proposal had arisen because some CCDN countries have not used their "country retrieval" for revising their entries and this had added unnecessarily to the Data Centre work load.

Rose suggested that retrievals be issued in good time, although the 8 months in use at present may be too far in advance, and that a reminder/follow-up system be instituted. Cierjacks thought the system used in CCDN by Froehner was satisfac tory - no requests entered unless a response to the current WRENDA retrieval was submitted.

An "all members" action was started in order to have revised national WRENDA lists submitted in time and approved manner (Action 7).

As far as the third proposal is concerned, Joly sought the reason for requesting the distinction, to which Schmidt replied that statistics would be useful to NDS/INDC in evaluating WRENDA. Rose felt that the distinction would be useful. His confidence in the value of WRENDA has been shaken by the large number of withdrawals of requests last year, which had not been fulfilled. He felt there was no purpose to WRENDA unless it was treated as a serious document.

Rose was in favour of differentiating between satisfied and withdrawn requests, but indicated it required all countries to partecipate if useful statistics were to be achieved. Joly said that at the Four Centres meeting, NDS had proposed to give wider distribution to WRENDA, for example, to those smaller countries capable of supporting some work to meet requests. Schmidt said it was his intention to issue WRENDA to, and discuss it with various missions to the Agency. He thought it would be worthwhile if INDC members indicated in their progress reports the relevance of the work to WRENDA requests. This again would assist in determining the usefulness of WRENDA, indicate requests which were unlikely to be satisfied, etc..

Gemmell indicated he was not convinced of WRENDA's essential usefulness. It was obvious that members had insufficient information and insufficient time to make meaningful decisions now, and prposed that a session be set aside at the next INDC meeting on this item. Smith agreed. He felt next year's list should be agreed upon, but was fearful of the inflation - safeguards, safety, fission product, CTR, biomedical application proliferation. He felt that attention should be given to combining them all, to improve the numbering, making it more effective in stimulating experimental work, and provide some means of highlighting the 100 most prominent requests of specific importance. The WRENDA lists badly needed consolidation and selectivity. Liskien disagreed. He felt WRENDA should stay oriented to the user rather than the producer. However, he felt that it no longer is specific to projects and not consolidated. Cross felt that the spirit of the last few INDC meetings had been that request lists should not be combined until the needs of users became well defined and known.

Gemmell, in summarising this discussion, proposed that:

- (a) In short term, NDS continue to edit WRENDA and that INDC members indicate to NDS when a request is withdrawn and whether it has been satisfied or is no longer of interest to the country.
- (b) In future, data measurements listed in progress reports should be shown against WRENDA numbers.
- (c) At the next INDC meeting a session be set aside to review WRENDA, and that several working papers be prepared in advance of next meeting, one by NDS and two or three by members.

It was suggested by Gemmell to have at least one working paper for WRENDA and one against.

The proposals were approved (see actions 8,9,10,11).

Usachev explained the reasons why the USSR had not renewed its requests for some time. It had held off doing so to ensure that the essential requests included proper accuracies for fast neutron reactions giving due weight to reactivity coefficients, breeding ratios, etc.. The requests would be conserva tive ones if there were no integral experiment checks. They were developing mathematical procedures for specifying the accuracy of these requests. A recent step took account formally of integral experiments and an arbitrary number of related integral parameters such as breeding and shielding quantities and not just for a single reactor could be used. The mathematical methods developed so far on these procedures were published in a report which he tabled. The requests using this technique were not final static ones because they depended on integral experiments constantly undergoing revision, but at least they called for less stringent data. The 1975 USSR request list would follow the UK as regards priorities: where no integral experiment was involved, the microscopic data request would be priority 2 and be a longterm one, not subject to review every 2 years. Requests taking account of integral experiments, whose systematic errors are not understood, would be reviewed more often. At the last INDC meeting all INDC members had been invited to indicate their ideas on errors and he had done so in a paper on which he talked about in some detail.

The paper is given in Appendix X.

Smith indicated that several groups in the USA were also concerned at random and correlated error analysis, particularly their impact on fast breeder reactor design. He suggested Usachev should contact the ANL group in this area (Hummel, Hwang, Stacev, etc..) Some of their work on error analysis and sensitivity studies appeared in the literature and, in particular, papers were presented at a recent ANS topical meeting.

A forthcoming paper by F. Perey (to be presented at the Washington '75 Conference on Nuclear Cross Sections and Technology) indicates how random and correlated errors could be accomodated on the ENDF/B file. He sought Usachev's views on the use of clean critical integral experiments in the USSR whether they were designed for physics data information as such rather than as a corollary to reactor design needs. Usachev indicated they were an essential phase of the USSR total concept. Integral benchmark assemblies were designed for such purposes and experimental results were filed in the library together with sensitivity coefficients, etc.., to enable group cross sections to be adjusted. Several approaches were used. They also looked at how these integral experiments were described by microscopic data on one hand, and using these integral data to adjust the group

- 30 -

cross sections to improve their description of the experiment.

Fuketa thought Usachev's views were sound for the experimenter and evaluator, but the user wanted an overall accuracy (statistical and systematic) indicated. The WRENDA accuracy should be that requested by the user. He felt that inclusion of integral quantities and their accuracies in WRENDA would make WRENDA complicated. It would be difficult to define a unique combined accuracy, and undoubtedly it would need proper rules for comments and more flags.

Usachev agreed with Fuketa about the difficulty of having a single method of setting out accuracies in WRENDA, but thought it possible and useful if the requests from one origin, say USSR, could be commented on and have a complete algorithm indicated and the sense of the accuracy specified for each case.

IV.B. Targets and Samples Program (°)

Smith distributed copies of the US electromagnetically enriched isotope inventory as of March 1974 (^{°°}), and indicated that the US policy on loans and sales was that announced by Rogosa at the last NEANDC meeting. He indicated that samples were available by sale for all research purposes and loans are judged on their specific merit. Both OECD and non-OECD countries have recently benefited from these arrangements. The IAEA had access to this inventory. Schmidt sought the views of Rose, Usachev and Liskien on the availability of samples from the UK, USSR and CCDN loan pool. Usachev's informal enquiries indicated that loans were available for France and Federal Republic of Germany at 5 per cent of cost per annum. A catalogue of USSR isotopes available for loan, or sale was available from Techno Export. (Liskien indicated that it was better to write to the Techno Export agent in the member's own country. He had the name and address of the German agent). Schmidt was told that it was best if IAEA wrote directly to Techno Export on IAEA letter head.

IV.C. Nuclear Data Measurements in Developing Countries (Part I)

This item was left to the "ad hoc" Subcommittee.

IV.D. Review of Recommendations from 1973/74 NDS Meetings

This item was merged with the Agenda item XII D (see below).

^(°) Discussed on Wednesday.

^(°°) See Appendix XI.

V. NEUTRON NUCLEAR DATA

V.A. Tenth Four-Centres Meeting (°)

Schmidt indicated the highlights of the meeting, given in the Nuclear Data Section's report to INDC (INDC-SEC-63/L, p. 42/3), with a fuller account of the meeting given in INDC(NDS)-58/G.

Although the centres recognise that various aspects are unsatisfactory and malfunctions exist, development work on neutron data files and formats is essen tially complete and operates routinely. The EXFOR backlog at CCDN and NDS, due mainly to manpower problems, had been discussed. The data files themselves were generally complete, but were not all yet available in EXFOR format. This should be overcome in the near future, Schmidt drew attention to the compilation problems which had arisen because of difficulty in getting staff replaced quickly.

Discussions between the centres indicated that implementation of the new WRENDA system would be smooth.

The extension of the EXFOR exchange format for neutron data to non-neutron nuclear data was agreed upon, as was the inclusion of the multidimensional data tabulation to non neutron data coding.

Technical difficulties of CINDA were resolved and the issue of a new CINDA instruction manual for readers recommended.CINDA programs operating at CCDN and the transfer of US work on CINDA to Brookhaven would allow improvements to the next CINDA publication with index lists attached to CINDA entries showing avail ability of data in the centres' data files.

Usachev questioned the availability of data from authors. Schmidt indicated that the Four Centres had agreed to issue a delinquency list of authors who failed to supply data to the centres, but that time and manpower had prevented action on this. He felt NDS had few problems in this regard because it kept in touch with the measurers by correspondence. NDS achieved to get the EXFOR system accepted and acknowledged by the measurers in its service area. As anticipated during the discussion of Agenda item II.E on Monday, Smith said that he was unhappy with delinquency lists and said that if used, this had to be done with great care. His name appeared on such a list, the data was promptly submitted, and six months later it was not in the compiled files. It is important that a good measurer-centre relation be retained if the latter are to be effective and have the confidence of the measurers and users. Joly confirmed Schmidt's comments about EXFOR difficulties at CCDN and said they should be solved before the end of 1974.

Smith sought an estimate of NDS effort in supporting the EXFOR system. Schmidt indicated that about 4 man years were currently devoted for this, but that half was a result of computer changeover (IBM 360/30 to IBM 370/145) which should be of a "once off" nature. This effort including coding, compiling, programming, data conversion and providing data service and answering questions.

V.B. Additional Information from Neutron Data Centres (°)

Attention of members was drawn to the publication of:

BNL-325 3rd Edition, Vol. 1. Resonance Parameters

- NEANDC95(U) Compilation of special neutron reaction cross sections for neu tron reactor dosimetry. Of special note is the abstracts of experiments in EXFOR-like format suitable for evaluations.
- IAEA Handbook on Nuclear Activation Cross Sections. (See actions n. 12 and 13)
- NEANDC 97(U) Computer programs available at CPL for neutron cross section calculations and evaluations.

Benzi noted that the latter was intended to indicate selected, most widely used codes to form the basis of CPL library, but to his knowledge no action to get them had commenced.

Smith drew attention to recent US activities (USNDC-INDC 65(U), p. 61) dealing with planning for the fifth version of ENDF/B and thought that the Standards file would probably be available to IAEA/NDS in due course. Volume 2 of BNL-325 was in press and consisted of cross section curves. Usachev outlined recent developments in USSR activities. In addition to basic compilation and evaluation of microscopic cross sections, they had the task of generating nuclear constants for reactor studies. This included a library of integral benchmark experiments with associated sensitivity coefficients and derivation of group constants from evaluated data. Comparison of evaluated data with the integral quantities in the benchmark library allowed a unification of the data - adjustment of constants and consideration of the integral experiments set down the data requirements in terms of accuracy to be achieved in experiments - in a planned program as already outlined. This presented an iterative approach to nuclear data and improved the effectiveness of the work.

Evaluated Data and Evaluated Data Exchange (°) V.C.

Usachev reported that Konshin's ²³⁹Pu evaluation presented at the Kiev conference was now complete and available on punched tape. Transfer to magnetic tape - unusual in current USSR practice - was being actively pursued and should be available for distribution by the end of 1974. Currently, a 500 page report on the evaluation would be available on request to those active in the evaluation field, but would not be published in the usual sense. It was intended to present in "Nuclear Constants" a 10 to 20 page statement on this evaluated file in a manner based on similar USA standard file description.

A similar file for iron would also be available on magnetic tape soon. Several papers had been published over the years on various aspects of iron evaluations (cross sections above 2 MeV, cross section in the resonance range) and this had been completed with complementary studies.

An evaluation of 235 U by Konshin was mentioned by Usachev as being almost complete and would be accompanied by a 700 page report setting out details of the evaluation. The deuterium evaluation by the Nikolaev group was also being transferred to magnetic tape. He hoped that both of these items would be avail able shortly.

Russian studies having a bearing on evaluations were:

- Tolstikov's evaluation of $(\sigma_{n\gamma}^{238}U)/\sigma_{nf}^{239}Pu$ has been published this year in Nuclear Constants 13. It was hoped that it would be issued soon as an INDC 'G' distribution. Usachev had two copies with him.
- Lukyianov and Saprykin's theoretical study describing the Salnikov group's measurements of angular scattering at six angles and at 9.2 and 14 MeV by a direct reaction involving a physical excitation by the neutron of a nuclear nucleon. This was the simplest model possible and provided a good description of the process. This should enable the gap between experimental points to be filled by interpolation.
- Usachev noted the publication of cross section calculations based on coupled channel theory for iron, and
- the compilation of evaluated activation cross sections for threshold reactions, considered in an earlier discussion on reactor dosimetry. This covered 20 isotopes and provided curves averaged over all exis-

(°)

ting results. These are given in Nuclear Constants 15.

Schmidt queried how much of this evaluation was based on original USSR work and having consulted the references in the Nuclear Constants report brought to the meeting, found only few. He wondered whether this indicated a lack of interest in the reactor dosimetry field. Usachev was unable to confirm or deny the non existence of USSR work in this area, but felt that this was the purpose of international cooperation - that it was possible to exchange information and avoid always measuring the same quantities.

Finally, Usachev drew attention to Nuclear Constants 12, Part 2, containing a survey by Abramov on photoneutron reactions close to threshold and the collection of constants and decay schemes for gamma emitting radioisotopes in the appendix to Nuclear Constants 14. The latter was a reference work by physicists active in activation analysis generally, and reactor coolant circuits specifically. It contained gamma spectra data on 72 isotopes of practical interest to them.

Schmidt introduced the Working Paper n. 6 (see Appendix XII), indicating what evaluated files were available at NDS.

Smith drew Schmidt's attention to the fact that it was ENDF/B-IV Standards Reference Files that were available at NDS and hoped that version V would be available soon. He then addressed himself to the problem of documentation. He felt this was a serious problem because, without adequate description, the file could not be read. He then outlined his problems with the USSR evaluations available at NNCSC. These were the Nikolaev elastic scattering angular distribution and the 238 U evaluated file on file tapes 715 and 700. Only the 238 U evaluated file was complete in the ENDF/B sense and although he had some success in untangling it, he found many critical items, particularly in the resonance region, undocumented. He thought it impossible, without a massive effort, completely understand to what the file contained or meant. If the transfer and exchange of evaluated data was to be treated as a serious matter, then documentation of the format was an absolute essential. He would like to propose the following guidelines:

- That evaluated data being exchanged should be considered to be implemented and effective only when there was a common language documentation on format, definition, on file production and some mechanism for converting the file from one format to another in anautomated manner.

He drew attention to the meeting arranged by Benzi at Bologna on format conversion and suggested increased attention should be given to: (i) programs which were capable of converting one format to another, and

(ii) the scope of the files.

He personally felt that certain parts of the USSR files were superior to US files, because they agreed with his own measurements, but was unable to check USSR files with benchmark calculations.

The INDC should give its attention to the comprehensive nature of file exchange and not just exchange of numbers on magnetic tape. This meant definition of formats, documentation and a mechanism for transformation between systems.

Finally, he reiterated his plea for feedback information from those who were using the standards files. Information on errors and corrections were sought. Smith provided Usachev with some plots resulting from his work on the USSR file.

Benzi indicated that they were considering the possibility of accepting the Sokrator format in their "Four Aces" program, which at present accept KEDAK, UK and ENDF/B files to produce group cross section libraries.

They were held up by the absence of adequate documentation, e.g. whether treatment of resonances was single or multilevel.

Usachev expressed surprise that documentation on the ²³⁸U file was lacking because everything had been written in English and the tape contained complete indications of its content at the beginning of the file. He felt there must be some misunderstanding and suggested that Smith and Benzi should write to the authors, either directly or via the data centre. Usachev added that he hoped feedback would not be restricted to US files as everyone would benefit from feedback which indeed was one of the main purposes of international exchange and publication.

Schmidt indicated that the USSR "Sokrator" format was detailed in English in INDC reports CCP-13L and CCP-23G and that these were manuals in sufficient detail to run the program. He indicated that it was the responsibility of member states and not the IAEA to translate the back-up documentation (i.e. the 500 to 700 page reports mentioned earlier).

The following actions were agreed upon:

- on CJD. To ensure that adequate documentation is included to make reading of the evaluated file on magnetic tape possible (action n.14);
- on Four Centres. To encourage users of standards files to supply feedback information to the centres and originators of the evaluation (action n.15).

- 36 -

V.D. International Newsletter on Evaluations (°)

Schmidt said that the two actions on himself and Rosen (NEA) had not been fulfilled, chiefly because of other pressures on his time. To the question by Smith on who uses such a newsletter and how its quality should be judged, Schmidt indicated that the question should be addressed to INDC members from NEA countries. No INDC members from countries outside NEA had access to the newsletter.

Usachev pointed out that the position taken by Rosen at the last meeting (and repeated by Schmidt again now) had stopped action on such a newsletter. It was essential to have NEANDC opinion and approval. This could not be obtained while Rosen was not present.

Joly proposed that the actions be retained and urged that Schmidt and Rosen attempt to complete them by the next meeting. He was concerned as to whether NDS knew all the groups likely to be involved and how a uniform format could be obtained. He felt that may be the CCDN format could be employed.

Schmidt sought approval to initiate an NDS newsletter on evaluations, similar to the fission product data newsletter proposal. It would have contributions from those groups prepared to contribute. Usachev did not understand what was to be gained. He felt that reciprocity was essential.

It was agreed to continue the actions of the previous meeting.

Discussed on Friday

- 37 -

VI. NON NEUTRON NUCLEAR DATA

VI.A. i) Charged Particle and Photonuclear Data

ii) Nuclear Data for Applications (°)

Schmidt opened the discussion on the reports recommendations of specialist meetings on Nuclear Data for Applications (INDC(NDS)-60/W) and on Charged Particle and Photonuclear Data (INDC(NDS)-59/W), saying that the matter was rather difficult and new to the INDC.

At the last INDC meeting, it was agreed that the responsibility for policy advisory functions with regard to the non-neutron nuclear data was a typical task for the Committee. It was also decided, for technical aspects of compilation and evaluation, to have small specialist meetings being held in parallel with INDC. Non-neutron nuclear data would be the concern of both the Energy and Non-Energy Applications sub-committees (e.g. fission product data).

Following last year's recommendations to the Director General on this item, the Agency understands that INDC will try to determine requirements and priorities for non-neutron nuclear data, particularly in those application fields in which IAEA currently has activities and programs. As requirements become established, measurements and compilation programs can be initiated. These functions were clearly stated at the last INDC meeting in regard to the roles of the sub--committee on Non-Energy Applications (Items II F3, II G and Appendix III of 6th Meeting minutes). A planned agenda of meetings on the technical aspects of comp<u>i</u> lation of nuclear structure and reaction data was also approved at the last INDC meeting and the first meeting on "Nuclear Data for Applications" was held in May 1974 (see INDC(NDS)/60, September 1974).

Discussions after the last INDC meeting with Professor Munzel, Head of the charged particle nuclear reaction data evaluation group at Karlsruhe, had convinced Schmidt that INDC was correct in seeking the meeting to consider all non--neutron nuclear structure and reaction data and hence a small group meeting on "Charged Particle and Photonuclear Reaction Data" had been held in conjunction with and immediately preceding the "Nuclear Data for Applications" meeting.

Most participants stayed over for both meetings. It was not possible to get everyone in the field together, but the number of those present indicated the growing interest in international participation, rather than individual action in ad-hoc compilation and evaluation. The sharing of the compilation and evaluation of mass chain nuclear data was an example where, although the USA had the major

(°)

load, the Dutch were also involved, and Sharpey-Schaeffer (UK) has offered to explore the possibility of undertaking part of the compilation for A > 45.

The problems of small national and regional data centres were recognised in terms of past experience with neutron data where it had taken years to reach the current level of compilation and availability. Schmidt felt that many faults could have been avoided with more coordination and cooperation from the start. He made it clear that the Agency considered this a long term project taking many years. The NDS was concerned at getting the scope of the non--neutron nuclear data settled and felt that a basic list of requirements was already known which would enable compilers to organise their work, oriented to real problems, and to reach agreements on formats and procedures prior to the influx of data.

Although both non-neutron nuclear data meetings met to make an overall assessment of the compilation and exchange of data and how they might be implemented, they deviated from their agenda by working out a series of recommendations on how to deal with various aspects of organising data compilation, evaluation exchange and dissemination. The requirements for compilation were not dealt with. It was the INDC's role to offer guidance on requirements for compi lation, evaluation and documentation. Lorenz and Calamand offered in tabular form (see the Appendix I of INDC(NDS)-60 and INDC(NDS)-62) a survey of the scope of basic data requirements for applications. These were not request lists and neither did they imply that data was unavailable or insufficiently accurate nor did they make claims for completeness, but they listed types of data necessary to be considered in current or future compilations. This should be looked at on a time scale of, say, 10-15 years, when a number of centres would be capable of supplying and satisfying data information on magnetic tape, worldwide. The first stage was a universal bibliographic system, capable of telling, for example, the life scientist where he should look for his information - book, paper or data centre compilation. There was a growing need for non-neutron nuclear data of a standard comparable to that achieved in neutron data. Because the data variety is larger and wider, guide lines are required for future work. The INDC should help to gather the real needs and priorities. Schmidt felt that it was impractical to wait for request lists.

With regard to a bibliographic system, agreement has been reached at both meetings to use the Oak Ridge keyword system which was gaining universal acceptance.

Smith asked if INIS was an alternative approach to this matter; INIS was similar to NSA and much broader than the subject being discussed. It was, as Cierjacks commented, capable of data retrieval. Schmidt indicated that NDS has a standing order for INIS retrieval in this area, so that he is constantly aware of what is on file.

He finds it contains only a small fraction of the literature in the nuclear data field. He pointed out thatINIS was developing and improving, and recently a subject index had been produced. A Saclay survey should be available soon of INIS and CINDA coverage of neutron data. A preliminary qualitative assessment was that CINDA, although not complete, offers much greater coverage than INIS. (see action n. 16 on NDS).

Reverting back to the bibliographic system, Schmidt indicated that both the nuclear data centres at the Kurchatov Institute and the Leningrad Nuclear Physics Institute were participating, and that the USSR Journal Atomnaya Energiya had adopted the Oak Ridge keyword system.

Schmidt made the point that the Oak Ridge Nuclear Data Project should not be expected to do the whole compilation for the whole world, and that no country can expect to get in all future data from the Oak Ridge centre unless it contributes according to its own interest and capacity.

Some USSR institutes fulfil a similar role as the Oak Ridge Nuclear Data Project and there were a few other groups active in UK, Sweden and Australia. He thought that smaller nations could make contributions to the overall effort in the form of horizontal compilations. As examples for such horizontal compilations - compiling a restricted number of properties for a wide range of nuclides -Schmidt mentioned Bird's gamma ray compilation and Endt's compilation of first rotational states in Even Nuclei.

The long-term object was to gather the results of all these efforts into an international computer file. Lack of coordination was a major danger, and the meeting thought that a central office in Vienna should assist in the coordination of these efforts.

Schmidt claimed that the cost of the compilation would be modest in terms of the cost of measurements and could be justified by the benefits to the user community and the overall progress of science.

Schmidt queried the role anticipated for NDS in this area and whether it would ultimately lead to a large capability in handling this type of data. Schmidt thought that in the long term NDS would have a major role in maintaining this large complex international file, but great care would have to be taken in the design of individual modules. Currently, effort would be devoted only to telling people where to find information and keeping them informed on what was going on and where.

Cierjacks enquired about the present capability of groups already compiling

this data, much of it being not comparised and whether INDC was asked to recommend that governments of member states provide computer time for this purpose. Schmidt indicated that it was the Agency's intention to submit the recommendations of both meetings to governments, asking them to support this activity with manpower and facilities. Cierjacks thought this was an utopian dream as the amount of data to be compiled was at least an order of magnitude larger than for the neutron field. If data on angular distributions in charged particle reactions were required for applications, then these alone were several million data points. He could not see governments increasing their funding by an order of magnitude to collect such data until definite applications and requirements had been outlined. He felt it too early, from present knowledge, to say what we needed.

Schmidt reiterated that this was a long term project and initial effort required was limited. The Energy and Non-Energy Applications sub-committees had the task of elucidating the requirements and indicating how they could be obtained. The area was very broad and the attack needed to be on specific points initially. Attention was also drawn to the fact that except for perhaps LBL and ORNL, and possibly the USSR, the computerised files do not exist. Berenyi wanted the INDC to support formation of ad-hoc advisory bodies (radiochemists, biologists, etc.. plus nuclear physicists) to discuss and investigate various aspects of the problems, perform a critical analysis leading to detailed recommendations. Michaudon sought information on the size of the total Oak Ridge Nuclear Data Project effort; Motz answered: about 20 professionals and \$ 3/4 M budget. Cierjacks was in favour of adopting an exchange format and avoiding national overlaps of work, but did not support encouragement of further compilations or further government support at this point in time. Schmidt said it was an iterative problem, not well defined yet, but with important features. Liskien, like Schmidt, felt that further compilation activity should be encouraged. The costs of compiling were only a few per cent of already committed project costs. He foresaw practical difficulties, but felt it inadvisable to say they were too difficult.

Although the recommendations given in INDC(NDS-60/W) were being discussed by the Non-Energy Applications sub-committee, a more general discussion ensued under Schmidt's leadership.

On bibliographic keywords, Usachev indicated that Kondurov from the Leningrad Nuclear Data Centre, preferred a somewhat more flexible formulation for abstracts of nuclear data and felt that there was room for further development. Schmidt indicated that the INDC could criticise, but not change the meetings' recommendations. A meeting is tentatively planned on bibliographic reference systems.

Discussing the mass chain compilation, the limited effort available meant that it was not as up to date as many wished and national distribution of effort was not satisfactory. Smith reported Horen (at September 1974) as saying that in 1975 the compilation for A > 44 would include revised data up to 1970. The USNDC felt that a 5 year turnaround time was satisfactory in view of other restrictions. They hope to maintain this 5 year cycle. Usachev said that Kondurov has organised the abstracting of all USSR literature on non-neutron nuclear data and obviously could do it more efficiently for the USSR than could the USA. That is what cooperation is about. Kondurov is also providing bibliographic abstracts of USSR literature. This cooperation will accelerate the operation if organisations took upon themselves responsibility for parts of the task and worked in uniform format.

Schmidt wanted to know if funding was guaranteed for the 5 year cycle on mass chain compilation work at Oak Ridge. Smith said Oak Ridge was seeking cooperation and participation to support its activities. It was not an autonomous centre which everyone could use. He encourages people to go to Oak Ridge and undertake an A chain evaluation and update it from their home by correspondence. Smith objected to Schmidt's and Liskien's view that compilation activity costs were negligible by comparison to cost of measurements. He thought the Berkeley and Oak Ridge centres costs are upwards of \$ 1M per year.

The "Nuclear Data for Applications" meeting felt that a 10 year review cycle for mass chain data was too long and a 3 year cycle too difficult to achieve. The INDC was generally receptive to the concept of an effective 5 year A-chain turn around time.

Schmidt pointed out some of the problems with small groups in the compilation field and urged support for the meeting's view that small groups be encouraged; he also pointed to the need for good communications where he felt NDS had been, and could continue to be helpful. Bird felt that the issue facing the INDC was how to determine the needs for compilation and evaluation since INDC could not possess all the necessary expertise for this over such a wide field. How could it proceed ? Should it be left to NDS ? Rose felt not, and Schmidt thought both bodies had a role to play, observing that needs come out of meetings like that on fission product nuclear data.

Dealing with recommendations on an International File, Rose and Berenyi thought that "as soon as possible" was too strong in view of the fact that no

evaluated non-neutron nuclear data files exist. They both felt it was a long term goal. Liskien pointed out that the application field determines the need for a file (like in the neutron case) and that with several applications, sever al files might be required, albeit with common format. He was not concerned at the variety of formats or evaluations, but at the concept of one overall evaluated file for charged particle and structure data. This was a "head in the clouds" approach. He wanted to see different files directed to different applications such as a radiochemistry, biomedical, etc.. Schmidt said the aim should be to avoid different countries having their own biomedical (for example) files in differing formats. He drew a parallel with the unfortunate neutron case where four formats existed (US, UK, FRG, USSR) and the effort which had gone into translation of formats. The type of action sought was that when Schenter introduced a format at the fission product nuclear data panel for non--neutron nuclear data for fission prducts, the panel participants from Obninsk, Winfrith and Mol, agreed to adopt the format for the major USSR, UK and FRG evaluated data files. Gemmell and Smith contended the problem lay with data processing codes rather than data format, and that provided the format is well documented and can be easily read, the problem is trivial.

The effort devoted to files for pure science and the effort involved came under discussion when Schmidt indicated the potential future needs of nuclear physics researches, e.g. heavy ion physics. Motz queried the justification and application of a file of non-neutron nuclear data for heavy ion physics. Berenyi indicated heavy ions have some applications in the study of surface impurities.

Cross doubted that updating was as important as had been made out (if considering applied users). He predicted that when the Oak Ridge file on mass chains is updated to 1970 information, it will be sufficiently complete and accurate to satisfy 99 per cent of all applied program requests. Continued updating will not be serious. He is more concerned about suitable and adequate presentation, e.g. one evaluated number or graph, rather than a computer printout.

Cross felt that the idea of a catalogue of available compilations, their availability and how to get them was a good one if it could be brought to the attention of the right people, and proposed publication in journals (as compiler printout) rather than as an NDS paper. Wapstra wondered if this was a possibility for UNISIST. Schmidt wondered if UNISIST was specific enough or would be prepared to do it. UNISIST tried to coordinate different fields and was not in horizontal alignment with data centres. Liskien thought UNISIST was less developed even than INIS, which, although over 4 years old, could not compare in scope or completeness with NSA. He though UNISIST aimed at much wider fields and was still at feasibility stage. Schmidt said great care had to be exercised in using wide scope systems for specialised applications. Cierjacks said the implications of Berenyi's and Liskien's remarks were that present needs were limited and not so urgent that NDS could cope until UNISIST developed.

In considering the implications of this work on NDS, Gemmell sought a brief outline of NDS resources of people, their capacities, duties and time already devoted to non-neutron nuclear data. Smith widened this enquiry further by saying that it was difficult for a policy advisory body to offer guidance when it was difficult to identify a management flow chart giving tasks in terms of manpower and skills available, what they were assigned to. It was difficult to judge if the capacity and capability were commensurate with the program. This would also assist in determining the projected needs and schedule for NDS. An action was put on the Scientific Secretary to supply detailed information on NDS manpower to all INDC members as soon as possible. (Action n. 17).

The < 2 man years devoted currently at NDS to non-neutron nuclear data was a modest investment and Rose proposed that the size of this information office be reexamined after 2 years. Liskien, however, felt that crucial item was not the information office, but finding customers and advising on the avai<u>l</u> ability of reliable data files. Schmidt pointed out that the purpose of this office was to direct users to appropriate existing sources of information and/or compilations and evaluations. Liskien thought that even if this was the purpose in an area where only a small fraction of information or data base was known when one began effort would be devoted to improving the data base. Schmidt said NDS would not do all the work itself, but rely on compilations from meetings such as that on fission product data. Berenyi thought the program ambitious and that if collaboration was not invoked, a new centre would be required.

In view of the importance of the recommendations that INDC was being asked to endorse, Gemmell and Rose felt that the sub-committee examining the document should be allowed to complete its deliberations and make its recommendations to the full INDC before making formal recommendations. Schmidt indicated that the IAEA had held back issuing these recommendations to member states until INDC had had the opportunity of considering them. He indicated the difficulty in getting new projects under way without the IAEA receiving a definite and positive response from member countries.

- 44 -

Following this discussion of the "Nuclear Data for Applications" meeting, a similar but briefer discussion was held on the "Charged Particle and Photonuclear Reactions" meeting (INDC(SEC)-59(L)).

It was reported that in the bibliographic reference area, all laboratories present had agreed to use the NBS keyword system. In the whole nuclear data area, Oak Ridge was spending ~1 manyear of effort adressed to published liter<u>a</u> ture, but was not covering laboratory reports at this point in time. Abramov (Obninsk) was considering a similar keyword arrangement for a photonuclear data index. Usachev said it was unfortunate that Kondurov could not attend the meeting, and hence his views and activities had not been taken into account. In the Bulletin, Vol. 1, Kondurov outlines his principle of work and deals with bibliographic annotation, keywords and various technical matters, and on how to best organise technical aspects. They appreciated regional cooperation and would like further discussion on keywords. Kondurov was unhappy to incorporate all Horen's ideas fully, as he considers them too restrictive. He considers the USSR system more concise and more flexible. This USSR document should be discussed on further work on this topic. Schmidt offered to have the document translated immediatelyand distributed to INDC members. (Action n. 18 on NDS).

Charged particle and photonuclear reaction data were found more akin to neutron data than structure data and hence the formal questions on format, etc.., were much easier. The Karlsruhe group was cooperating with NDS to list their experimental information in EXFOR format for free exchange.

Some exchange of photoneutron data has already occurred to data centres, e.g. from Romania. Smith drew attention to the Livermore program and showed a copy of UCRL-75694, "An Atlas of Photonuclear Cross Sections obtained with Monoenergetic Neutrons", May 1974, by Berman and others. He mentioned that some figures from this report were also in the IAEA "Handbook on Nuclear Activation Cross Sections". This experimental project is distinct from and in parallel to the Photonuclear Data project. Motz indicated that this was an effective method of disseminating information. Liskien queried whether there were restrictions on the ingoing/outgoing particles and Smith drew attention to an untidy situation which existed in the angular distribution of secondary particles, even in the well covered neutron data field where primary reliance was still placed on isotropic emission approximations. He pointed out that even in the US is not a unified non-neutron data computorized file system and none will be implemented until at least 1976.

The compilation groups represented at the meeting were obviously not overly interested in entering this area of angular and energy distributions and it was felt that recommendation for this should be deferred.

An overall recommendation to the Director General on the charged particle and photonuclear reaction meeting was deferred until the Non-Energy Applications sub-committee had had the opportunity of looking at the questions in more detail.

VI.B. Additional Information on Existing and Projected "Non-Neutron" Nuclear Data Centres and Groups (°)

Bird presented his personal views on a Nuclear Data Committee in Australia involving the universities, to foster communication with the IAEA and other overseas groups. Most measurements made in Australia are reported in the open literature and a move into evaluation and compilation will only occur when a clear demonstration of need exists. Compilation for applications was taking place in n and p capture gamma rays. Better and more coordinated information is required than is currently available and indeed intensities of gamma lines was a problem. The Rasmussen (MIT) catalogue had been computerised with gamma intensities as a function of energy and element. This was a consistent set from one set of measurements by one person in 1967. Although various capture experiments had been published since then with greatly improved precision on energy and intensity, there had been no attempt to incorporate them into a unified scheme like Rasmussen's and when it was done in calibrating Ge(Li) detectors, the result was not a smooth curve and variations of 20 per cent were found.

Motz suggested the Rasmussen data was neither the best, the most up to date, nor reliable. In application it was best to try the experiment out to see how well it worked with approximate intensities and as a function of signal/noise, etc.. Complete gamma spectra were not available on a coarse mesh and very few experiments gave lines all the way from X-rays to binding energies with all the necessary information. He thought Groshev's data was most complete and reliable, although it did not have high resolutions. There was a need to improve the correlation of the data, for Groshev gave intensities as a function of energy and then table of lines as he resolved them.

While Bird did not disagree with this, he indicated that specific lines were used to identify specific elements in chemical analysis and not only was an accurate answer required, but also the accuracy of the answer. Gamma line inte<u>n</u> sities seldom have confidence levels. Schmidt drew an analogy with classical photometry, and felt that with many laboratories possessing research reactors it would be possible to achieve standardisation of gamma lines from various elements by a comparison program between laboratories. Schmidt thought this could be considered for action at this or the next INDC meeting. Bird thought that the existing newsletter on gamma ray compilation would enable quick action and a speedy solution.

Mehta said although India had no activities in this area at present and had little work in the (n,γ) field, he hoped to commence some charged particle work in a selected area and hoped this INDC meeting might provide some ideas for work.

Schmidt introduced a Working Paper Note on the Jülich work "Gamma Rays of all Radionuclides" which has been published as JUEL-1003-AC. This contains over 1000 nuclides and covers data published up to 1972. It is a continuing activity and lists gamma rays by Z and A, and energy. The intensities of the gamma lines from about 10 KeV to 7 MeV are listed. Although exact accuracies are not given, accuracy ranges are given by a code (x and a) for intensities. He felt that energy accuracies achievable with Ge(Li) detectors were well established and known. (See Appendix XXIV).

In view of the many groups active in this area, he proposed an action on all INDC members to draw this work to the attention of others in this field and keep NDS informed for coordination purposes. (Action n. 19).

Motz drew the meetings' attention to the forthcoming publication of a similar, but different type of study by Heath (Idaho), namely, ANCR-1000-2, 3rd Ed. 1974, "Gamma Spectrum Catalogue - Ge and Si Detectors". It contained pictures of Ge and Si detector gamma ray spectra on a large format size page for easy recognition with accompanying tables of energies and intensities in a consistent fashion, from a common detector used in standard geometry. Another feature was a selection of fission product spectra following a variety of irra diation and decay periods with decay schemes.

Smith returned to the question of coordinating activities from several laboratories and/or countries and indicated the type and magnitude of costs involved. Thus for the Oak Ridge Nuclear Data Project on mass chains, the compilation and evaluation for A>44 would take 40 manyears of effort in updating the work to 1970. About 20 A chains were evaluated each year and the computerised keyword system is now finding increasing acceptance. Much effort was being applied to special evaluations for applications and this was being made available by Lederer's group at Berkeley to users by teletype automatic access. It was felt that a generalised data bank could be implemented, but was held back by funds and man-power. They were convinced of the soundness of the system, but were now surveying the user' data needs.

He referred to the impending 7th Edition of the Table of Isotopes release in 1976. This was commenced by Lederer's group in 1971 with full time effort of 5 evaluators, 1 computer programmer and 1 reference secretary. Automated and graphical production methods are being used. He noted that a review committee in the USA had recommended that Berkeley and Oak Ridge Centres produce interchangeable data files - which currently do not exist - and proposed the eventual establishment of a standardised nuclear data base for the USA.

Wapstra said the updating work done was a Herculean task and he was not surprised at the effort involved, but thought that future revisions by trained staff would be twice as quick. Smith agreed.

VI.C. Discussion of Recommendations from "Non-Neutron" Nuclear Data Meetings

This item was thoroughly discussed under VI.A. In addition, Schmidt outlined NDS thinking for further meetings on non-neutron nuclear data compilation and evaluation activities. Progress would occur in small steps and follow-up meetings would be smaller. Some might perhaps become regular meetings in analogy to the four Centres Meetings. The NDS could cope with an absolute maximum of two per year which meant that the scheme of meetings outlined could take more than a decade to fulfil all the tasks proposed. The INDC meeting noted NDS proposal. - 49 -

VII. TOPICAL DISCUSSION

The abstracts of the papers presented at the topical discussion on "Gamma rays from Nuclear Reactions" are given in Appendix XIII.

VIII. REPORTS OF SUB-COMMITTEES AND DISCUSSIONS

VIII.A. Nuclear Standard Reference Data

Before opening the discussion, Smith announced that an Argon beam of 2.10^5 ions had successfully been produced in the Bevelac on 2 October, during a fragmentation run with combined Hilac/Bevelac at Berkely.

A number of actions connected with previous discussions were also decided (see actions n. 20, 21 and 22).

i) General

As far as the Agenda item was concerned, Liskien reviewed the sub--committee's work and report. (See Appendix XIV). He indicated that on several items their judgement was preliminary in that there had been insufficient time to study and compare new data brought to their attention during the INDC meeting.

In considering the proposed 3rd Standards Meeting in 1976, the sub-committee was disturbed by the fact that the proceedings of the 2nd meeting in late 1972 were still unpublished and hence unavailable for citation or reference. The sub--committee thought this situation was intolerable and should not be allowed to continue without strong protest from the INDC. It was agreed by the INDC that the Chairman should draw the Director General's attention to this matter and recommended that the publication problem should be raised in the Agency's Scientific Advisory Committee and at board level. (See actions n. 23 and 24).

Coming back to the proposed 3rd Standards meeting, the sub-committee favoured such a meeting in 1976, but felt that in addition to the proposed additional inclusions the agenda remain open.

The INDC noted that the sub-committee had considered the overlap between itself and NEANDC and that it intended to change its method of work. There was general agreement with these proposals. Many members felt that it was too early to extend these proposals to the other sub-committees and that they should be confined to the Standards Sub-Committee. It was agreed that the sub-committee could and should formulate its own methods of work. The issues became more complex for policy sub-committees (°).

ii) Gamma-detector calibration

Liskien and Le Gallic discussed the sub-committee's views on the first non neutron standard quantities to be raised in the sub-committee, namely, gamma ray standards for calibration of detectors. Le Gallic indicated that most metrology laboratories were aware of the need of such items and that the sub--committee was seeking moral support for laboratories working to provide decay schemes for such standards and that wider recognition and use be made of the multi gamma ray emission standards, e.g. ¹⁵²Eu. Rose felt that INDC should indicate to metrology laboratories that as users INDC value this work. Berenyi, while in agreement with the report, felt it had not given adequate consideration to the calibration problems at energies less than 100 KeV and that it should be expanded. In answer to Schmidt, both Liskien and Le Gallic indicated that no other body took responsibility for directing work in this area. Liskien pointed out that the sub-committee's report (in fact all sub-committee reports) were directed to the INDC which could take action on sub-committee recommendations as it deemed fit. He said INDC had been given responsibility in this area and it had a legitimate responsibility to advise the Director General on current issues. Schmidt was worried that INDC might be covering ground already covered by other committees. Liskien believed measurements rather than evaluation was the major need.

iii) ²³⁷Neptunium

Although the sub-committee is prepared to take up ²³⁷Np as a threshold standard for cross sections in reactor dosimetry (2nd Standards meeting) it felt that it should weight the considered views of the EWGRD and IWGRRM as to whether this would improve the dosimetry situation. This was discussed less than two weeks before the INDC meeting by the EWGRD without a final decision being reached. Liskien was prepared to examine this question again when a decision had been reached by the reactor dosimetry specialists.

iv) (n,p) Total Scattering Cross Section

In discussing the status of (n,p) scattering data, Smith drew attention to the absence or unsatisfactory use being made of the evaluated files as circulated at NDS on such standard data. He was unaware of any feedback, but hesitated to draw the obvious conclusion that this was because the file was perfect.

^(°) These, and more general issues, are outlined under XII.A. below.

Smith sought Rose's view as to progress being made by Fowler at AERE on (n,p) scattering. Rose indicated it was at a very early stage and no results would accrue for quite some time.

v) 3 He(n,p)

Liskien noted that no measurements were being made on 3 He(n,p) reaction or being made relative to this reaction since the 2nd Panel meeting. He suggested this was because its uses were confined to:

(a) proportional counters which are slow,

(b) high pressure gas scintillators which have poor energy resolution.

It was proposed to reduce the emphasis given to ³He(n,p) reaction by this sub-committee.

vi) 6 Li(n, α)

Michaudon dealt with the 6 Li(n, α) reaction, pointing out the variety of new information which has become available, but not yet fully analysed. He noted measurements since 1972 by Fort and Marquette, Clement and Rickard, Poenitz, Overley, Stephany and Knoll and Friesenhahn. Below 0.5 MeV Friesenhahn's values were significantly higher than the others. Above 0.5 MeV, even if the high values of Friesenhahn were omitted and the values of Clement and Rickard removed (as suggested by Rose), the factor of 2 variation would be reduced to 25% and this was still quite unsatisfactory.

The progress made in energy determination of the resonance was noted with most measurements coming close to the Harwell/Columbia values at 299 KeV. The Li content of glass scintillators was still subject to correction, but if new Cadarache values were 12% lower as suggested, this would go some way to resolving discrepancies with Friesenhahn. New measurements were proposed and the signs were that the previous discrepancies could be resolved. He felt that within 1 to 2 years the Li standard situation could be satisfactory.

vii) ¹²C total cross section

Smith had asked the sub-committee to re-examine the total cross section of $^{12}\mathrm{C}$ justified by its use as

- a reference for angle integrated secondary distributions in elastic and inelastic scattering studies at energies distant from the dip at 3 MeV and below 5 MeV;
 - energy reference scale because of its clearly defined sharp resonances at high energies.

He pointed out the uncertainties in the resonance structure and energies which he felt prevented its wider use and acceptance, mentioning discrepancies of 4 to 6 per cent above $1\frac{1}{2}$ MeV in the smooth cross section region away from resonances - a discrepancy greater than one wanted for the angle integrated scattering.

It was agreed that the sub-committee should act on the sub-committee's recommendations on carbon.

viii) $197_{Au(n,\gamma)}$

It seemed likely to the sub-committee that when all the new measurements on 197 Au had been thoroughly evaluated, a significant improvement in the accuracy and status of this standard would result.

Le Rigoleur was reported to be extending his measurements below 75 KeV and the Livermore results of Czirr need to be normalised to the more recent evaluated 235 U(n,f) values.

It was felt by the sub-committee that the recent gold results of Macklin and of Poenitz considerably improved this standard. This is particularly so as Poenitz also measured the U-238/Au-197 ratio with results consistent with those previously reported. Liskien felt that Poenitz' data could not be off by as much as 55% as he had also measured the gold-uranium-238 ratio which was unlikely to be in error by 10%. The degree of freedom was limited in the linkage between these results.

ix) $^{235}U(n,f)$

At high energies (<6 MeV) Smith indicated that Livermore relative measurements of good definition and relative accuracy normalised at 3 MeV, gave accuracies of 3 to 4% and were consistent to 6 MeV. At higher energies discrepancies increased with energy to 15 to 20%. Discrepancies at 14 MeV were found with the new relative Livermore values in both shape and magnitude. Compared to White's measurements at 2.5 and 14 MeV, the Livermore results were lower at 2.5 MeV and at 14 MeV. If normalised to the White figure at 2.5 MeV then agreement is still just acceptable at 14 MeV. Shape measurements and an absolute value are required. Motz indicated that these Livermore measurements were shape measurements normalised to the Poenitz value of 1198 mb at 3 to 4 MeV.

Cierjacks indicated that similar problems had been encountered at Karlsruhe. Normalisation at 14 MeV gives cross sections much too high at 2 MeV, although in their progress report these results had not been published because they were not understood. Smith felt it likely that the target accuracy of 3 to 4% would be met, but that the ultimate objective of 1% was still far off.

x) Miscellanea

Smith urged that laboratories working in the area of neutron standards be advised of the availability of the evaluated standards data on file at NDS. He suggested that the availability might be published in journals with computer graphic output, or that the Agency publish a curvebook. (Action n. 25) He said it was essential that these files be used and feedback produced for further progress.

He indicated that knowledge of the ¹⁹⁷Au evaluation on file would have cleared up this sub-committee's doubts as to the normalisation of the Livermore data and Liskien would have come up with different values. All members were requested to send comments on the report of the Standards Sub-committee by November 30, 1974 (Action n. 26).

VIII.B. Discrepancies in Important Nuclear Data and Evaluations

The report of this sub-committee (Appendix XV) was presented by its Chairman, Joly. The Sub-committee had worked to its original agenda and felt for the moment unable to undertake the additional work suggested by Schmidt-fission products, reactor dosimetry and thermal fission constants. In particular they felt that so many discrepancies exist in fission product that it was impossible to adequately deal with them. It was agreed to await the crucial items to be highlighted by the fission product nuclear data panel and to deal with those.

The Standards Sub-committee had agreed to examine σ_f of 235 U above 100 eV and in view of this the paper prepared by Nishimura and submitted by Fuketa had been given to Liskien. Like the Standards Sub-committee, the Discrepancies Sub--committee had agreed to share its work load with individual members being respon sible for investigating given discrepancies. Joly thanked Cierjacks for undertaking the major part of the report. Cierjacks introduced the report, but indicated he would not deal in detail with those items contained in the report.

Cierjacks reported new measurements on plutonium fission cross sections by Gayther and Käppeler at energies less than 1 MeV and by Szabo and Poenitz above 1 MeV. Sowerby had additionally completed his evaluation and Sowerby's conclusions appeared to be that the present discrepancies could only be resolved by new measurements.

The fission cross section of 238 U was now believed to have the following relative accuracies: 3% between 0.6 and 1.8 MeV; 5-8% in the plateau between 1.8 and 6 MeV; 6% above 6 MeV. The latest measurements from Karlsruhe (final

values) and Harwell (preliminary) seemed to indicate agreement over the complete energy range of 1-20 MeV except at 7 MeV where Karlsruhe measurements were 2-3% higher than those from Harwell, and abovel7 MeV where an energy shift was apparent. These two new measurements were in agreement with Stein's (Los Alamos), but were $\sim 3\%$ lower than Poenitz' measurements. Discrepancies still exist in the 0.6 to 1.8 MeV region and the new measurements, when integrated over a 235 U fission spectrum, give rise to only a 0.5% change and hence the discrepancy against integral measurement remains unresolved.

Joly announced that the sub-committee had agreed to two actions:

- That Conde, Cierjacks and Motz would undertake an intercomparison of ²³⁸U fission experimental data against the Sowerby evaluation as base and exchange this information before 1st January 1975. (Action n. 27).
- That Joly, Cierjacks and Motz would undertake a similar comparison for ²³⁹ Pu fission. (Action n. 28).

For both actions he was hoping that Rose would provide Sowerby's evaluation in graphical form.

Joly also indicated that this 1974 report should be taken in conjunction with the 1973 sub-committee's report as interim and he hoped to combine both into one document and seek comments from INDC members by the end of the year. (Action n. 29).

Cierjacks mentioned that new information about sub-threshold fission in 238 U suggests that the phenomenon might be important for some reactor spectra.

Usachev indicated he would like to see a general action by INDC on data centres to give first priority to the compilation and exchange of data dealt with by INDC sub-committee on Standards and Discrepancies, and that this should include evaluated data wherever possible. He felt that this would spur effort on these items and help resolve discrepancies more propitiously. A similar action had been taken on ²⁵²Cf fission spectrum, but unfortunately centres had not yet been able to collect and/or exchange the data.

Schmidt indicated thata similar action had been agreed upon at the last Four Centres meeting. Joly said to be effective it must encompass measured and evaluated data. (see Action n. 30)

In discussing recent evaluations on ²³⁸U capture, Smith made a plea for precision as to documentation of evaluations and values used being specifically stated. He objected strongly to such phrases as "relative to previous evaluations". To suggest Poenitz' measurements were in significant discrepancy with evaluations was quite meaningless when Poenitz data lay within 2% of ENDF/B-IV. Examination of the ²³⁸U capture to ²³⁵U fission ratios indicated things were much as at the previous meeting with disagreements of up to 7% for energies less than 600 KeV. The conclusion reached from various evaluations was that differences in evaluated data sets arose chiefly from the philosophy adopted. The discrepancy could not be resolved by further evaluations, but rather by new measurements and this the sub-committee highly recommended.

Usachev drew attention to an evaluation to this ratio by Tolstikov, which he would distribute soon. The comparison with the "old" Sowerby evaluation (UKNDL file) was good, above 25 KeV/and up to several hundred KeV.

There was little progress to report on alpha measurements except for the Karlsruhe work in progress in the 15-400 KeV energy range and the Kononov results for ²³⁵U those are 8% higher compared with Kononov's earlier results. Usachev was unaware of the reasons for this discrepancy. Smith felt that the alpha measurements were not discrepant, but of low accuracy and wondered whether they should still be considered by this sub-committee. The measurements were consistent within their accuracy. Cierjacks and Rose felt that the measurements were far from satisfactory and whether they were described as inaccurate or discrepant was really a question of whether the errors were internal or external ones. They felt that it might be more appropriate to change the name of the sub-committee and let it continue to review alpha measurements. Rose suggested that sub-committee's name be changed to include "Important Data". This was accepted.

Joly hoped to include a review by Ribon on resonance parameters of 235 U, 238 U and 239 Pu which would indicate substantial discrepancies and have some recommendations. No new information was available on 238 U resonance parameters, but he mentioned an evaluation by Moxon which was heavily weighted towards mathematics. He disagreed with Moxon as to the correctness of including superseded data, e.g. Moxon had included the 1954 Garg (Columbia) data in addition to the 1972 Columbia results.

Motz reported on inelastic scattering in 238 U the difficulties in resolving the first inelastic level at 44 KeV from the elastic component, particularly at forward scattering angles. Nuclear models were being used to calculate this level based on comparison with other rotational nuclei such as 186 W whose first level was at a sufficiently high energy to be resolved. The experimental values quoted for the first level in 238 U were discrepant by a factor cf 2 and this was serious for fast reactors. Theoretical values and shapes used were unable to resolve this. Condé and Rose mentioned that measurements are in progress at Studsvik and Harwell.

New measurements of Cr, Fe and Ni above 100 eV were reported.

Values for Ni by Poenitz were in agreement with higher Cadarache values. The care required in correcting adequately for elastic scattering in liquid scintillators was noted. Measurements at Karlsruhe covered the range 10 to 200 KeV. The Cadarache measurements were made with a Maier-Leibnitz detector. The evaluation scene was still bad with the three main files (UKNDL(71), KEDAK-II and ENDF/B-IV) in dispute by a factor of 2, and this should be compared with user accuracy requirement of 10%. The differential data are not consistent with large integral critical experiments and new measurements were recommended.

Smith reiterated the need for adequate scattering corrections to scintillator tank measurements and expected that neutron leakage in small tanks could be considerable. He would be happy to supply an Argonne general Monte Carlo code for calculating tank efficiency for anyone who wished to use it. Cierjacks looked favourably on the agreement in the Ni case between two methods using different detectors - scintillator tank and Maier-Leibnitz.

Although the sub-committee had not discussed delayed neutron emission, a short discussion ensued between Schmidt and Smith on this subject during which it became evident that serious discrepancies existed in total yield of delayed neutrons in the higher plutonium isotopes and this influenced large fast breeder reactors with a 5% uncertainly in breeding ratio. Smith and Schmidt were asked to prepare papers on this subject for sub-committee by 31st December 1974. (Action n. 31)

IX. MISCELLANEOUS ITEMS

IX.A. Participation of Trieste Centre in Nuclear Data Workshops (°)

The NDS submission on this topic is contained in Working Paper 7 (Appendix XVI) and was introduced and reviewed by Schmidt. A main objective of the centre was said to be the advancement of theoretical physics in developing countries through research and training programs conducted at the centre. In the past decade there had been four very successful seminars on nuclear structure and theory. The manner in which the centre implements its work is by way of seminars, fellowships, associateships and federation agreements. These are described in summary detail in the appendix. Rose and Lynn (UK) have talked to the Director of the centre, Dr. A. Salam, about hosting a consultants meeting on "Nuclear Theory for Nuclear Data Evaluation" and about the feasibility of seminars and work originating from this consultants meeting being held within the framework of the centre. Rose mentioned that costs would be the major problem. Schmidt indicated that he had advised Salam of INDC actions and the steps NDS had taken to plan the consultants meeting and found Salam keen to host the consultants meeting.

Various suggestions of suitable topics had been submitted by INDC members and liaison officiers, all listed in the working paper, and Schmidt reviewed some of them. They ranged from rather pure through longer term to some which were extremely relevant to evaluators today. He felt, for instance, that increased understanding and knowledge of fission was not enough being put into practice by evaluators. Schmidt felt that development of a unique deformed optical model code may be a timely asset in countering the lack of consistency in the many optical model codes in existence and valuable in comparing them. He would like to see INDC take the following actions:

- Produce a short list of two or three well defined topics for workshops.
- (ii) Recommend to Director General.
- (iii) Identify sources of financial support for the workshops.
- (iv) Identify scientists with potential interests in the topics and nominate nuclear physicists of high standard who might be prepared to undertake tuition at such a workshop.

Definite ideas and plans should be available within the year to evaluate

them to be confirmed at the consultants meeting in Trieste in November/December 1975.

Mehta indicated that the Trieste centre was doing invaluable work in its current fields, but had the impression that it would be difficult to convince the centre to take up the topics listed. He believed it would be excellent if they did so. He felt there was insufficient time now to make decisions as to topics. Berenyi thought it was possible in a negative sense that items 3, 7 and 9 in Working Paper 7 were of low priority and 1, 4 and 5 possibly the more interesting. Rose, Michaudon, Smith and Usachev were against making the choice now for a variety of reasons: choice of experts was the key and when chosen the topics decided themselves; only priorities should be given; choice of topics should be a charge on the consultants meeting; INDC was an inappropriate forum to make the choice. However, they all looked forward to the practically of the workshop. Schmidt felt that it was inappropriate to wait a year for a recommendation from the consultants meeting, and that a recommendation to the Director General should be made indicating that INDC is looking forward to further devel opments from the consultants meeting in November 1975. He proposed the following recommendation to the Director General:

"INDC notes a number of subjects of potential interest for investigation by the International Centre for Theoretical Physics at Trieste. In accordance with working procedures and programs of this centre and in compliance with the pote<u>n</u> tial workload implied, INDC considers a limited series of 2 to 3 month-long workshops at 1 to 2 year intervals would be a feasible method of conducting these projects. Given the fact that actual selection of 2 to 3 topics of current relevance to neutron data evaluation would still have to be provided by INDC members and liaison officiers and that those topics can be discussed in more detail at the consultants meeting in 1 year's time, INDC recommends that the technical and financial feasibility of holding such workshops be investigated and supported". The following actions were proposed:

i) To suggest 3 or 3 topics of particular relevance to NDS by 31st December 1974. (Action n. 32)

ii) To nominate potential workshop leaders. (ibidem)

The actions were agreed with Smith indicating his dissent on the manner of chosing topics. Usachev indicated that topics reflected various aspects of a problem. The choice of experts would decide which combination of topics should be undertaken. Smith agreed, but went further in that he doubted whether an enthusiastic reception would be found from a wide spectrum of experts. These people had commitments and it was difficult for them to get release from current duties. Similar discussions had been arranged by USNDC at APS meetings, but with a great deal of difficulty.

IX.B. Nuclear Data Programs in Developing Countries (°)

Rose presented the report of the "ad hoc" sub-committee on this matter (Appendix XVII). It summarised the situation from the limited INDC point of view, and indicated how regional programs could be organised and depended greatly on IAEA regional cooperation agreements. The sub-committee felt that the initiative was with the regions to make specific proposals on which INDC could act and advise as set out in the sub-committee's report. The "ad hoc" sub-committee recommended that all members advise NDS of any existing or new project as and when they became aware of them. Rose believed that unofficial bilateral agreements were as useful as any other.

An action was placed on NDS to complete its information survey on men and equipment in developing countries. (Action n. 33). Rose felt that this was necessary, but not sufficient. The main drive lay in proposals from the regions themselves, taken in conjunction with this information. Schmidt felt that a case could be made for outside proposals such as those by Smith (elastic scattering, angular distribution from 14 MeV neutrons) and himself. Rose was unconvinced and indicated he would await the response to those with interest, while Smith had a feeling that the response from developing countries was zero.

Schmidt would discuss these proposals with those developing countries he intended to visit during his Asian trip following the meeting; he will submit a report on the response and findings to INDC. (Action n. 34)

It was agreed that all INDC members should report to NDS on any discussions with developing countries and the response. (Action n. 35)

Fuketa indicated that Japan would cooperate in such an assistance program, (e.g. cooperation with Korea) provided a suitable specific project arose of interest to the developing country and which fitted into the national research program. Mehta welcomed such collaborative projects, but indicated they depended very much on facilities being available. Gemmell believed the projects had a much better chance of success if generated within the developing country rather than being imported from an external source. The developing country must have a major interest and say in the project, and he agreed with the conclusion of the sub-committee that short term projects with a quick return were to be preferred.

IX.C. INDC Correspondents and Document Distribution

The main impact of Working Paper 3 was to effectively control distribution of non-neutron nuclear data reports. NDS wished to introduce two new distribution categories, "N" and "W", which were equivalent to "L" and "U" categories for neutron data. Schmidt indicated there would be a minimum of overlap between the neutron and non-neutron recipients and that introduction of these categories would make handling by NDS easier. An action was put on all members in order to advise NDS of countries requiring "N" and "W" distributions and send the corresponding distribution lists. (Action n. 36)

Motz queried the numbers and cost of mailing non-neutron nuclear data documents in view of difficulties reported in the NDS report to INDC. Schmidt indicated that initially there would be rather few non-neutron nuclear data papers. Smith was concerned about the increase in paper production and distribution, but his chief concern was in seeing that reports were read and by the correct people. Schmidt indicated that this was the reason for the new categories, but it would still only be as successful as the choice of recipients nominated by member states. Smith indicated he thought distribution costs could be trimmed by asking regional data centres to act as distribution centres. Schmidt thought this could be done as it was done for CINDA. Mehta sought information on the cutoff point between individual and bulk mailing. Schmidt thought about 10 to 20 copies.

It was agreed to leave this matter to the discretion of NDS. (see act. 37, 38).

Schmidt indicated that the number and size of USSR documents received was beyond the resources of IAEA to translate. It was a large burden and nuclear data was a large fraction of that burden. The information Bulletin of Obninsk would no longer be translated regularly. Only the Nuclear Constants series would continue to have regular translation.

Usachev noted that from Nuclear Constants 16 onwards, abstracts would be provided in English, but those people wanting to proceed further would have to learn Russian.

Smith suggested that an improved technology was required to overcome this impasse and he suggested translations read directly into cassette tapes and available from NDS for loan. This was now a well established USA medical science practice.

An action was placed on Schmidt to investigate this possibility further (Action n. 39). Schmidt agreed, but pointed out that this had been explored in the past and was found difficult for articles where numbers, tables and figures abounded.

X. REPORTS OF SUB-COMMITTEES AND DISCUSSIONS

X.A. Energy Applications of Nuclear Data

Motz, Chairman of the sub-committee, presented the report (Appendix XVIII) which had been unanimously agreed to. He asked the INDC to look at the last paragraph in the summary in which the sub-committee supported the work on fission product data and reactor dosimetry data, but felt unable to give detailed approval because it was uncertain if the support available to NDS is large enough to face the effort required. The sub-committee believed there was a significant applied need to be met in these cases, but was much less convinced on the other two topics studied. The conclusions reached were in general agreement with those expressed in a cable by Rowlands which arrived after the decision had been reached. The comments of all members present were included. Schmidt had been unable to participate in the Sub-committee's meeting and his views are set out separately.

Schmidt indicated his unhappiness with the sub-committee's conclusion that charged particle and photonuclear reactions are of reduced contemporary significance to energy applications and he would like to have this conclusion omitted. He felt that these two topics should not have been discussed in this sub-commit tee if they were of no importance so as not to confuse whatever the non energy sub-committee might recommend. Anyway, fission product and dosimetry nuclear data have many non-neutron nuclear data included in them and such data is a significant part of the nuclear structure and decay data. Motz replied that only a very small part of the relevant fission product data needed for applications was relevant in the broad context. The sub-committee, said Motz, was recommending only a general strengthening of the existing program because it had been impressed by the fact that the spectrum of recommendations could have a very wide interpretation and hence completely overload NDS. To avoid this he had indicated that fission product data and dosimetry work had a clear applied justification - clear to the sub-committee - and this augured for priority.

Cierjacks disagreed with Schmidt and felt strongly that if non-neutron nuclear data was required for energy applications it should be discussed by this sub--committee and hence the sub-committee had been correct in looking at charged particle, photonuclear reaction data and nuclear structure and decay data.

Smith believed the sub-committee report should be reviewed and amended or modified subsequently. Michaudon admitted to being confused and sought that Motz provide a brief survey of the work done by the sub-committee, followed by its recommendations and, finally, the modifications being proposed by Schmidt.

- 61 -

In an attempt to clarify Schmidt indicated that he found that the report confused rather than clarified the data situation because charged particle, photonuclear, nuclear structure and decay data were also required for energy applications. He was not prepared to accede to it being a small fraction of the total field. The sub-committee had not discussed in detail the implication of charged particle, photonuclear and nuclear structure data for other applications, but apparently did not consider this important compared to fission product and dosimetry data.

Cierjacks and Gemmell pointed out that the sub-committee restricted itself to energy applications. They agreed with Schmidt that fission product nuclear data could be important for non energy applications as had been discussed at the Bologna panel meeting, but that the sub-committee was considering only the energy applications aspects of such data. Cierjacks said that what was unclear from the recommendations of the panel meeting was their importance and whether the available data met the needs. There were a number of papers where it was not clearly stated what the impact of improving the data would be. Schmidt stated that the preliminary conclusions and recommendations of the FPND Panel made this clear, with appendices attached containing a status comparison of existing data and requirements. Motz indicated most, if not all, sub-committee members had not seen the papers and hoped that when published in November/December 1974, sub--committee members would get a copy ^(°). Le Gallic thought that the difference between the sub-committee and Schmidt arose because the sub-committees were split along application lines (energy and non-energy) and Schmidt was thinking along data (neutron and non-neutron) lines. Schmidt agreed and felt this issue might be raised at the next INDC meeting. Condé could see no good reason why both sub--committees should not examine a topic from different user viewpoints. They would give the user's views and these could well be different. The plenary INDC meeting would have to integrate the sub-committees'recommendations into a selfcontained entity.

Berenyi agreed that the sub-committees were looking at the problems from the user viewpoint. The energy applications had well defined needs. The other side of the problem was to look at it from the compiler or measurer viewpoint and the two views might be difficult to reconcile.

Usachev said that rightly or wrongly, INDC had organised the sub-committees along these lines at the last INDC meeting precisely to get this viewpoint. He
had stated in his biennial report the methods used by data centres to take account of data requirements. The principle had been adopted and job descriptions given to the sub-committees based on consideration of application requirements. The dec<u>i</u> sion had been unanimous and it was suggested that only one or two topics were exam ined at each meeting. Accordingly, this sub-committee had decided to concentrate on fission products and dosimetry as being of most practical importance, so he could not understand the problems being raised. Yankov suggested the Committee do not discuss whether the decision at the last meeting was correct but rather look at the recommendations of the sub-committee item by item. Objections would be taken up at each item.

Joly pinpointed Schmidt's view and implication and sought a resolution of the impasse by proposing to include a statement to the effect that although fission product and reactor dosimetry data were the highest priority items discussed, consideration had also been given to charged particle and neutron structure data.

Gemmell asked Schmidt to summarise his objections to the sub-committee's report. Schmidt believed that the energy and non energy applications sub-division could lead to technical and administrative misunderstandings insofar as the outcome of the committee was examined by data compilers and centres, i.e. the manner in which the report might be analysed and misinterpreted.

Rose indicated that the non-energy sub-committee had discussed the same meetings, and he felt that the conclusions of the two sub-committees seemed rather similar and would not indicate any dispute between sub-committees in their recommendations that Schmidt was concerned about.

Schmidt said he would have no concern if the sub-committee's report indicated that charged particle reaction and nuclear structure data had been discussed, but had been found to be of less importance and relevance to energy applications at this point in time.

Michaudon felt that all these remarks were included in the sub-committee Chairman's report and he asked members of the sub-committee what they felt was wrong with it.

In trying to resolve this situation, Gemmell sought views on the paragraph:

"The sub-committee felt that there was less applied need for similarly increased activity in the areas of charged particle, photonuclear and nuclear data on the part of the IAEA in addition to that now being done by existing national efforts. There is, of course, overlap in some of these areas with the fission product data and with the dosimetry work, but it represents a small fraction of the total fields". He proposed to include after "applied need" the phrase, "in the field of energy applications".

Schmidt felt this was still unsatisfactory and wished to include after "nuclear data", "other than in the field of fission product nuclear data and dosimetry".

In the discussion it became clear that Motz's use of "nuclear data" was not understood in the sense implied by the Agency and it should be replaced explicitly by "nuclear structure and decay data".

Motz recommended that the sub-committee's report be accepted and then amended, following which he would be prepared to discuss it in more detail and formulate specific recommendations, including those proposed by Schmidt. He was not prepared to accept modifications to the sub-committee's report which would erase a negative comment unanimously agreed to by the sub-committee. Smith seconded the proposal.

The sub-committee report was adopted with Schmidt dissenting because he felt the report was technically in error, a situation he was not prepared to accept. He also could not see the necessity for the inclusion of the phrase "overlap in some of these areas with the fission product data and with the dosimetry work".

Motz replied that this was included to acknowledge that there is nuclear structure and decay data crucial to fission product nuclear data. This represented a good fraction of it, but the sub-committee was concerned that it did not include the much greater field of <u>all</u> charged particle, <u>all</u> photonuclear and <u>all</u> nuclear structure and decay data. The domain had to be limited to those areas of interest to the applied user in the field of energy applications.

Gemmell sought the committee's acceptance of the sub-committee's report. Yankov said the committee should adopt it and come immediately to recommendations.

The committee agreed to the following recommendations (see Appendix XXVI):

- A) IAEA/NDS should give support for cautious and careful development, in the following sense, to future efforts in the domain of fission product and reactor dosimetry nuclear data:
 - (a) observe and coordinate the present work being done,
 - (b) disseminate the existing information on compilations and evaluations via bibliographic listings, and
 - (c) encourage the review of requirements for new data and data compilations and evaluations.

- 64 -

- B) The committee also endorsed the following recommendations emanating from the Fission Product Nuclear Data meeting, namely,
 - that a second IAEA panel be held in the fall of 1976;
 - that newsletters be published on experimental, compilation and evaluation activities, either as a single or two separate documents;
 - that the collection of requirements for this type of data be continued as part of the preparation and potential results of the proposed second FPND Panel;
 - that collection of information obtained from benchmark experiments on fission product decay afterheat relevant to fission product nuclear data be inaugurated.

Out of the discussion on these recommendations arose the following points. Motz and Schmidt: the effort involved for NDS in producing the newsletters would indeed be rather small. All what NDS will have to do is to collect information on standard sheets from experimenters and from compilers and evaluators, copy and staple them together and send it out to all interested parties.

Smith drew attention to the implications of getting involved in benchmarks, benchmark data, integral data. This would be a substantial change in the committee's work and principles. He would not indicate whether it was good or bad, whether he agreed or disagreed, but only that members would be aware of the implications.

Motz was concerned that the fission product decay afterheat recommendation did not imply approval of Lott's proposal (letter 23rd September, 1974, Appendix XIX). Lott's letter implies INDC will specify to NDS exactly what and how the experiments will be done. Schmidt said NDS intended only to be the focus for collecting results and encouraging people to send their results to Lott. It was a question of distributing information about what was going on. Motz maintained Lott's letter did not reflect this intent and he did not want INDC to approve without a thorough review. The recommendation was satisfactory if this was borne in mind. Schmidt indicated this was fine, but INDC should review Lott's proposal also and accept or reject it. All members of the sub-committee were requested to review Lott's proposal and send comments by 31st December, 1974. (Action n. 41).

- C) As far as the Reactor Dosimetry meeting was concerned, the Committee endorsed the following recommendations:
 - that information about technical development of an international consistent set of reactor neutron dosimetry cross sections be collected,
 - that IAEA and member states be encouraged to continue cooperation on benchmark experiments, intercalibration of standard sources, etc..,
 - that a consultants meeting be held in 1975/76 on Integral Cross Sections in Standard Neutron Fields, and that the program for this meeting be considered by the IWGRRM to be reconvened by IAEA.

The committee also discussed the following recommendation:

- that IAEA ask the IWGRRM to give serious consideration to the continued inclusion of data for reactor neutron dosimetry within its terms of reference.

Smith dissented from the latter recommendation. He did not believe benchmarks should be included. Rose wondered whether IWGRRM would wish to include benchmarks. Schmidt thought that IAEA would like to see them included. Joly and Smith objected to a proposal that bodies outside the control and orbit of IAEA should be the subject of an INDC recommendation; and the agreed recommendation became:

- "that all relevant nuclear data centres be approached by appropriate members to seek the centres' assistance in reviewing the status of half life and decay scheme data relevant to reactor neutron dosimetry and in updating them as required".

The final recommendation agreed to was that from the last paragraph of the sub-committee report with some modifications, i.e.

- that IAEA's support in the sense and areas explained above must be carefully considered so as not to have a detrimental impact on other important and continuing activities. It is felt that additional help may need to be made available even for these limited areas.

Motz indicated to Schmidt that the Sub-committee's main concern lay in seeing that NDS had sufficient manpower to adequately cope with the situation. Cierjacks said that the effort devoted to these new areas must not detract effort from basic areas.

X.B. Nuclear Data for Non-Energy Applications

Berenyi, in introducing the sub-committee's report, indicated that it had operated under severe difficulties, namely, insufficient time, absence of tradition in entering a new field and, most importantly, a new Chairman who had had no time to analyse the situation prior to the meeting. The field was inhomogeneous and it was difficult to make a choice of the most important items for discussion. The recent IAEA meetings on Nucler Data for Applications and Charged Particle and Photonuclear Data had made a large number of recommendations: however, the major requirement is to establish the needs of the practical user and without a thorough analysis it is difficult to support the particular needs and aims of one special group. The sub-committee felt that the emphasis should be placed on establishing these requirements as a matter of urgency and several actions arose of this.

Wapstra underlined the difficulty which arose when a new Chairman was appointed who did not have the opportunity to prepare the matters open for discussion beforehand. The draft report had been written by the Chairman, based on the sub-committee discussions. The Chairman was to be congratulated for the effort put into it, but some points had been missed and he hoped to have the opportunity of raising these items at the appropriate time.

Cross indicated that the sub-committee had agreed to continue working on the reports on the IAEA meetings during the year and hence the draft report of the sub-committee should be thought of as an interim report.

The proposed actions and recommendations were then discussed as follows.

<u>Recommendation 1</u>: To ask member states to form proper and ad-hoc committees or study groups to assess the needs and, as appropriate, to formulate request lists.

Rose proposed that the recommendations and actions be examined and then followed up by considering to whom it should be addressed. Berenyi indicated that the aim was to have the nuclear physicist get together with the experts in the applied field to define the aims and the requirements. It might not be po<u>s</u> sible in small member states and the composition and type of committee/study group would very much depend on local circumstances. The IAEA, through the INDC, should be promoting this role. Smith felt that the net should be cast wider to include professional organisations and specialist data centres. He preferred to contact existing established groups rather than set up new ones ab initio. Rose felt that a broad interpretation was in order as the organisation should be appropriate to the country concerned and he felt Smith's addendum was really a commentary on how the committee or data group would function. Berenyi said organisation was not important provided they could establish the needs.

Discussion on the best way to implement this action indicated two views: one favouring a recommendation to the Director General asking that member states investigate their needs in the field of non-energy applications of nuclear data by establishing working groups/committees in the member state, the other believ ing that appropriate action be left to the country concerned as to whether it was best to work through existing organisations and that support, from the Director General if necessary, be arranged through NDS as required. These people felt that action on such a high level was neither necessary nor indicated.

<u>Recommendation 2</u>: Questionnaires should be sent to a broad circle of the "non-energy" users of nuclear data to find out their real needs in this respect and to evaluate the responses very carefully. Wherever possible these should be dealt with by a personal interview, i.e. in the frame of local study groups.

Liskien felt that it would be better to amalgamate this recommendation with the previous one, and this was done.

Rose saw problems in asking the Director General to issue questionnaires and he agreed to redraft the recommendation. Liskien noted that care would be needed in sending questionnaires so that it was clear who issued them. Smith was concerned that any major redrafting at NDS should be submitted for INDC approval before issue.

In considering the redrafted recommendation numbers, the method of distributing the questionnaire was considered in some detail. Rose, Liskien and Cierjacks felt it should be distributed from, and returned to, a point within the member state and that the selected distribution should be examined to avoid dupli cation, reach users as well as compilers and that member states might want to anal yse the questionnaire rather than get the overall NDS analysis. It was pointed out that Lorenz had already sought out non-compiler users and was making arrangements for local distribution.

Usachev drew attention to the variety of situations existing as to how science was organised in different member states. It was difficult for an individual to contact every institution and collect the information from such sources -- even if he knew them all. This was true where there were autonomous bodies academies of sciences, state commissions of atomic energy, bodies on medical sciences, etc.. He felt it was easier to approach these from a government level and would be best arranged by a formal request from the Director General to the appropriate authority in each member state to achieve maximum coverage, in add<u>i</u> tion to the same information being sent to the local INDC representative. It was agreed, on a proposal by Gemmell and Rose, that in view of the fact that in some countries (e.g. USSR) action would be easier from formal Director General action, while in other countries action was preferred at the informal level, this first recommendation should be framed accordingly to include both possibilities. The action would thus be on the Director General, INDC member or INDC correspondent as appropriate

<u>Recommendation 3 (new 2)</u>: To ask the Agency in due course to ask outstanding specialists or groups of them (consultants meetings) of the field concerned, to analyse critically, in collaboration with nuclear experts, their needs in nuclear data and to compare them with the accuracy and availability of the existing nuclear and related atomic data.

Berenyi indicated that this was another proposed method of finding out user needs. Cross sought clarification of the term "nuclear data". Here the user could mean derived data - like quantities averaged over a spectrum - and would take this as basic data. He felt that INDC should not be concerned about these data. INDC should be clear about what it was concerned with. Rose disagreed because he felt the INDC should try to ensure that suitable compilations are available for each class of users. He felt that data may be available and that it may just need compiling to become of use to the user. He felt that this was INDC responsibility. Cross, while agreeing in principle, felt that the latter role might be someone else's responsibility. Another organisation should undertake this, otherwise INDC would be led a long way from basic nuclear data.

<u>Recommendation 4 (new 3)</u>: The INDC values the activity of the existing "non-neutron" nuclear data centres and groups and judges it important to continue the work, in most cases with an increased support. Ask the member states and IAEA to support the above activity, especially the international coordination of this work and the exchange of appropriate "non-neutron" nuclear data (X-centre meetings).

Smith was concerned that what was being proposed was the massive exchange of <u>all</u> nuclear structure and decay data. This - the whole field - was a massive task.

Rose viewed non-neutron nuclear data as likely to be useful in applications some time in the future. Consequently INDC does not know at present the type or magnitude of the needs. Until such time as it emerges, INDC cannot push urgent support, but rather, as much of the infrastructure exists, INDC should continue to encourage compilation activities and to assess the needs. In future INDC should knit the needs and the compilation together. Recommendation 4, second part (new 4): The NDS formulate the details of necessary actions on the basis of the recommendations of the last specialists' meetings on charged particle and photo-nuclear reaction data and non-nuclear data for applications and discuss them with INDC members by correspondence for approval continuing the work started during the Lucas Heights meeting of INDC.

An action was put on NDS to formulate a list of proposed actions arising from the meetings (charged particle and photonuclear reactions and nuclear structure and decay data meetings). These would then be discussed with INDC members by correspondence. A decision on whether to implement the recommendations or resubmit the whole item to the next INDC meeting was left to the Chairman and Scientific Secretary. (Actions n. 42, 43)

<u>Recommenadtion 5</u>: Even in the present stage of the knowledge of the needs of users in the "non-energy" application fields it seems to be very useful to maintain, on a continuing basis, and ensure publication of an up-to-date <u>catalogue</u> <u>of compilations and evaluations</u> of the pertinent nuclear and related atomic data, (in the field of atomic data such a catalogue is completely missing), as well as a list of groups working on compilation and evaluation.

Le Gallic indicated that he felt that the 1 man year effort devoted to non--neutron nuclear data was insufficient. He wondered what INDC could do to improve the situation.

<u>Recommendation 6</u>: To make easier the compilation and evaluation work, the INDC recommends to the editors of nuclear physics journals to instruct the authors of the papers to follow the <u>recommendations of IWGNSRD, 1972</u> on the format and way of presentation of the new data. Berenyi indicated that this was a resurrection of a recommendation issued by IWGNSRD. Cross felt its implementation should be left to the discretion of NDS as to the way in which it is made. The IWGNSRD request was taken up by journals publishing about 85% of pertinent papers. He felt that in sending it out again, some background information should be given and that the recommendation should be given to referees, author's instructions, etc.. NDS should prepare this in an appropriate way. Wapstra believed that in doing this journals should be advised that the decision by Physical Review to include keywords was the overwhelming result of a poll by the Nuclear Physics Division of the American Physical Society.

An action on NDS was indicated asking all journals to adopt the keyword system. (Action n. 44)

Wapstra introduced three proposals which the sub-committee had discussed, but which had been omitted in the report. These are now included as Recommendations 7, 8 and 9 in the final version of the document (see Appendix XX). At the end of the discussion on the "Non-Energy Application" report, Usachev recalled the Eastern parable of Hodganasreddin and the usurer Jafar. As Hodganasreddin was riding on a donkey along the road he came across Jafar drowning in a pond. People were crowding round the pond, shouting to him, "Give us your hand". Hodganasreddin told them it was useless to ask the usurer to give them anything; they should offer their hand to him. In fact, Hodganasreddin offered his hand to the usurer, who immediately grabbed the hand proferred, and the people managed to drag him out.

Here we were, said Usachev, asking numerous organisations to give us their data, to give us their needs. This required work on their part when they may be drowning because they did not have these data. They possibly had an active resis tance to giving us something. That is why the style in which these recommendations are formulated needs care. INDC should create the impression that it is giving them something or about to give them something.

XI. MEETINGS AND CONFERENCES

XI.A. Reports on Past Meetings (Other than NDS Meetings)

This item was not discussed by the Committee.

XI.B. Publication of IAEA Meeting Proceedings (°)

A short report was made by Schmidt on the publication procedures within the Agency and the lack of control over publication by NDS. It became clear that many problems arose because of papers presented at meetings were not being received in the IAEA publication format. Members were asked to encourage this practice. The type of meeting determined the type of publication and INDC was asked to give serious consideration to this matter so that neither the number of meetings nor meetings and meeting proceedings were curtailed. It was agreed that the Chairman should write to the Director General on the time taken to publish proceedings and the need for topicality. (see action n. 24)

XI.C. Future Meetings

Schmidt indicated that NDS proposals were outlined in INDC(NDS)-63 pages 16 to 21. Members were aware of preparations for the Actinide Data meeting which has been delayed for manpower reasons arising out of the total of $1\frac{1}{2}$ year delay in getting replacements. Final preparations for this meeting, to be held along the lines of the successful Fission Product Data meeting, would begin when he returned to Vienna. Like the Actinide meeting, the proposed "Nuclear Theory in Neutron Nuclear Data Evaluation" meeting had been approved at the previous INDC meeting. It had been agreed earlier at this meeting that it would now be held at Trieste after the 1975 INDC meeting and there was an action on all members to submit proposals for subject topics to NDS by 15th November, 1974. (Action n. 45)

The shielding community felt the necessity for a meeting dealing with calculational methods and sensitivity studies prior to a data meeting. This meeting on methodology would possibly be held in 1975 under the aegis of IAEA's reactor division. It was agreed to defer a potential Nuclear Data for Shielding meeting to 1976.

The first proposed meeting for compilers in the area of non-neutron nuclear data had been discussed earlier and a meeting agreed to for 1975. Earlier discussion had covered meetings on "Integral Cross Sections in Standard Neutron Fields" for Reactor Dosimetry, "The Third Standard Neutron Data Meeting, 1976" and a Symposium on "Nuclear Research Materials" in 1976 sponsored by EURATOM and co-sponsored by the IAEA.

In view of proposed USA (Washington Conference on Nuclear Cross Sections and Technology, March 1975, and Internatimal Conference on Interaction of Neutrons with Nuclei, Lowell University 1976) and USSR (3rd Kiev Neutron Physics Conference, June 1975) meetings, the INDC could see no place for the IAEA's Third Nuclear Data Conference.

Michaudon felt that if USA and USSR held International Nuclear Data conferences every two years, there was no place for an IAEA meeting. He sought Usachev's view of the biennial continuation of the USSR meetings, to which Usachev replied that each meeting proposed was discussed and approved on its own merits.

It was agreed to place the general problem of IAEA nuclear data conferences on the agenda for the next INDC meeting.

XII. COMMITTEE BUSINESS (Part II)

XII.A. Relationship between INDC and NEANDC (°)

Cross was Chairman of the ad hoc-sub-committee formed to examine this issue. (Working Paper 1 and paper by Smith).

The membership of the committee, terms of reference, working papers and report, are contained in Appendix V, IV and XXI.

Cross indicated they had not considered Rose's proposal (Appendix VI).

In reply to Michaudon as to whether he envisaged a joint INDC-NEANDC sub--committee or two distinct sub-committees, Rose indicated two separate committees working from a common technical base and cooperating in amassing this data base from which they would each operate at alternating intervals. He envisaged one person from each sub-committee agreeing to collect and critically examine all mate rial on a particular data file. He thought possibly for both Standards and Discrep ancies.

Smith felt there were a lot of sound technical and professional advantage which would accure from such joint operations. How one approached the problem would be the key. The technical reward and motivation would highlight the not inconsequential financial savings. He also felt that there was longer term scope for amalgamation of the two full committees, but like Cross, accepted the implied report statement that this was not generally acceptable yet. Cross indicated his sub-committees report included all points of substance in the Smith paper.

Liskien was worried about consistency between the report of the "ad-hoc" sub-committee and that of his Standards Sub-committee, and was fearful that the less ambitious proposal - joint effort on Standards - should founder on account of a proposed joint effort on discrepancies.

Usachev enquired whether NEANDC and its members had discussed this issue and whether we needed to await the next NEANDC meeting to find their attitude.

Rose indicated that the NEANDC Chairman had been a party to the discussion in the UK which resulted in his proposal. Cross said NEANDC had discussed NEANDC's scope and changes to make NEANDC more effective. These would be discussed at National Data Committee level and then raised at the next NEANDC meeting, April 1975.

Cierjacks suggested that the ad hoc sub-committee's report be made available to NEANDC, and it was agreed that the Chairman of INDC write to NEANDC with this enclosure. (Action n. 46) Michaudon suggested that informal rather than formal approaches be made about possible close cooperation between the two bodies, including exchange of technical information on standards and possibly other important data, and to see if a common basis of work could be agreed. This view was agreeable to most members.

Liskien felt that the ad hoc sub-commitee's reports and recommendations addressed themselves to (a) the Director General of IAEA and (b) the Chairman of NEANDC, and agreement of both was needed to be effective. Most members accepted that the INDC position could only be determined when the NEANDC position was known. Smith strongly urged that the INDC should not be seen as telling, or implying to tell, the NEANDC its business.

Schmidt and most non-NEANDC members of INDC were opposed to INDC meetings on an 18 monthly interval basis if there was no guarantee of NEANDC continuing the technical sub-committee work between these meetings. Mehta was concerned at the work load for an 18 month interval meeting, pointing out the heavily loaded current agenda and reminding members of INDC's policy role.

Cierjacks did not like the impression of INDC pressure on NEANDC which appeared in the recommendations and suggested they should not appear in such a written form.

Gemmell proposed that the recommendation be that an informal approach be made to NEANDC to find out if cooperation between the two committees was possible, particularly in sharing the technical load of Standards and Discrepancies sub--committee work.

When asked what INDC members had decided to do if NEANDC was not interested in meeting on an 18 months basis, Gemmell indicated that non-NEANDC members within INDC would then be unhappy about a changeover to 18 months meetings and hence he proposed the status quo until after next INDC meeting in October 1975. Smith agreed that INDC should look after its own business.

Berenyi reiterated that for INDC the question of meeting every 12 or 18 months depended on the INDC work load. Mehta supported this view and said INDC should reexamine the case for change of meeting frequency on the basis of work load. Rose supported Mehta.

XII.B IAEA Policy Regarding INDC (°)

Schmidt advised members (Working Paper 9, Appendix XXII) that the Agency had completed a review of the financing of IAEA meetings and had introduced a reclassification of meetings. As a result, participants at INDC meetings would in future pay their own expenses, except in emergencies and in the case of members from developing countries. The IAEA would in future generally pay only the expenses of those consultants per meeting attending the Agency's Scientific Advisory Committee and Consultants Meetings (up to four and possibly those of discussion leaders at larger meetings. The Agency would continue to seek a balance among participants from developing and developed member states.

Smith wondered whether the IAEA had examined the possible impact of this review on INDC, particularly numbers attending and character of those attending. He thought it possible that it would result in reduced continuity of membership with members changing from meeting to meeting and that this would reduce its effectiveness. Rose indicated this item would also affect the methods of work and the meeting agreed to seek the Director General's approval for modifications proposed in the working paper. (see Action n. 47)

XII.C. Modification of INDC Methods of Work (°)

Gemmell said, in introduction, that on assuming chairmanship he had found that current methods of work were observed in the breach, and while this was not too important in practice, it was confusing for new incumbents. The manner of operation was not as set out in INDC/10G and the working paper 2 indicated some desirable changes. It became clear in the discussion that the document would again need revision if the proposal to change the frequency of meetings was alterated and if interlocking sub-committees were established with NEANDC. A draft method of work is shown in Appendix XXIII, and members were asked to submit their views to NDS by 31st December, 1974. (Actions n. 48, 49)

Cross, Gemmell and Motz defended the inclusion of the requirement of the Chairman's approval to the tentative agenda before it was issued. As Motz saw the situation, the Scientific Secretary should issue the draft agenda. Members wishing to modify the agenda or propose additional topics should then write to the Scientific Secretary, with a copy to the Chairman. These would then be incorporated in a new tentative agenda prepared with the approval of the Chairman prior to issue. Wapstra felt it should be left to the Scientific Secretary and Chairman to jointly prepare the agenda without being too specific as to how it was done, but Cross argued that the Chairman of the Committee must have control of the agenda. In all likelihood, it would just involve sending a telex back indicating approval.

It was agreed that observers and advisers should receive all documentation relevant to the business of the meeting to allow them full participation. About the frequency of meetings, Rose felt the need to achieve accord at the working

(°)

level before recommending changes to the Director General, and it was agreed that the issue of a draft methods of work should be delayed pending clarification of NEANDC's response to the interlocking sub-committees and longer period between meetings.

Motz drew attention to the proposed revision regarding the time-scale for issue of draft minutes and unapproved minutes.

It was agreed that the next INDC meeting would be held in October 1975.

XII.D. Notes on Review of Recommendations and Actions

Schmidt said there should be an action on all INDC members to inform NDS and CCDN by 31st December, 1974, of those interested in fission product data compilations. Motz was concerned about this and wanted to ensure that this was not Lott's proposal. He drew Schmidts attention to a name on Lott's list who had not been at Los Alamos or indeed working in nuclear physics for over 15 years. Smith drew Schmidt's attention to the fact that USNDC list in INDC-40(L) was at least 3 years out of date and at Schmidt's behest, agreed to an action on him to provide an up to date list. (Actions n. 50, 51)

Schmidt proposed a recommendation encouraging national and regional data centres in such countries as Australia and India as follows.

"INDC noted with interest the provisional plans being made in Australia and elsewhere for the establishment of small national data centres which would act as a link between the IAEA and users in its own country and surrounding regions. The INDC strongly endorses this action and wishes to be kept informed of their plans and offers all the help necessary in the pursuit of these objectives".

Bird indicated that the Australian data centre was in the early concept stage and much had still to be worked out and developed. Support from INDC might be of some assistance and could form the basis of involving those universities who had shown interest in this field.

Schmidt indicated the importance of a letter to the Director General on publication. Gemmell said he would try and have a draft ready by the time Schmidt returned to Vienna. (Action n. 24)

Gemmell raised the possibility of INDC supporting NDS's case for increased staff after Schmidt supplied the terms of reference and breakdown of effort currently available to NDS. He noted that Le Gallic had questioned whether NDS was able to cope with the non neutron data project it had already undertaken. Members views were sought. Schmidt drew attention to the balance between the spectra of data discussed at this meeting and the spectra of work dealt with at NDS. When faced with an extreme workload it had been necessary to select those items of real importance to member states projects. This situation had been worsened by the existence of vacancies within the section equivalent to a loss of $1\frac{1}{2}$ man years of effort last year. Before applying for an increased staff complement, Schmidt indicated it would be necessary to consider the case for the increase - possibly 2 staff from 1976 onwards. Adequate staffing was essential to cope with the tasks which the section had already been asked to undertake, and he thought it essential to apply for this increase at the end of 1974.

Smith was concerned and unhappy about such a procedure. He felt members would be prepared to review the NDS management effort and advise Schmidt of their views within 30 days. This would enable a positive considered view of INDC support, if indeed that was the outcome, by the end of the year.

Cierjacks thought that it was bad practice to seek an increased staff complement when vacancies existed in the organisation.

XII.E. Next (8th) INDC Meeting

It was agreed to hold the next INDC meeting in Vienna, provisionally from 6th to 10th October, 1975, inclusive.

Gemmell proposed to write to members before the end of 1974 (Action n. 66) with some suggestions for further improvement of INDC and would include the Wapstra proposal of having the meeting run from Wednesday to Wednesday, with the weekend available for report preparation and typing.

XII.F. Adjournement of the Meeting

Gemmell thanked members for their presence, their assistance in completing the agenda and hoped that they had enjoyed this fleeting experience of Australia. Australia appreciated their presence.

Schmidt thanked the host nation, The Research Establishment, its staff, the interpreters and technicians for running the meeting in a smooth manner, and expressed thanks for the hospitality shown

The meeting was adjourned.

A P P E N D I C E S

ACTENTIA	
PTVE	
TENTA	

•

(Detailed topics, guidelines and background report references are listed in Attachment B)

(30 m).

II. Committee Business (Part I)

<u>MONDAY</u> II. Committee Busine SESSIONS A + B

- 9:30 9:45 A. Consideration and approval of complete minutes of the 6th INDC meeting (15 m.)
- 9:45 10:00 B. Consideration and adoption of agenda for 7th INDC Meeting (15 m.)
- 10:00 10:15 C. Attendence of observers (15 m.)
- 10:15 10:30 D. Biannual report of 1972/1973 INDC Chairman (15 m.)
- 10:30 11:00 Coffee break (30 m.)
- 11:00 11:30 E. Review of actions arising from the 6th meeting (30 m.)
- 11:30 12:00 F. INDC Programme Review (30 m.)
 (Appointment of ad-hoc subcommittees 1, 2 and 4)
- 12:00 12:30 G. LVDC Secretariat (30 m.) (Appointment of ad-hoc subcommittee 3)
 - (Appointment of ad-hoc subcommittee
 - 12:30 13:30 Lunch break (60 m.)
- MONDAY SESSIONS C + D

Meetings of Standing Subcommittees

13:30 - 17:30

III. Progress Reports on Nuclear Data Measurements and Facilities	A. <u>Short</u> discussion (no presentation) of submitted progress reports (60 m.)	B. <u>Short</u> reports on nuclear data measurements in countries not represented on INDC (30 m.)	Coffee break (30 ±.)	IV. Nuclear Data Measuroment Requirements	A. WRENDA and other request lists (45 m.)	B_{\bullet} IAEA targets and samples programme (30 m.)	C. Nuclear data measurements in developing countries (Fart I) (15 m.)	Lunch break (60 m.)	D. Review of recommendations from 1973/74 NDS meetings (90 m.)	Tea/Coffee break (30 m.)	Meetings of Standing Subcommittees NGC	DIX 1	V. Neutron Nuclear Data	A. Report on the loth Four Centre Meeting (15 m.)	B. Additional information from neutron data centres $(15 \text{ m}.)$	C. New evaluated data and evaluated data exchange (45 m_{\circ})
TUESDAY SESSION A	9:00 - 10:00	10:00 - 10:30	10:30 - 11:00	TUESDAY SESSIONS B + C	11:00 - 11:45	11:45 - 12:15	12:15 - 12:30	12:30 - 13:30	13:30 - 15:00	15:00 - 15:30	TUESDAY SESSION D	15:30 - 17:30	WEDNES DAY SESSION A	9:00 - 9:15	9:15 - 9:30	9:30 - 10:15

- 80 -

A. Nuclear theory for eva Trieste Centre partici	 B. Nuclear data measurements i countries (Part II) 	(Report of ad-hoc subcommittee C. INDC Correspondents and docume (Report of ad-hoc subcommittee	Tea/Coffee break (30 m.)	AAEC Laboratory Visit		X. Reports of Subcommittees and Discus	A. Energy applications of nuclear data	Coffee break (30 m.)	B. Non-energy applications of nuclear Lunch break (60 m.)	XI. Meetings and Conferences	 A. Reports on past meetings (30 m.) (other than NDS meetings) 	B. Publication of IAEA meeting proceed	C. Future meetings (30 m.)	Tea/Coffee break (30 m.)
13:30 - 14:00	14:00 - 14:40	14:40 - 15:00	15:00 - 15:30	THURSDAY SESSION D	15:30 - 17:30	FRIDAY SFSSIONS A + B	9:00 - 10:30	10:30 - 11:00	11:00 - 12:30 12:30 - 13:30	<u>FRIDAY</u> SESSION C	13:30 - 14:00	14:00 - 14:30	14:30 - 15:00	15:00 - 15:30
Coffee break (30 m.)	VI. "Non-Neutron" Nuclear Data	A. Reports on the Consultants' Meeting on Charged Particle and Photonuclear Reaction Data and on the Specialists' Meeting on Muclear Data for Applications (60 m.)	B. Additional information on existing and projected "non-neutron" nuclear data centres and groups (30 m.)	Lunch break (60 m.)	C. Discussion of recommendations from "non-neutron" nuclear data meetings (VIA)	Tea/Coffee break (30 m.)	VII. Topical Discussion		VIII. Reports of Subcommittees and Discussions	 A. Nuclear standard reference data (90 m.) Coffce break (30 m.) 	B. Discrepancies in important nuclear data and evaluations (90 m.)	Lunch break (60 m.)		
10:30 ~ 11:00	WEDVESDAY SESSIONS B + C	11:00 - 12:00	12:00 - 12:30	12:30 - 13:30	13:30 - 15:00	15:00 - 15:30	WEDNESDAY SESSION D	15:30 - 17:30	THURSDAY SESSIONS A + B	9:00 - 10:30 10:30 - 11:00	11:00 - 12:30	12:30 - 13:30		
	10:30 - 11:00 Coffee break (30 m.) 13:30 - 14:00 A. Nuclear theory for evalua Trieste Centre participat	<pre>10:30 - 11:00 Coffee break (30 m.) 13:30 - 14:00 A. Nuclear theory for evalua Trieste Centre participat WEDNESDMY VI. "Non-Neutron" Nuclear Data SESSIONS B + C countries(Part II)</pre>	10:30 - 11:00Coffee break (30 m.)13:30 - 14:00A. Nuclear theory for evalua Trieste Centre participat Trieste Centre participatMEDNFSDAY SESSIONS B + C SESSIONS B + CVI. "Won-Neutron" Nuclear Data Reports on the Consultants' Meeting on Charged Particle and Photonuclear Reaction Data and on the Specialists' Meeting on Nuclear Data for Applications (60 m.)14:40 - 15:00 (Report of ad-hoc subcomm (Report of ad-hoc subcomm (Report of ad-hoc subcomm	10:30 - 11:00Coffee break (30 m.)13:30 - 14:00A. Nuclear theory for evalua Trieste Centre participat Trieste Centre participatMEDNESDAY MEDNESDAYU. "Mon-Neutron" Muclear Data SESSIONS B + C14:00 - 14:40B. Nuclear data measurements countries (Part II) (Report of ad-hoc subcomm (Report of ad-hoc subcomm Applications (60 m.)14:00 - 14:40B. Nuclear theory for evalua muclear data measurements ad-hoc subcomm (Report of ad-hoc su	10:30 - 11:00Coffee break (30 m.)13:30 - 14:00A.Nuclear theory for evaluaMEDTESINY MEDTESINY SESSIONS B + CVI. "Non-Neutron" Muclear Data14:00 - 14:40B.Nuclear theory for evaluaMEDTESINY MEDTESINY SESSIONS B + CVI. "Non-Neutron" Muclear Data14:00 - 14:40B.Nuclear data mesurementsSESSIONS B + CA.Reports on the Consultants' Meeting on Charged Particle and Photonuclear Reaction Data and on the Specialists' Meeting on Nuclear Data for Applications (60 m.)14:40 - 15:00C.INC Correspondents and di (Report of ad-hoo subcomm12:00 - 12:00B.Additional information on existing and projected "non-neutron" nuclear data centres and groups (30 m.)15:00 - 15:30Tea/Goffee break (30 m.)12:10 - 13:30Lunch break (60 m.)Lunch break (60 m.)MIDELEMALMIDELEMAL	10:30 - 11:00Coffee break (30 m.)13:30 - 14:00A.Nuclear theory for evalue Trieste Centre participatMEDTESINT SESSIONS 3 + CVI. 'Mon-Neutron' Huclear Data SESSIONS 3 + C14:00 - 14:40B.Nuclear data measurements countries (Part II)11:00 - 12:00A.Reports on the Consultants' Meeting on Charged Particibe and Photonuclear Reaction Data and on Tarticic and Photonuclear Reaction Data and on the Specialists' Meeting on Nuclear Data and on the Specialists' Meeting on Nuclear Data for Applications (60 m.)14:400 - 15:00C.INUC Correspondents and di (Report of ad-hoo subcomm (Report of ad-hoo subcomm12:00 - 12:30B.Additional information on existing and projected "mon-neutron" nuclear data centres and groups (30 m.)15:00 - 15:30Tea/Coffee break (30 m.)12:30 - 13:30Lunch break (60 m.)Lunch break (60 m.)15:00 - 15:30Tea/Coffee break (30 m.)13:30 - 15:00C.Discussion of recommendations from "non-neutron"15:30 - 17:3013:30 - 15:00C.Discussion of recommendations from "non-neutron"15:30 - 17:30	10:30 - 11:00 Coffee break (30 m.) 13:30 - 14:00 A. Nuclear theory for evaluation the section bata MENDESINX VI. "Won-Neutron" Buclear Data Mendear theory for evaluation the section bata SESSIONS B + C VI. "Won-Neutron" Buclear Data Nuclear theory for evaluation the section bata and on the specialists' Meeting on Charged 14:00 - 14:00 B. Nuclear theory for evaluation on the specialists' Meeting on Nuclear Data and on the specialists' Meeting on Nuclear Data and on the Specialists' Meeting on Nuclear Data for Applications (60 m.) 14:40 - 15:00 C. INDC Correspondents and an theorem communications (60 m.) 12:00 - 12:30 B. Additional information on existing and projected "non-neutron" nuclear data centres and groups (30 m.) 15:00 - 15:30 C. INDC Correspondents and an theorem communications from "hom-neutron" nuclear data centres and groups (30 m.) 12:100 - 12:30 B. Additional information on existing and projected "non-neutron" nuclear data centres and groups (30 m.) 15:00 - 15:30 Tea/Coffee break (30 m.) 12:100 - 15:100 C. Discussion of recommendations from "hom-neutron" nuclear data meetings (VLA) 15:30 - 11:30 Tea/Coffee break (30 m.) 13:10 - 15:00 Tea/Coffee break (30 m.) 15:30 - 17:30 Tea/Coffee break (30 m.) 15:30 - 17:30 13:00 - 15:30 Tea/Coffee break (30 m.) 15:30 - 17:30 Tea/Coffee break (30 m.) 15:30 - 17:30 <td>10:10 - 11:00Ooffee break (30 m.)10:30 - 14:00A. Muclear theory for evaluation the theory for evaluation the theory for evaluation the theory for evaluation the theory for theory for the theory for theory for the theor</td> <td>$\begin{array}{c c c c c c c c c c c c c c c c c c c$</td> <td>$\begin{array}{ l l l l l l l l l l l l l l l l l l l$</td> <td>10:10.Coffee break (JO m.)Coffee break (JO m.)11:10 14:00N.Neclear flact of outs participationMENTSIAL MENTSIAL<math>I_1 \cdot Pron-Neutron' Noclear Data14:00 - 14:10N.Neclear data measurementsSESSIONS 3 + 2$I_1 \cdot Pron-Neutron' Noclear Data14:00 - 14:10N.Neclear data measurementsSESSIONS 1 + 2hepotes on the Consultants' Necling on ChargedParticipations (Go m.)14:10 - 15:00N.Neclear data measurements andoptimizations (Go m.)12:00 - 12:101.Additional information of cristing and projectedthe special stat measurements andthe special stat centres and groups (JO m.)N.Neclear data measurements andoptimizations (Go m.)12:100 - 12:1012:100 - 12:1010.N.Neclear data measurements andthe special stat centres and groups (JO m.)N.12:100 - 12:1010.Mathitional from unon-neattron'the special stat centres and groups (JO m.)N.Neclear data measurements andthe special stat12:100 - 12:101.Mathitional from unon-neattron'the special stat centres and groups (JO m.)N.N.Neclear data measurements andthe special stat12:100 - 12:101.Mathitional from ontinethe special statN.N.N.N.N.12:100 - 12:101.Mathitional from ontinethe special statN.N.N.N.N.12:100 - 13:101.Mathitional from ontinethe special statN.N.N.N.N.12:100 - 13:101.1.N.N.$</math></td> <td>$\begin{array}{ c c c c c c c c c c c c c c c c c c c$</td> <td></td> <td></td>	10:10 - 11:00Ooffee break (30 m.)10:30 - 14:00A. Muclear theory for evaluation the theory for evaluation the theory for evaluation the theory for evaluation the theory for theory for the theory for theory for the theor	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	$ \begin{array}{ l l l l l l l l l l l l l l l l l l l$	10:10.Coffee break (JO m.)Coffee break (JO m.)11:10 14:00N.Neclear flact of outs participationMENTSIAL MENTSIAL $I_1 \cdot Pron-Neutron' Noclear Data14:00 - 14:10N.Neclear data measurementsSESSIONS 3 + 2I_1 \cdot Pron-Neutron' Noclear Data14:00 - 14:10N.Neclear data measurementsSESSIONS 1 + 2hepotes on the Consultants' Necling on ChargedParticipations (Go m.)14:10 - 15:00N.Neclear data measurements andoptimizations (Go m.)12:00 - 12:101.Additional information of cristing and projectedthe special stat measurements andthe special stat centres and groups (JO m.)N.Neclear data measurements andoptimizations (Go m.)12:100 - 12:1012:100 - 12:1010.N.Neclear data measurements andthe special stat centres and groups (JO m.)N.12:100 - 12:1010.Mathitional from unon-neattron'the special stat centres and groups (JO m.)N.Neclear data measurements andthe special stat12:100 - 12:101.Mathitional from unon-neattron'the special stat centres and groups (JO m.)N.N.Neclear data measurements andthe special stat12:100 - 12:101.Mathitional from ontinethe special statN.N.N.N.N.12:100 - 12:101.Mathitional from ontinethe special statN.N.N.N.N.12:100 - 13:101.Mathitional from ontinethe special statN.N.N.N.N.12:100 - 13:101.1.N.N.$	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		

.

.

- 81 -

FRIDAY SESSION D	XII.	Committee Business (Part II)
15:30 ~ 16:30	٨.	Relationship between INDC and EANDC (Report of ad-hoc subcommittee#1). (60 m.)
16:30 - 17:00	ឝ	IAEA policy regarding INDC (30 m.)
17:00 - 17:15	• ບ	Modification of INDC Methods of Work and responsibilities and working procedures of standing subcommittees (Report of ad-hoc subcommittee#2) (15 m.)
17:15 - 17:25	น้	Review of actions arising from this meeting (Exec. Secretary) (10 m.)
17:25 - 17:29	ធ	Next (8th) INDC Meeting (4 m.)
17:29 - 17:30	F.	Adjournment of the meeting $(1 m.)$

.

- 83 -



CHAIRMAN'S REFORT ON THE INDC FOR 1972 AND 1973

`

Development of international cooperation on Nuclear Data in the frameworks of the International Atomic Enorgy Agency (IABA) has begun 10 years ago. During this period there has been created an operating world-wide system of cooperation.

The International Ruolear Data Committee, the advisory body of the IARA, continued the activities on expansion and deepening of this international cooperation during 1972-1973.

MAIN RESULTS OF INDE ACTIVITIES FOR THE TWO-YEAR PERIOD. EXPANSION OF THE INDE RESPONSIBILITIES

structure and muclear reactions along with the neutron data to Symposium on Applications of Muclear Data in Solence and Techplayed by the Intornational Working Group on Mucleur Structure ment of international ocojoration for the data on muolear in such broadening of the activities was clearly shown at the aclogy held by the TARA, according to recommondations of the science and technology being of interest for the LARA. The necessity in Naroh 1973 in Paris. An important role in this was of couldand Reaction Lata, organized by the LARA, that was self-dis-The IRDC responsibilities were expanded for the davelopmeet demands in muclear data of all the branches of solved recommending the INDC to take the functions ustion of international cooperation in this field. ranc,

REORGANIZATION OF THE INDC

For solving new problems the structure of the IMDC standing subcommittees was reorganized. The policy in the field of suclear data should be determined by the needs in them. Therefore, at determining the responsibilities of the gubcommittees the methodical principle of separation the data into neutron and non-neutron data was rejected. It should be noted that the dividing of responsibilities on the methodical basis is likely to be reasonable when organizing the data comters, as far as their methodical specialization should result in inoreasing the data reliability. The first standing subcommittee "Nuclear Data for Nuclear Energy" should give the recommendations on polloy concerning the generation and satisfaction of the request list in the whole area of the nuclear energy industry to monitor the interfaces between producers and users of nuclear data. It was suggested that the nuclear energy area be divided into the number of fields: e.g.: Reactor Cores, Ruel Processing, aste Disposal, Shielding, Safeguards, Inpile Radiations Noasurements, Pusion. It is meant that the subcommittee's major attention at certain time should be concentrated in one or two mentioned fields.

The subcommittee "Nuclear Data for Non-Energy Application" phould cover wide and various fields of nuclear data application. Its role is to make recommendations on the policy concerning the generation and satisfaction of requirements in compliations and evaluations of nuclear data as well as

to maintain the interfaces between the producers and users of nuclear date in all the applications relevant to the business of the IAEA except the nuclear energy area, 1.e. biomedical sciences, industrial and agricultural uses, etc.

To accomplish these ends it should be still necessary to decide on a workable breakdown into areas to identify the corresponding national and international organizations and to find appropriate methods of cooperation with these organizations.

Along with this it was decided that for realization of technical functions of compilation and dissemination of nonneutron data there should be developed a network of centres analogous to the four neutron centres.

For promotion in this direction it was decided to gather in April 1974 in Vienna the "Meeting of the X-Centres" with the final title "IATA Study Group Meeting on Muclear Data for Applications".

Standing subcommittees on "Standards" and "Discrepanoies in Important Fuclear Data and Evaluations" are retained as technical subcommittees, i.e. the subcommittees considering specific problems of measurement and evaluation of specific values, mainly, of neutron ones. By retainment of thise subcommittees the INDC again stressed the importance of its traditional sotivities on neutron data.

TRADITIONAL ACTIVITIES ON NEUTRON DATA

This activity in its structure is rather logical, but there is still much work to do in detail. The operating

mechanism of cooperation is characterized by three concepts: WREMDA, CINDA and EXFOR. One more concept, corresponding to the world library of evaluated data, is absont.

activity. According to the INDC recommendations, this list as a compilaoharacterize the state of the knowledge of the values evaluation of requests from different countries revised every year. reviews of WRENDA evaluators for whom it is not difficult to ted by them. In this case it is supposed to use in future in definition of a tolerated uncertainty and on engagement to of the achieved and needed socuracies it would be olear whothese recommendations are realized, WREWDA becomes the most The sotivities were also carried out on improvement or WREWDA, the world-wide request list for neutron data, The INDC made the recommendations on working out a unique the reviews the unique definition of the uncertainty. When the viewpoint of the data application. From the comparison knowledge of neutron data, that is characterized by their ancertainty, as well as of the uncertainty tolerated from valuable document compactly representing the state of the naturally, is the beginning of the structure of this ther it is neocssary to carry out new measurements.

The activities were also carried out on improvement or request lists for muclear data on fusion and the safeguards. On the base of the coordinating efforts of the 4 Centres the following systems are working: CIMM ~ the hibliographic computerized catalogue, of all the neutron works published in the world, being updated twice a year and KXFOR - world computer library of numerical experimental neutron data. To

function the latter system important is the exchange between the 4 Centres of dats on magnetic tapes in the common exchange format EXFOR.

racter, and not only its nonsvailability but its cause, should have a stimulating significance in colving the problem of data gumber of very important works, even published at the Helsinki In this connection CINDA was discussed as an EXPOR catalogue. the presence of information but its preliminary or final obscludes the half of all the works published after 1970 - about t million of experimental points. There is a quarter of works centres. It was accepted by the INDC that the problem of non-Ę, svailability of data from experimentalists should be solved. Conference in 1970, have not yet been obtained by the data more developed system of flags, that would denote not only translation is a matter of time. But numerical data on the more in the centres' own formats and the problem of their available at the centres, is denoted in CINDA by a flag. Any library is valuable for its completeness. EXFOR 18 Byen now the works, the numerical material on which nonavailability.

ILTED - international library of evaluated neutron data. Such a concept does not still exist. This word is being pronommood here for the first time with the hope that if the name is given, the library, as well as the activities for its creation, should appear.

An agreement about a broad international cooperation in the field of meutron dats evaluation and exchange has not yet still beeu resohed. The discussion of this problem is being

carried out at each INDC meeting. Some countries have not yet developed the works on evaluation in rather a full scale, other countries and their organizations heve not yet determined their position in the solution of this problem. Nevertheless, the IAEA has a considerable set of evaluated data files. These are English, French, West-German, Soviet files, American files on seven standards, Italian, Australian files of fission fragments, etc. Just this is the beginning of ILEAD. The problem of evaluated neutron data is extremely urgent for the DNDC activities, because it is just the svaluated data that are needed by the users.

OTHER IMPORTANT PROBLEMS

for 1974) is of groat importance. The fulfilment of this progsas formad. The program to be developed should meet WRENDA re-1 n n n countries the program on Samples and Target (17,000 dollars ram and the ways of increasing its efficiency were discussed With the same purpose, an "Ad Hoc Subcommittee on nuclear data in developing Buolear Data Measurement Programs for Developing Countries" porting works in accordance with the program being elaborated A quirements. In support of such measurements bilateral coop-5 finding in other international organizations of funds for ration with developing countries was recommended as well teeping in mind the use of these works from the point of of training the specialists for developing countries. works on f For promotion at HIDC.

MEETINGS, CONFERENCES

Two IAIA Fauels were successfully carried out: on 20-24 November 1972 in Vienna on noutron standard reference oross sections and on 26-30 November 1973 on "Fission Product Muolear Data", and the Paris Conference in March 1973 about which it was said above.

ND3 - THE INDC SECRETARIAT

The LAEA Nuclear Data Section is working with efficiency, successfully fulfilling ever increasing volume of works. A contribution of MDS into all the achievements mentioned can bardly be overestimated.

CONCLUSION

The cooperation in the frames of the International Ruclear Data Committee is being successfully developed. Rumerous importent projects have been already realized and bring now much use. The solution of a number of tha above-mantioned problems in future work of lKDC whould approach the organization of the activities to the ideal. This would centribute much to increasing effloiuncy of a number of science and technology fields, needing nuclear dats, in all the ucuntriesmembers of the IARA. APPENDIX III. Members of the four standing Sub-Committees of INDC

- 88 -

1. Sub-committee on nuclear standard reference data.

Liskien, BCMN Geel, CEC, Chairman Boldeman, Australia (x) Le Gallic, France Lemley, IAEA/NDS ex-officio member Michaudon, France Rose, UK Smith, USA Yankov, USSR Wapstra, Holland

2. Sub-committee on discrepancies in important nuclear data and evaluation

Joly, France Chairman Cierjacks, FRG Fuketa, Japan Kenny, Australia (*) Koncin, USSR corresponding member Lemmel, IAEA/NDS ex-officio member Motz, USA Rowlands, UK corresponding member Smith, USA

3. Sub-committee on energy application of nuclear data

Motz, USA Chairman Allen, Australia (*) Benzi, Italy Cierjacks, FRG Condé, Sweden Fuketa, Japan Gemmell, Australia Metha, India Michaudon Rowlands, UK corresponding member Schmidt, IAEA/NDS ex-officio member Yankov, USSR (continued)

APPENDIX III. Members of the four standing Sub-Committees of INDC

4. Sub-committee on non-energy application of nuclear data

Rogosa, USA Berenyi, Hungary Bird, Australia (x) Cross, Canada Fröhner, NEA/CCDN Le Gallic, France Lorenz, IAEA/NDS Metha, India Rose, UK Usachev, USSR Wapstra, Holland Zelenkov, USSR

corresponding member

corresponding member

.

Acting Chairman

ex-officio member

(*) Observer

Chairman

APPENDIX IV. List of Ad-Hoc Sub-Committee Members

i) Ad-hoc Sub-committee on Relationship of INDC and EANDC

Cross, Canada Chairman Cierjacks, FRG Condé, Sweden Fuketa, Japan Metha, India Michaudon, France Rose, UK Smith, USA Usachev, USSR

ii) Ad-hoc Sub-committee on Modification of INDC Methods of Work

Gemmell, Australia Chairman Le Gallic, France Motz, USA Yankov, USSR

iii) Ad-hoc sub-committee on Nuclear Data Measurements in developing countries.

Rose, UK Chairman Condé, Sweden Coombs, Australia (*) Metha, India Motz, USA

.

(X) Observer

Agenda Items II.F + XII.A 1 October 1974

NDS Working Paper 1

Relationship between INDC and NEA-NDC

The following comments summarize the similarities and differences between the terms of references of NEA-NDC and INDC as viewed by the INDC Secretariat and the IAEA.

I. Scope

Technically, the scopes of the two committees are very similar. INDC's scope is somewhat broader in two respects:

- a) it does concern itself with nuclear data for non-energy applications, and
- b) geographically its scope is global rather than regional, including all countries having major nuclear data programmes, smaller and developing countries.

Regarding "types" of committees, both INDC and NEA-NDC are advisory as well as technical committees.

II. Membership

The number of countries represented on the two committees is the same: 13 oountries + IAEA (for the INDC), and + NEA (for the NEA-NDC) most of them being members of both Committees. One minor difference is in the single member representation by any one country, and the use of advisors by the INDC, whereas NEA-NDC allows for more than one member per country represented.

Merging of the two committees would necessarily enlarge the current 13 + 1 membership. Any new membership drawn from the European Community would necessitate additional East European and developing country representation. The extended scope of nuclear data implemented by INDC could however accommodate the expanded membership - (with more emphasis being placed on subcommittee work).

III. Organization/Secretariat

Implementation of the work of an international nuclear data committee requires considerable assistance of a secretariat. In comparison with the NEA-NDC, the INDC has the advantage to have the IAEA/NDS to act (when necessary and as required) as secretariat to INDC and to implement its recommendations. In the case of NEA-NDC, the CCDN centre does not function in the same manner.

IV. Meetings

Now that IAEA will not pay for the participation of INDC members at its meetings (except for representatives from developing countries and discussion leaders), some representatives who are members of both committees must seek support from their governments to participate in two meetings per year. This may be a strong argument to consider merging the two committees. Consideration could be given to holding the meetings of such a joint committee alternately at IAEA and NEA.

V. Language

The working language of both committees is English. In the case of INDC, necessary interpretation and limited translation services are provided by IAEA.

VI. Material Samples

NEA-NDC has an established sample loan programme which has its roots in earlier bilateral agreements. In the event of a merge of the two committees, exchanging or lending of special materials, not feasible on an international scale, could be continued on the basis of renewed established bilateral agreements.

The part of the established NEA-NDC sample loan programme which is amenable to international exchange could be coordinated with the IAEA Targets and Samples programme.

VII. Evaluated Data

Arrangements for bilateral exchange of evaluated data, similar to those for material samples exchange, could take the place of the function now performed through NEA-NDC. These could be effective until such time that all evaluated data are completely declassified.

APPENDIX V

ATOMIC ENERGY RESEARCH ESTABLISHMENT,

HARWELL.



JKAEA Ilexnore: ABINGDON 4141 EXT, 2858 'our reference:

)ur reference :

OXFORDSHIRE,

DIDCOT, BASSSE

OX11 ORA.

16th August, 1974.

Dr. H. Liskien, Eureau Central de Mesures Nucleaires, C.C.E., Stoenweg Op Retie, E-2440 Geel, Belgium.

V Linkim Dear

I onclose some thoughts on a possible way of reducing duplication of work between sub-committees of INDC and MEANDC, while retaining the essential quality of the work. The dual responsibility for each item would mean that, formally, one member would be from INDC and one from NEANDC, so that each is represented and could attend 'his own' subcommittee as appropriate. It should not be necessary for the individual members to be members of the respective parent committees.

If this proposal, or something like it, could be made to work, I believe a similar one could be applied to the 'Disorepanoies' committee with a significant reduction in duplication and without much complication in working once they were established.

I shall be copying this note to all members of the Standards Sub-Committee, to Dr. J. Schmidt and to Dr. Cemmell.

Yours sincerely

Basil Rose

c.c. Prof. B. Grinberg

- Dr. A. Hichaudon Dr. A.B. Smith-Dr. G.B. Yankov
- Dr. J.R. Losley
- Dr. J.J. Schnidt
- Dr. W. Geamell
-

Notes on NEANDC and INDC Sub-Committees on Standards (and Discrepancies)

At the present time, the NEANDC has a Sub-Committee on Standards and Discrepancies and the INEC has a Sub-Committee on Standard Reference Pata. These sub-committees were set up so that detailed discussions on standards could be held without involving the whole of the parent committees. Meetings are usually held immediately before the main committee meeting and a report submitted for the information and approval of the committee members. Each sub-committee works independently and there is no formal contact between the two. As a result, there is considerable duplication of effort and ways of reducing this should be sought.

Let us first consider the activities of each sub-committee. The frame of reference for the EANDC Sub-Committee was set out in an appendix to the minutes of the 8th EANDC meeting held in 1965 [EANDC-47"A"] and are as follows:

FRAME OF REFERENCE

The sub-committee will deal with standards related to activities within the scope of EANDC.

I. Standards for cross sections and neutron flux measurements:

S

N

1

APPENDIX

<

- thermal
- epithermal
- fast

Standards in the range 1 - 100 keV should continue to receive special attention.

- II. Isotopic standards for stable and fissile elements (e.g. D₂O, B, Li, U, Pu).
- III. Standard samples, especially fission foils:

- preparation problems, chemical and isotopic analysis and metrological problems involved in precise assay;

- half-lives of fissile isotopes;
- absolute o- and fission fragment counting.
- IV. Compilation and critical evaluation of data related to standards for nuclear energy, (e.g. standard cross-sections).
- V. Standardization of the way in which accuracy and precision results of nuclear data measurements should be quoted in literature.

In the fields stated above, the sub-committee will periodically review the situation, report and recommend to EANDC priorities and

With respect to item IV, in particular, it will propose actions. to EANDC recommended values for standards.

Since this frame of reference was laid down, there have been some slight changes in the emphasis of the work of the sub-committee. Item I still plays the major role while items II and III have reduced in importance. Item IV remains an important part of the sub-committee's activities, but Item V has essentially been dropped. At the present time, the sub-committee has taken on the additional task of considering discrepancies in nuclear data as a whole.

I have not discovered formal terms of reference for the INDC Sub-Committee on Standard Reference Data, but it has recently concerned itself principally with items I and IV of the EANDC Sub-Committee's list. with, very recently, a move towards non-energy standards.

Thus the most recent topics on Dr. Liskien's list are:

- (a) The "classical" neutron standards H(n,n), ${}^{3}He(n,p)$, ${}^{6}Li(n,\alpha)$, etc., methods and techniques for flux determination.
- (b) Special problems associated with standards (e.g. neutron energy scales in relation to the 250 keV resonance in ⁶Li + n; ⁶Li content in scintillation glasses).
- (o) Evaluation of standards (e.g. ²⁵²Cf fission neutron spectrum).
- (d) Non-energy standards (e.g. choice of Y-rays for energy and efficiency calibration of Ge(Li) detectors).

In addition, there is a separate Sub-committee on Discrepancies and it can be seen that the two INDC Sub-Committees (on Standards and Discrepancies) perform an almost identical function as the single NEANDC Sub-Committee. These functions are summarised briefly as follows:

- (i) To inform the parent committee of the present situation by identifying disorepancies and where additional work is required.
- (ii) To suggest plans to meet the situation.

PROPOSAL order to reduce the duplication of effort and to improve the co-operation between the appropriate INDC and NEANDC Sub-Committees, the following suggestions are put forward as a basis for discussion.

- 1. There should be an INDC-NEANDC Joint Sub-Committee on Standards.
- This sub-committee should be arranged so that two persons (or laboratories) would be responsible for each standard or topic for a minimum period of, say, 3 years. Any one person (or laboratory) could be responsible for more than one standard if appropriate.
- 3. One person (or laboratory) from a given pair would be replaced at a period of not less than 12 years to ensure continuity.
- The Joint Sub-Committee would report at the meetings of the main Committees, i.e. approximately every 6 months. (Only one person of a given pair would be responsible for producing the report.)

The following notes describe how the Sub-Committee might work.

It would not be necessary for all the nominated persons to be present at every meeting of the Sub-Committee. If the information on each standard were compiled in tabular form, the progress of measurements would be followed from the planning stage right through to the final results and publication (or report). It is clear that a "nothing to report" comment would be appropriate to many items at any given review, but since there are a reasonable number of standards to be considered, on average at least one is likely to be very topical at any given meeting of EANDC or INDC. Thus, a review every 6 months might not be too frequent. Members of the main committees would have to ensure that the appropriate information reached the right hands in good time. Poriodio panel meetings would, of course, still have an essential role to play.

B. Rose

Nuclear Physics Division. A.E.R.E. Harwell, Oxfordshire. Т 20 16 August, 1974. Т

Agenda Item IIF + XIIC 1 October 1974

NDS Working Paper 2

Modification of TNDC Methods of Work

Methods of Work of the INDC are designed to serve as guidelines for the orderly conduct of the committee's business, defining the scope of its activities, its organization, the conduct of its meetings, etc. As such, it should reflect the current practices of the committee and incorporate all accepted innovations which are adopted by the committee.

In view of the changes adopted at the 6th (1973) meeting, i.e. the establishment of standing sub-committees, and of other practices which have developed over the last few years, the current version of the "Methods of Work of the INDC" (INDC-10/G) is in need of a major revision.

The following is a guideline of suggested changes which the committee is asked to incorporate into its Methods of Work. (Suggested additions and/or changes in the text are underlined).

1. Page 1 Section I Introductory paragraph

"The committee shall be concerned with <u>the appraisal of the</u> <u>availability and requirements and with</u> the collection, exchange and dissemination of basic nuclear data relevant to nuclear energy <u>and non-</u> <u>energy programmes...."</u>

2. Page 1 Section I.1

- a) This paragraph should be exchanged with paragraph 2 (and be renumbered 2)
- b) This paragraph should be re-written to reflect more correctly INDC's responsibilities. The title is suggested to be changed from "Compilation, Nomenclature and Information Exchange" to "Nuclear Data Compilation and Exchange".
- c) Change last three lines to read:
 "... compilation groups, <u>and recommend methods for their effective</u> <u>utilization and adequate presentation of their results".</u>

3. Page 2 Section I.2

- 94 -
- a) This paragraph should be exchanged with paragraph 1 (and be renumbered 1) and be titled "Nuclear Data Measurement and Interpretation".
- b) This paragraph should be re-written to reflect the committee's specific interests in reference data, disorepancies in important nuclear data, and energy and non-energy applications of nuclear data and their formalization in the new subcommittees. Alternately, this point could be incorporated into a separate paragraph (see below under Page 4 Section III.4) changing (existing) paragraph 2 as suggested in (o) below:
- c) First line: change "Receive" to "keep itself informed on .. "
 - Fifth line: "... to the nuclear energy and non-energy programmes of ..."
 - Last line: "... for obtaining the required data, and assist in their dissemination and exchange".

1. Page 3 Section III.3

- a) <u>Question:</u> is the "advice and consent" of the committee needed or desirable for the Chairman to invite observers? (see also Page 6, Section IV.8 b).
- b) Regarding the statement" ..., the Director General of the IAEA may appoint additional observers ...", it is advised that the IAEA cannot appoint specific individuals to attend meetings of the INDC (or other meetings) but can only invite Member State Covernments to appoint observers. It is suggested that if specific observers are to be invited to a specific meeting that the invitation be written by the INDC Chairman, as specified by the first statement of this paragraph. The option for the Director General to appoint observers, as stated in the second sentence, should however be left in.

5. Page 4 Section III.4

This paragraph should be expanded to indicate the existence of the standing subcommittees and describe their responsibilities both during and between meetings; the latter may perhaps best be included in the Compendium of the Committee's Regulations.

6. Page 4 Section III.5

Paragraph 5(ii) line 4: "... send the <u>tentative</u> agenda to all ..." (Note: the draft agenda is preliminary and could mislead recipients if sent out).

7. Page 5 Section IV.2

This paragraph does not reflect the way it actually happens. Time and place of INDC meetings are already known at the end of the preceeding meeting, i.e. a year before; the budgetary planning of the meeting has also to be done a year in advance. The notification of the meeting is initiated by the formal invitation by the IAEA which is normally issued at least 6 months prior to the meeting.

.

- First sentence should be rephrased.
- Second sentence should read: "... <u>The Chairman with the assistance of the Scientific Secretary</u> shall keep the members informed about all necessary preparations to the meeting, and who will be attending the meeting in order to facilitate the distribution of documents."

8. Page 5 Section IV.3

The "Agenda" paragraph should be rewritten in order to reflect the actual procedures more adequately.

9. Page 5 Section IV.4

- Line 3: "The tentative agenda" should "relate the documents provided to the items on the agenda..."
- Line 6: "... should be submitted to <u>the Scientific Secretary</u> and all other committee members thirty days in advance of the meeting".

26

Т

10. Page 8 Section V.3

- Reconsider whether the time period of "not later than sixty days after the close of each meeting" is adequate to produce first draft record of the meeting.

General remark

INDC should replace "Committee members" by "INDC Meeting Participants" whereever pertinent.

13 September 1974

NDS Working Paper 3

Extension of the List of Correspondents and List of Documents to include non-neutron nuclear data.

ру

A. Lorenz

A. List of Correspondents

It is proposed to extend the existing INDC documents distribution, currently consisting of the G.L and U categories, by creating two new distribution categories N and W to facilitate the distribution of documents and reports generated by/for the INDC in the field of "non-neutron"* nuclear data.

This "non-neutron" distribution would consist of the following three categories:

- G Distribution (same as for the neutron nuclear data document distribution)
- N Distribution (equivalent to the neutron data L distribution) consisting of the G distribution, INDC Liaison Officers, heads of nuclear data conters, members of national nuclear data committees and other recipients concerned with the development of programmes and international cooperation in the measurement, compilation, evaluation, dissemination and application of "non-neutron" nuclear data, and the INDC Scoretariat.
- W Distribution (equivalent to the neutron data U distribution) consisting of the N distribution and of additional selected measurers, evaluators and users of "non-neutron" nuclear data.

At this stage of "non-neutron" nuclear data consideration by the INDC, the N distribution is deemed to be the most important inasmuch as documents requiring such distribution have already been generated by IARA/NDS this year (e.g. the reports on the "non-neutron" nuclear data meetings held by NDS in April-May 1974). The W distribution is one primarily oriented toward the users of "non-neutron" nuclear data; although no current document requires such a distribution at the present time, a number of them are forescen for the coming year, such as the results of the analysis of the nuclear data use survey, the compendium of "non-neutron" nuclear data compilations etc.

Members of the INDC are requested to review the proposed N distribution list attached herewith, and to give consideration to the formulation of a W distribution and supply the INDC Secretariat (NDS) with a suggested list as soon as possible after the meeting, preferably not later than December 1974.

B. List of Documents

It is anticipated that with the expansion in the scope of nuclear data considered by INDC, to include "non-neutron" nuclear data, the number of documents received by the INDC Secretariat will increase considerably.

Inasmuch as the existing system for INDC documents distribution by the INDC Secretariat (see INDC(SEC)-41/U) does not depend on subject matter classification, all "non-neutron" nuclear data documents generated by or for the INDC could be incorporated into the existing procedures of document distribution in accordance with the N and W distribution categories proposed in A above.

PPENDIX

In order to implement this system for "non-neutron" nuclear data documents and reports, it will be necessary to inform all producers of "non-neutron" nuclear data documents in every participating member state to comply with the INDC document distribution instructions (i.e., as to the method of nomenclature to be used and the number of copies to be sent to the INDC Secretariat) given in the "List of Documents Received by the INDC (SEC)-39/U)

"Non-neutron" nuclear data reports received as single (or few) copies by NDS or the INDC Secretariat, for which no INDC distribution is provided for, will be listed in the annually published "List of Documents Received by the INDC Secretariat", together with the neutron data documents received as single copies.

C. General Comment

The INDC Secretariat is concerned that many nuclear physics reports related to the measurement or evaluation of nuclear data such as laboratory reports generated in participating Member States do not get the adequate dissemination they should have. It therefore urges INDC participants to distribute more documents through the established INDC channels (L,U,N and W distributions).

^{*) &}quot;Non-neutron" nuclear data is used here to mean nuclear structure, decay and charged particle and photonuclear reaction data.

^{- 96}

			CZECHOSL	DV AK I A		
DIS	STRIBUTION LIST BY CODE/COUNTRY	ZNAME		RIBANSKY, DR. I.	ROCEK, DR. J.	
	N DISTRIBUTION TO MEMBER STATE	S =	DENMARK			
ARGENT INA	4			EURAS. PROF. B.	CHRISTENSEN, DR. C.J.	
	RICABARRA, DR. G.		ECUADOR			
AUSTRALIA	A			MUNOZ, ING. RICARDO		
	ALLEN, MR. B.J. Gemmell, MR. W.	BIRD, DR. R.	EGYPT			
AUSTRIA				EL~NADI: PRUF: UK: Me		
	BREUNLICH, DR, W. Eder, DR, D.J. Seligman, DR, H.	BURTSCHER. DR. ALFONS Riehs. MR. P.	FINLAND	SILVENNOINEN, DR. P.		
BANGLACES	SH		FRANCE		COINDERG, DROF, B.	
	ISLAN, DR. M.			JOLY, DR. R. LEGALLIC, DR. Y.	LAUBUGE, DR. R. LEGRAND, DR. J. RIHON, DECTEUR P.	T
BELGIUM				SCHMITT, DR. A.P.		97
	NEVE DE MEVERGNIES, DR. MARCE		GERMANY,	FEC.REP		ł
BOLIVIA	PAZ LORA, SR. F.			CIERJACKS, DR. S. Mattauch, prof. J.H.E. Muenzel, dr. H. Ritteerger, dr. W. Seelmann-eggebert, dr. W.	EBEL, DR, G, Michaelis, DR, W, Pfennig, DR, G, Schult, DR, O,	
	GERBASI CA SILVA, DR. A. Suarez, CR. A.A.	HERDADE, DR. S.B.	GREECE			
BULGARIA				DRITSA, MISS S.		
	NADJAKOV, DR. E.		HUNGARY		•	
CANADA				BERENYI, CR. DENES Kluge, Mr. G.	CSIKAI, PROF. J.	
	EARTHOLOMEW, DR. G.A. Hanna, DR. G.C. Walker, DR. W.H.	CROSS, DR, W.G. Lewis, DR, W.B.	INDIA			
CHILE	MARTENS COOK. DR. P.			BALAKRISHNAN, MR. M. Divatia, dr. A.S. Joshi, dr. M.C. Mehta. dr. M.K. Pancholi, dr. Suresh C. Rastugi. cr. B.P.	CHATTERJEE, DR. A. Gupta, dr. U.C. Kundu, prof. D.N. Mitra, dr. S.K. Rad, dr. C.N.R.	
COLOMDIA		ÁN)				
	······································	· •				

IRAN			PAKISTAN		
	FOUHANINEJAD. MR. H.			KHAN, DR. A.M.	
IRAQ			PHILIPPI	NES	
	SAID, DR. K.I.			NAVARRO, DR. Q.O.	
ISRAEL			POL AND		
	ANIEL, DR. SAADIA	BEN-DAVID, PROF. G.		ANDRZEJEWSKI, PROF, ST. Sujkowski, dr. Z.	MARCINKOWSKI. MR. A.
ITALY			PORTUGAL		
	BENZI. PROF. V.			CARVALHO, DR. F.G.	
JAMAICA			ROMANIA	· ·	
JAPAN	CHEN, MR. A.A.			BACIU, MR. C. Ivascu, mr. m. Petrascu, dr. m.	CUCULEANU, DR. V. Mateescu, dr. N. Rapeanu, dr. S.N.
	FUKETA, MR, TOYOJIRO HISATAKE, PROF, KAZUO Kawai, Prof, Mitsuji Momota, Prof, teruo Natsume, dr. H.	HARACA, DR. KICHINOSUKE IIJINA, CR. Shungo Kimura, prof. Itsuro Nakasima, dr. Ryuzo Nishimura, dr. kazuaki	SOUTHAF	STEFAN• MR• H•L• RICA REITMANN• DR• D•	SELLSCHOF, PROF, J.P.F.
	NOZAWA, MR. MASAO	YAMAMURO, PROF, NOBUHIRO	SPAIN		86
KENYA				VELARDE PINACHO, DR. GUILLERMO	
	GACII, PROF. P.		SWEDEN		
KOREA REI	9• OF			BERGQVIST, PROF. I.	BONNEVIER, DR. B.
	CHO, DR. M.			ERUNE, DR.D. Hjaerne, Dr. Leif Rudstam. Mr. G.	CONDE, DR. H. Persson, Mr. R.B.R. Stroemberg, DR. L.G.
MEXICU		· .		WALLIN, CR. LARS	WIEDLING, MR. TOR
•	GRAEF FERNANDEZ, DR. C.		SWITZERL	AN D	
NETHERLA	ND S			HUERLIMANN. DR. TH.	KERN, PRCF. DR. JEAN
	ABRAMANS, DR. K. Endt, prof. P.M. Leun, dr. C. van der	BUSTRAAN, DR. M. Gruppelaar, dr. M. Lieshgut, prcf. R. Van	THAILAND		
	WAPSTRA, PROF. A.H.	ZIJP, DR. W.L.		NIMWANADUN, MK. IHEEKAWUUI	
NEW ZEAL	AN D		TURKEY		
	RAFTER, CR. T.A.			ENGINOL, PROF. DR. TURAN	
NORWAY			U.S.A.		
	ANDERSEN, MR. E.			AJZENBERG-SELOVE, DR. F. Barnett, dr. C.F.	ALTER, DR. HARRY Block, DR. R.
U.S.A.

BOWMAN . CR. C. CASWELL. DR. R.S. CLAYTON. D.D. DUDZIAK, MR. D.J. FESHBACH, PROFESSOR HERMAN FULLER. CR. E.G. GOLDSTEIN, PROFESSOR HERBERT GORDON, CR. G. HAVENS. PROF. WILLIAM W. JR. HOLDEN, MR. N.E. HOREN, DR. DANIEL JACKSON . DR. H.E. KOCH, DR. H.W. LIDE. DR. DAVID R., JR. MARIPUU, DR. S.A. MAYER. DR. J. MOTZ, DR. HENRY T. ORPHAN. CR. V.J. PEREY, DR. F.G.J. POENITZ, DR. WOLFGANG P. FOBERTSON, DR. J.S. SEABORG, DR. G. SMITH. DR. ALAN B. STEWART. MISS LEONA WAY. DR. KATHARINE WOOD, DR. R.W.

U.S.S.R.

ABRAMOV, DR. A.I. CHUKREEV. DR. F.E. DZHELEPOV, PROF. B.S. ILLARIONOV. PROF. KONDURGY. DR. I.A. KORNEV, CR. G.A. KULAKOV. CR. V. MALYKH. PROF. V.A. MOROSOV. CR. ONISCHENKO, DR. V.D. PETRZHAK, PROF. K.A. SELINOV, PROF. I.P. STRIZHAK, PROF. V.I. SUMBAEV. PROF. 0.1. USACHEV. PROF. L.N. ZELENKOV. DR. A.G.

UNITED KINCOOM

AVERY. NR. A.F. CUNINGHAME, MR. J.G. FUDGE, DR. A.J. GLOVER. MRS. K.M. HANCOX, CR. D.R. LARGE. DR. N.R.

CAHILL, DR. T. CHRIEN . CR. R.E. DICKENS. DR. J.K. DUNFORD. DR. C.L. FOWLER. DR. W.A. GOLDMAN, DR. DAVID T. GOOD, DR. W.M. HARRIS. NR. D.R. HEATH. DR. R.L. HOLLANDER, DR. JACK M. HOWERTON, MR. R.J. KALOS DE. M.H. LEDERER. DR. M. MACGOWAN. DR. F. MASKEWITZ. DR. B. MOORE, DR. MICHAEL S. NEWSON. PROFESSOR HENRY W. PEARLSTEIN, DR. SOL PHILLIPS, PROFESSOR GERALD C. REICH, DR. C.W. GLUN 4 ROGOSA. DR. GEORGE L. SHIHAB-ELDIN, MR. STEINER. DR. D. TASCHEK, DR. RICHARD F. WEINBERG, DR. A.

UNITED KINGDOM

REID, MR. J.M. ROWLANDS. MR. J.L. STORY. MR. J.S. WHITTAKER, MR. A.

URUGUAY

LALANNE, PROF. A.

VIETNAM REP. OF

VO-XUAN-BANG, MR.

YUGOSLAVIA

CINDRO, DR. N.	CVELBAR, DR. F.
LALOVIC. DR. B.	PAIC. DR. G.
SLAUS, DR. I.	TOMAS, MR. P.

ZAIRE

POLLAK, CR. H.

ROSE . DR. 8. SHARPEY-SHAEFFER, DR. J. VALLIS. MR. D.G.

T. 66 1

BOBYR. DR. V.V. DEMIDOV, DR. A.M. GROSHEV, DR. L.V. ISAEV. DR. B.M. KONSHIN. DR. V.A. KRASIN. FROF. A.K. KUZNETSOV. PROF. V.A. MANJKHIN, DR. V.N. NIKOLAEV, DR. M.N. PEKER. PROF. L.K. RUDAKOV. DR. L.J. SOKOLOVSKIJ. DR. L.L. SUKHORUCHKIN, DR. S.I. TROIANOV, DR. M.F. YANKOV, DR. G.B.

AXTON. MR. E.J. FERGUSCN, DR. A.T.G. GIBBONS. DR. D. GREEN, PROF. L.L. JAMES, DR. G.D. PATRICK, DR. B.H.

N DISTRIBUTION TO INTERNATIONAL BODIES

GEC-GEEL

BAMBINEK, DR. W.	BATCHELOR, DR. R.
LISKIEN. DR. H.	GLU 2

DUBNA (JINR)

FINGER, CR. M. GROMOV, PROF. K.YA.

IAEA-NDS

CALAMAND, MR. A.	INDC-SECRETARIAT	GLUN 5
LORENZ. MR. A.	2 N SCHMIDT, DR. J.J.	

N.E.A.-NDCC

FROEHNER, DR. FRITZ

NORDITA

ROSENFELD. PROF. L.

OECC-N.E.A. HQ

ROSEN, DR. J.

NUMBER OF RECIPIENTS UNDER N DISTRIBUTION = 251

NO. OF NON-EANDC RECIPIENTS UNDER N DISTRIBUTION = 101

~

100 -

1

ø

APPENDIX IX

d

à

NDS Working Paper 4

Report on WRENDA

by

Charles Dunford

IAEA / NDS

(presented at the 10th Four Centre Meeting, May 1974)

n = items to be discussed at 7th INDC Meeting

OMISSIS

We intend to ask the INDC to endorse a policy of considering all requests from a country not responding to our request for review of their WRENDA entries for two successive years as withdrawn. OMISSIS

2. Several of the countries in the CCDN service area have failed to use the "country retrievals" for update of their WRENDA entries. This has added unnecessarily to the work required of that center. We shall mention this problem at the next INDC Meeting and suggest that in the future care should be taken to submit WRENDA requests in the agreed manner. If the "country retrieval" method is inconvenient then the INDC might suggest an alternative method.

OMISSIS

3. Determination of the appropriate request "status" flag is often impossible with the information supplied by the countries. If the INDC wants a simple system then we should use only the following categories in the WRENDA book: <u>no flag</u>, revised or new.

> The distinction between satisfied and withdrawn requests has not been consistently maintained. We shall suggest that all deleted requests be carefully categorized or we should drop the distinction.

Presently with NNCSC, Brookhaven

1.

UNIQUE DEFINITION OF NUCLEAR DATA ACCURACY

L.N.Usachev

Abstract

An approach to development of the unique definition of evaluated nuclear data accuracy suitable for reactor and other applications is proposed. In this connection the nature of experimental nuclear data errors is discussed and recommendations for the representation of the error components in publications are given.

A general algorithm is given for the calculation of the "unique" error important in applications - the error in the integral under the curve and in its general slope - on the basis of the representation of errors by a covariance matrix being obtained at the parametrization of experimental data by the least square method.

Nuclear data the most important for fast reactors have been repeatedly measured and evaluated for more than a quarter of the century by many groups of authors but the measurements and evaluations of these values are being continued up to now and planned for the future.

INTRODUCTION

This is caused by the dissatisfaction with the uncertainty value of obtained quantities. Besides, an increase in the accuracy of an experiment demands an increase of costs which are inversely proportional to the square of a tolerable uncertainty according to some estimations. Therefore quantitative determination of satisfactory accuracy is of great importance. There exists also a mathematical apparatus -

¢,

0

ø.

- "experiment planning" - which allows to find quantitatively the required data accuracy. To the problem being discussed this apparatus is applied in [1], [2], [3], [4]. It is necessary only to come to an agreement about the unique representation of the error based on the understanding of its structure, i.e. the nature of its components of various origin which have a different effect on the accuracy of calculated reactor parameters.

А

à

The great majority of reactor parameters depends on wide neutron spectra. Therefore the error components correlated over wide energy ranges and over some isotopes in a reactor are of great importance. Unique representation of these error components is of great concern because the most rigid requirements deduced in [1] - [4] are imposed just on the accuracy of these components. It is clear that all the considerations mentioned above will be also valid for the blanket of a fusion facility and in general for all cases when wide neutron spectra are important.

The question being considered here arose in connection with the discussion of the world-wide request list for neutron data (WRENDA) [7] at INDC. In particular, the discussion concerned the problem of reviews of state-of-the-art in the knowledge of some definite values by the evaluators which had performed corresponding evaluations. The point is that the errors indicated by them and characterizing the attained state of knowledge must be compared with the error value tolerated by users and shown in the same document. Comparison of attained and required accuracies must show if the efforts in refinement of the value under consideration should be continued or stopped. Naturally, this is possible only at the unique definition of quentities being compared. Formulation of the problem was discussed earlier in document [8].

ERROR STRUCTURE IN AN EXPERIMENT

An experimentator investigating the dependence of a function on an argument measures it usually at the argument values being successively selected. In this case the dependence is obtained as a set of experimental points each of which has an error. Now we consider components of this error.

۵

0

The first error component - the statistical one - shows itself directly in an experiment in the fact that the scatter is observed in the results of various sets of measurements.

This scatter is caused by the finiteness of the number of registered events and perhaps by other random factors. The experimentators consider that it is necessary to eliminate these random factors and they are satisfied if the scatter of some measurement sets is fully explained by the finiteness of the number of registered events, N, when the relative dispersion is equal to $\frac{I}{V_{T'}}$.

Irrespective of whether the scatter of measurement results is caused by the finiteness of the events number or not we denote this first error component by Δ statistical $\equiv \Delta_{\mathcal{A}}$.

The second error component goes over to the measured value from the error of the standard used in measurements. Let us denote it by \triangle standard $\cong \triangle_2$.

The third error component is connected with possible disadvantages of the experimental set-up itself which results in a shift of the value under measurement. If the experimentator understands the causes of this shift or its part he introduces a calculational correction and evaluates a possible inaccuracy of this correction which is the third error component.

We denote it by Δ systematic $\equiv \Delta_j$

This error can not stochastically vary from point to point because it results from the cause remaining constant or varying very slightly. Thus, this error component being correlated characterizes the error not of each point, but of the whole curve. The same considerations apparently can be attributed to Δ_2 or at least to its part and also to the next unknown error component. The unknown error component is connected with disadvantages of the experimental set-up itself which result in the shift of the value under measurement what the experimentator himself does not know. We denote this component by Δ unknown systematic $\equiv \Delta \mathcal{X}$.

The existence of Δx is just the reason of frequent discrepancies of the results of experiments performed with the use of various methods by values exceeding the errors declared by the experimentators.

The existence of $\Delta_{\mathcal{X}}$ and its order of magnitude are revealed only when comparing the results in the process of evaluation. An important and a delicate task of an evaluator when revealing these disorepancies is the attribution of various values of $\Delta_{\mathcal{X}}$ to the results of different authors. Fortunately, in some experimental works several various methods are used and in this case one can consider that for these works $\Delta_{\mathcal{X}}$ is determined from the experiment.

The total error of an experimental point the authors of measurements usually calculate according to the formula

 $\Delta_{teep}^2 = \Delta_1^2 + \Delta_2^2 + \Delta_3^2$

because usually nothing is known about the last summand Δx . This representation is correct because three error components are not correlated with one another and the error of one point is characterized by this value correctly.

But it would be incorrect to form the table: argument, function, Δ teep.

The fact is that at this representation one would like to draw a curve through the points with errors by the least square method but this assumes the errors of neighbouring points to be non-correlated. But in reality there is no correlation between neighbouring points only for the component $\Delta_{1/2}$. On the contrary, for all remaining orror components taking into account their origin one assume in the first approximation that there exists the total correlation between the points. In other words, all the components with

a

the exception of $\Delta_{\mathcal{A}}$ shift the whole curve completely upwards or downwards and $\Delta_{\mathcal{A}}$ affects its form. If we draw the curve by the least square method using Δ_{teep} the form of this curve will be smoothed because some its peouliarities will be wrong treated as statistically unstipulated. It would not take place when using $\Delta_{\mathcal{A}}$ instead of Δ_{teep} On the other hand, the error of an integral under the curve at a great number of points. Can be highly lowered because the total error is considered as the statistical one, decreased by \sqrt{N} times with the increase of the "N" - number points on the curve. At the correct treatment only the contribution to the integral from $\Delta_{\mathcal{A}}$ will be decreased with the increase of points number. The growth of the experimental points number in the given experiment can not affect other error components but $\Delta_{\mathcal{A}}$

RECOLMENDATION FOR REPRESENTATION OF ERRORS OF EXPERIMENTAL VALUES

The error component Δ_{f} non-correlated in various points and following directly from the measurements should be represented point by point. All other error components obtained as a result of the analysis of the experimental set-up and corresponding calculation or from literature should be represented separately with the specification of correlative properties, either with the help of formulae, either by algorithms description or in the table form. The total error of an experimental point can be presented in some characteristic points.

UNIQUE DEFINITION OF ERROR AND THE EVALUATION ALGORITHM AT WHICH IT IS REALIZED

The unique definition of error is necessary for establishing a common language between users, evaluators and measurers of nuclear data in the process of planning the work on data refinement.

ð

104 .

When the user is speaking about a tolerable value of error, the evaluator - about a decrease of error achieved in the last experiments, and the experimentator - about his ability of measuring a value to a certain error, it is necessary that the same word "error" have the same meaning. Search of this meaning should be started from considering the aim of activities, i.e. ensuring an assigned accuracy of reactor calculation. From general considerations on the breadth of neutron spectra in fast reactors it is clear that the error components correlated over a broad energy range, i.e. affecting the integral under the cross-section curve and, may be, the general slope of this curve, should affect the calculation accuracy. And, on the contrary, the error component determining the inaccuracy of the curve detailed trend cannot influence significantly.

σ

In accordance with this, for a unique definition of error of a function we take the errors of several functionals of this function which would characterize its normalization, general large-scale trend, etc. In the simplest case such functionals are the integral for characterizing the normalization and the first moment for characterizing the slope.

What are the requirements to the evaluation procedure to determine correctly the errors of the evaluated data and, specifically, of the above functionals?

First of all, the following remark should be made.

The commonly used programs of the least-squares method, for example, the program of the curve representation with the use of polynoms, assume the errors to be non-correlated, statistically independent. Therefore, with the use of these programs it is quite justified to draw a curve through the points of a single experiment assigning to these points the error Δ_1 . But an attractive possibility to draw a curve through the points of several works at once, with assigning a total error to each point, should be rejected as an incorrect one.Let us explain this.There are two groups of experimental points from two works carried out by different methods and presenting the same function. They differ from one another by some value characterizing the systematic error value Δ_{\star} . Now by assigning total errors to the points of both experiments according to the formula $\Delta_{leep}^{*} = \Delta_{t}^{2} + \Delta_{r}^{2}$ and drawing a curve through them by the least-squares method we obtain an error in the integral of this curve equal on its order of magnitude to Δ_{leer} / \sqrt{N} , where N is the number of points in both experiments. But it is obviously an erroneous conclusion because this error is determined by Δ_{x} and cannot docrease with the number of points on the curve.

Therefore, taking into account this remark, the evaluation process should consist of the following stages: 1) Reduction of results to one standard, introduction of corrections for systematic errors found out by the time of evaluation, rejection of works not satisfying some criteria or assigning a considerable systematic error 4, to them. 2) Parametrization by the least-squares method of experimental curves of separate works or groups of works performed by the same method. In this case information about uncertainties resulting from statistical uncertainties of each experimental work is presented, in corresponding covariance matrices. The algorithm for obtaining the error of the functional of the parametrized curve from the covariance matrix is described in Appendix. Let us denote these errors by $\Delta_{i\rho}$ 3) The procedure of obtaining a single evaluated function from several parametrized curves will not be discussed here. If such a method keeping information about errors exist then it would be sufficient to apply the algorithm described in Appendix to a correspondingly parametrized function and to its covariance matrix to obtain a "uniquo" error. But irrespective of the method used for obtaining the evaluated curve the information on uncertaintics of its functionals can be obtained by considering a statistical ensemble of functionals of the curves taken from separate works. When considering this ensemble we can consider it as an ensemble of measuring methods, systematic errors of each method being now considered as random ones. Therefore, to obtain the mean functional

and its dispersion let us use the formulae of the leastsquares method:

$$F = \frac{1}{N} \frac{\sum F_i / \Delta_{iF}^2}{\sum 1 / \Delta_{iF}^2} ; \quad \Delta_F^2 = \frac{1}{\sum 1 / \Delta_{iF}^2}$$
(a)

In this case the condition of $\frac{4}{N}\sum_{i} (F-F_i)^{\prime} \Delta_{i_F}^2 = 1$ (b) will not be satisfied if we take $\Delta_{i,F} = \Delta_{i,i_F}$. It is necessary to include in $\Delta_{i,F}$ the known systematic errors Δ_{3,i_F} and, may be, to assign the unknown Δ_{2,i_F} . Assuming all the ourves to be reduced to one standard, we do not take into account the component Δ_{2,i_F} at this stage. Thus,

 $\Delta_{iF}^{2} = \Delta_{iiF}^{2} + \Delta_{3iF}^{2} + \Delta_{xiF}^{2}$

Strictly speaking, $\Delta_{x,\rho}$ should be assigned in accordance with the quality of methods but so that the condition (b) is satisfied.

From the point of view of applications the correctness of the evaluated curves should be verified by comparison of their functionals with the values obtained by formulae (a). As for the "unique" $_{i}$ errors, they are also determined by the latter formulae (a) and (b).

In conclusion it should be noted that for the functionals considered we may take not the integral and the first moment but, for some important reactor parameter, the integral of the product of a cross-section by flux and importance of neutrons. In some cases it may prove that important is not an error within a broad energy range, as it has been said above, but an error in parameters of some resonance, for example, of the 3 keV sodium resonance. Functionals determining blocking coefficients, i.e. sensitive to the detailed trend of a curve can be also considered.

From the above it is clear that the proposed approach to the unique definition of the error is a sufficiently general one.

D

APPENDIX

The Error of the Parametrized Curve Functional

Let $f(x, a_0, a_1, \ldots, a_n)$ be a function the parameters of which are determined from the condition of the best, in the sense of the least-squares method, description of the experimental points set. $F(a_0, a_1, \ldots, a_n)$ is the functional of the "f" function, and D_{ij} is the oovariance matrix characterizing dispersions - squares of parameter errors (diagonal terms) and covariances of parameter errors (non-diagonal terms).

To calculate the functional F dispersion it is necessary, first of all, to find the sensitivity coefficients of the functional to parameter variation, i.e., partial derivatives of the functional over the parameters $\partial F/\partial a_i$ i: 0, i, ... h, the set of which forms the vector $\{\partial F/\partial a_i\}$.

The dispersion of the functional F, i.e. the square of its error, is expressed by the formula:



where the sign "x" denotes matrix multiplication. Thus, this algorithm extracts from the detailed information about the error the component we are interested in.

As a simple example let us consider a function presented by a series over the Legendre polynomials in the range of arguments from -1 to +1, i.e. in the range of orthogonality of these polynomials. In case of the energy dependence of the functions in the interval E_1 to E_2 , by transformation of the argument:

 $x = -\frac{E_2 - E_1}{E_2 - E_1} + \frac{E_1 - E}{E_1 - E_2} ,$

we will get into the above mentioned interval of arguments. So, let $\frac{h}{2}$ ρ (v)

$$f(x, q_0, q_0, \dots, q_n) = \sum_{i \neq 0} a_i r_i(x)$$
then
$$F_0 = \int_{i} f(x, q_0, \dots, q_n) dx = 2 a_0 \quad F_1 = \int_{i} r_i f(x, q_0, \dots, q_n) = \frac{2}{3} a_i$$

$$\frac{\partial F_0}{\partial q_i} = 2 S_{0i} \quad i = 0, 1 \dots n \qquad \frac{\partial F_1}{\partial q_i} = \frac{2}{3} S_{1i} \quad i = 0, d \dots n$$

$$\Delta_{1F_0}^2 = 4 D_{00} \qquad \Delta_{1F_1}^2 = \frac{4}{9} D_{ii}$$

If the polynomials were not orthogonal, or the functionals had weight, or parametrization were more complicated, e.g., presentation of the resonance curve by a multilevel formula, then such simplification of the algorithm would not take place and calculations should be carried out by the general formula (p.1).

REFERENCES

~

1. Usachev L.N., Bobkov Yu.G. "Planning an Optimum Set of Microscopic Experiments and Evaluations to Obtain a Given Accuracy in Reactor Parameter Calculations". Proceedings of the Meeting on Neutron Nuclear Data Evaluation in Vienna, 30 August - 3 September, IAEA, Vienna, 1973. English translation INDC(CCP) 19/U, Vienna 1972.

2. Usaohev L.N., Manokhin V.N., Bobkov Yu.G. "Nuolear Data Acouracy and Its Influence upon Fast Reactor Development. An approach to working out of Requirements on Nuclear Data Accuracy" Symposium on "Applications of Nuclear Data in Science and Technology", Paris, March 1973.

3. Usachev L.N., Bobkov Yu.G. "Determining the Necessary Accuracy of Nuclear Data with Allowance for Integral Experiments", "Neutron Physics", Proceedings of the 2-nd All-Union Conference on Neutron Physics, Kiev 28 May - 1 June 1973. Obninsk 1974. English translation INDC(CCP)-33/L, July 1973, IAEA, Vienna.

4. Bobkov Yu.G., Pyatnitskaya L.T., Usachev L.N. "Planning of Experiments and Evaluations on Neutron Data for Reactors", FEI, 1974.

5. Official Minutes of the 5-th INDC Meeting, July 17-21, 1972. R.Joly, P.Ribbon, J.J.Schmidt, IAEA, Vienna, INDC-12/L.

6. Minutes of the 6-th INDC Meeting, October 8-12, 1973. R.Joly, Ch.L.Dunford, J.J.Schmidt, IAEA, Vienna.

7. WRENDA 74 INDC(SEC)-38/U, Vienna, 1974, IAEA.

8. Usachev L.N., Bobkov Yu.G. "Proposals on RENDA - a World-Wide Compilation of Requests for Neutron Data Measurements for Reactors", A working paper presented to the Fifth INDC Meeting 1972. English translation; INDC(CCP)-25/U August 1972, IAEA, Vienna.

- 108 -

APPENDIX XI

ORNL ELECTROMAGNETIC ISOTOPES INVENTORY AND REQUIREMENTS AS OF MARCH 31, 1974

		<u> </u>	ales			Research	Materials	Collection	n		
lsotope	Enrich- ment (~)	Proposed Separations thru Dec. 1974 Inventory (mg) (mg)	To Be Added from Proposed Separations (mg)	5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (mg)	Reproc- essing (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	.R4C Requirements (g)	Aboroy. Bal. pyc Requirements (p)
SD-121 SD-123	>98 >96	4,548 5,232		5,000 3,500	40,100 49,920		1,994	42,094 49,920		120 120	78 70
Ba-130	<pre><55 >55 >55 >50</pre>	68		1,000	1,414 80			1,414 80		1.0	1.0
Ba-132	5-15 15-35 35-45 \45	196 1,797 4		1,000 500	768 219			768 210			
Ba-134	>50 <55 - 55-70 -79	2,814 2,094 336		2 000	1,436 30,000 17,171		10	1,436 30,010 17,171		1.0	0.8
Ba-135	>85 50-70 70-90 90	8,209 3,842 2,299		3,500	4,452 10,000 39,966 20,865		2,875	4,452 10,000 39,966 23,730		30	25
Ba-136	30-60 60-90 >90	7,071 1,724 11,075		4,000	52,262 49,063 24,374			52,262 49,063 24,374		100	75
Ba-137	80 80-90 95	12,529 16,492		3,500	120,572 45,494			120,572 45,494		100	100
Ba-138	- 95	13 237	-	25,000	228,256	6,000		234,256	,	100	lone
B-10 B-11	>93 >98	8,410 500		500 500						50	50
Br-79	90-98 >98	2.266 5,549	·	4,000	1 86,733			186,733		50	None

			S	ales			Research	Materials	Collection	n		· · · ·
Isotope	Enrich- ment (*)	Proposed Separations thru Dec. 1974 (mg)	Inventory (mg)	To Be Added from Proposed Separations (mg)	5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (mg)	Reproc- essina (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	RMC Requirements (q)	Approx. Bal. RMC Requirements (g)
Br-81					5 000	100 000			100 504			
			4,200		5,000	168,584			168,584	- <u></u>	50	None
Cd-106	70-85 →85 >80	17,000	255 411	2,000	2,000	4,958 4,011	. *	·	4,958 4,011	6,000	16	
C d-108	60-75 75-85	13,000	318 15	6,000	6,000	5,131	k		5,131	7,000	10	5
Cd-110 Cd-111	>75 >95 -20	186,000	5,312 19,428	10,000	15,000 12,500	40,807 79,174	43,735	3,389 3,640	87,931 82,814	13,000	100	13 17
Cd-112 Cd-113	~95 >90	368,000	17,798 10,683	132,000	150,000 10,000	24,087 87,018	74,398		98,485 87,018	2,000	100 100	2 13
Cd-116	>98 >94	120,000	4,033 3,419	400,000	400,000 15,000	36,801		5,895	100,903	40,000	100	39 6
Ca-40 Ca-42	-99.87 65-90		45,109* 742		52,000	284,648	140,000		424,648		570	106
Ca-43	-90 -60-80		31,748		6,000	1,000	52,823		53,823		55	1
Ca-44	75-98 >98.		4,437		20,000	84,244 209,978	15,024	42	84,286 225,002		40 160	None
Ca-46	-40 >40		386		400 200	181			181		0.5	0.3
Ca-48	> 94		424		8,000	15,697	9,504	6,502	31,703		50	18
C-12	-99.9	······	3,532	·····	1,000	4,000			4,000		100	9 6
Ce-136	-25 25-40 -40		821		1,900 100	5,000 1,453			5,000 1,453		} 10	4
Ce-138	-14 14-25		403 4,444		1,000	1,951 12,783		: *	1,951 1,951 12,783		,	

			Sales		<u></u>	Research	Materials	Collectio	1		
Isotope	Enrich- ment (~)	Proposed Separations thru Dec. 1974 Inven (mg) (m	To Be Added from Propose tory Separations g) (mg)	d 5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (mg)	Reproc- essina (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	RMC Requirements (g)	Approx. Bal. RMC Requirements (a)
Ce-138	>25				2,244			2,244		10	٥
Ce-140 Ce-142	>98 >83	20 9	.755 .847	50,000 6,500	63,850	550,000 92,435	9,000	550,000 165,285		200	None
			······································							100	100
C1-35	85-98 >98 75-95	. 2	112 ,963 896	40,000	2,007 178,293			2,007		100	None
•••	>95	10	124	7,500	7,259			7,259		50	43
Cr-50	88-95 >95	. 4	,471 223	25 000	3/1 722	2,872		2,872	<u>-</u>	EE	Naac
Cr-52 Cr-53	99-99.9 85-95	- 9 1	,865 ,052	18,000	95,279	49,981	1,740	147,000		147	None
Cr-54	95 - 95 87-95 95 -	6 8	,925 ,510	15,000	83,927 1,844 14,804	50,000 19,705		133,927 21,549		134	None
Cu-63	91.33	g	.072	2,000	14,004			17,004			
<u>Cu-65</u>	>99	32 76	,956 ,537*	50,000 25,000	443,115	173,818	109,885 70,046	553,000 299,696		553 300	None None
0y-156	<20 20-30		198 398	100	615 1,148			615 1,148			
Dy-158	10-25 25-35		706	300 200	2,159 250	400		69 2,559 250		1.5	1.5
Dv~160	>40 <60	4	.281							3.0	3.0
,	60-70 70-80 >80	3	212 356	3,000	20,278 1,939 342			20,278 1,939 342		20	18

Includes 59,103 mg on loan.

	<u> </u>		· s	ales			Research	Materials	Collection	n		· · · · · · · · · · · · · · · · · · ·
Isotope	Enrich- ment (%)	Proposed Separations thru Dec. 1970 (mg)	Inventory (mg)	To Be Added from Proposed Separations (mg)	5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (mg)	Reproc- essing (mg)	Total Inventory (mq)	To Be Added from Proposed Separations (mg)	RMC Requirements (g)	Approx. Bal. PMC Requirements (0)
Dy-160	>75										20	18
Dy-161	>90		11,175		10.000	100.000			100.000		100	None
Dy-162	~90		13,314		17,500	51,993	95,607		147,600		150	None
Dy-163	>90		4,43.)		3,000	92,112	59,184		151,296		150	None
Dy-164	>95		9,140		25,000	·	159,590	_	159,590		150	tione
Er-162	20-25		172		300	3,449			3,449			
e . 164	>25		770		200	2,527			2,527		10	7.5
Er-164	60~70		2,628		1,000	24,641			24,641			· • •
F- 166	>/0		2 204-		759	5,607	100 000		5,007		30	15
LI-100	95-99		3,601		2,500	170 000	. 100,000		170,000		170	N
	500		5,001		7,500	2 693			2 693		170	None
Er-167	85-95		13.039		12 500	170,000			170,000			
	>95				12,000	170,000			170,505		170	None
Er-168	>90		13,952		20.000	170.000	100.000		270 000		170	None
	99.9		1,030			440			440		170	none
Er-170	96-97		16,966		25,0 00	68,543	169,125		237,668		170	Ноле
Eu-151	90-99		22,813		25,000	60,163	88,388		148,551		150	1.5
Eu-153	90-99	· · · ·	23,947		25,000	5,555	94,437	50,000	149,992		150	None
Gd-152	-25 25-35 35-45 45-55		1,833 1,740		1,900 500	2,000 1,269 183			2,000 1,269 185		3.0	1,5
Gd-154 Gd-155	60-75 >98 74-80 80-90 90-95		2,770 344 498 124		4,000 }9,000	30,433 1,818 1,509 26,046 27,269	34_866	2_440	30,433 1,818 1,509 26,046 64,575		} 30	None
	99.82 >95		2,994		1,000			-•···			150	86

										•	-
			ales			Pesearch	Materials	Collection	ו		
Isotope	Enrich- ment (7)	Proposed Separations thru Dec. 1974 Inventory (my) (mg)	To Be Added from Pronosed Separations (mg)	5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (ma)	Reproc- essing (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	RMC Requirements (g)	Approx. Bal. RMC Requirements (o)
Gd-156	80-95 95-99 99.82	19,207 15,813)8,000	30,000 9,957 1,591	116,428	400	146,428 9,967 1,991		150	29
Gd-157	69-80 80-90 90-95	1,692 6,991 150		10,000	1,778 49,954 24,344	93,074	479 6,598	2,257 143,028 30,942		150	tione
Gd-158	99.7 80-90 90-95	2,281 25,180 16,528		5,000 15,000	79,915 2,919 171,462			79,915 2,916 171,462		170	None
Gd-160	90-99 >99.99	90,437* 1,024		47,500	100,000	50,170		100,000 50,170		150	:lone
Ga-69 Ga-71	>99 >99	4,055 1,833		10,000 6,000		70,000 72,886		70,000 72,886		70 70	-tione None
Ge-70	80-90 90-95	42,886	· · · · · · · · · · · · · · · · · · ·	7,500	32	125,483		125,515			
Ge-72	>95 90-95	100 88,373		2,500	2,763	177,951		180,714		/5	67 Nana
Ge-73	95. 70-85	9,167 4,977	, ,	10,000	41,459	6,000		47,459	1	75	none
a.' - 4	85-95			5,000	40.000			40, 903		75	75
5e-/4	90-95	20,085) }	}40,000	24,098	•		24,098	}	75	None
UNC-710	20-85 85-95 95	1,734		5,000	, 24,002) 272			272		75	. 75

*Includes 50,000 mg on loan.

			Sales					Haterials	Collection)		
lsotope	Enrich- ment (~)	Proposed Separations thru Dec. 1974 (mg)	Inventory (mg)	To Be Added from Procosed Separations (mg)	5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (mg)	Reproc- essing (mg)	Total Inventory (mg)	Yo Be Added from Proposed Separations (mg)	RMC Requirements (g)	Approx. Bal. RMC Requirements (o)
Hf-174	<10		1,019		500							
	10-15 20-25	1,000	63 61	200	5,000	492 209			492 209	800	100	100
HT-1/6	68-70 70-85	10,000	250	2 000	E 000	674	8,529		8,629			
Hf-177	70-85	75,000	3,064	2,100	5,000	4,999	20,000	14,683	39,682	8,000	100	88
Hf-178	. 89-95	110,000	10 220	3,000	10,000	5,103		1,000	6,/63	72,000	100	79
Hf-179	<70	50,000	114	10.000	15,000	11,983	20,009		87,844 11,983	110,000.	100	12
	20-85	50,000	3,624	10,000	10,000	3,541	13,170		13,170	40,000	· ·	
Hf-180	-90 90-99	115,000	994	444	27,500	50,937	22,000		72,937	90,000	100 100	100 20
In-113	45-70 85-95		830	<u> </u>	1,000	994	· · ·		994			
In-115	>95 >99.5		18 29,635		7,500	4,668 199,680	138		4,876 199,680		30 120	25 None
Ir-191	85-90 90-96			······································	300 500	156			156		50	None
Ir-193	>96 85-95	56,000	123	1,000	300	100			130	55,000	50	Aune
	-95 -98	95,000	7 84	1,000	500	556			556	94,000	50	None
Fe-54	-90		28,755		35,000	· · · · · · · · ·	369,386		369,386		160	None
re-50	-99.8 -99.8		16,700 69,998		20,000 80,000	129,550 900,000	181,054 60,000		181,054 960,000		} 960	None
:e-57	40-70 80-90		704		}25,000		234,960	1	234,960	χ	∫2 50	None
Fe-58	-90 25÷70	·	4,503 9,411		50,000	64,874 15,592	37,326	10,000	112,200 15,592	\$	{ 50	llone
	70-90 >30		6,022		7,500	92	18,883	50	19,025		10	

			Sales			Research	Materials	Collection	1		
lsotope	Enrich- ment (?)	Proposed Separations thru Dec. 1974 Invento (mg) (mg)	To Be Added from Proposed ry Separations (mg)	- 5-Year Sales Requirements (mg)	loventory (mg)	On Loan (mg)	Reproc- essing (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	RMC Requirements (g)	Approx. Bal. RMC Requirements (o)
La-138 La-139	1.23 7-8 >99.9	٦.,	19 59 00	300 1,000	2,000 30,000			2,000 30,000		2. 0 30	None None
Pb-204	20-80 80-99	30,1	538 16	10,000	7,188	.99,424	1,178	107,790			
Pb-206	>99 99~99.95 >99,95	2, 30, 1,1	181 372 287	1,000 40,000	15,000 95,264 10,000	84,081		15,000 179,345 10,000		20 } 263	5 74
Pb-207	80-90 90-98 . >98	49, 5,	370 41	60,000 2,000	395,166	309,373 433,529		309,373 828,695		750	None
РБ-208	95-99 99-99.9 >99.9	49,	95 54	100,000 1,000	65,208 6,490	1,498,000 547,463	67,094	1,498,000 679,765 6,490		245 10	None 3.5
Li-6 Li-7	>99.9 99.99	1, 1,	000	1,000 1,000	10,000 8,591		• <u> </u>	10,000 8,591	·,	10 10	None 1.5
Lu-175 Lu-176	-99.8 70-80	7,	50 50	10,000 500	180,953	50,000 50		230,953 4,256		200 20	None 16
49-24 1g-25 4g-26	>99 >90 >95	44, 14, 25,	542 219 106	50,000 15,000 30,000	200,000 79,404 13,714	51,937 106,286	196,200 43,340	448,137 122,744 120,000	*	200 100 120	None None None
Ha-196	20-30 33.79 48.18 49.13	1,450 179 39	850 179 771 39	5,000	742		216	742	690	} 50	49
ta-198	50-80 80-90 90-99		29	2,000	5,627 4,662 2,065	2,500	3,702	121 2 11,829 4,662 2,065			

			S	ales			Research	Materials	Collection	1		
Isotope	Enrich- ment (%)	Proposed Separations thru Dec. 1974 (mg)	Inventory (mg)	To Be Added from Proposed Separations (mg).	5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (mg)	Reproc- essing (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	RMC Requirements (g)	Approx. Bal RMC Requirements (c)
Hg-199	65-80							235	235		•	
-	82-90		373			600			600			
	>90		2.2		3.000	76	2,500		2.576		50	48
Ha-200	70-90	9.062	1.177		1,500			2,996	2,996	9.062	•	-0
	93.13	7,469		469						7.000		
	-95	5,368		368						5,000	50	50
Hg-201	81-90	•	3.385				25,995		25,995	•••••	••	
•	90-95	17,000	729	1,000	2,500	5.034	2.500		7.534	16.000	1	
	>95		507	••••		4.422	1.000		5,422		7 50	37
Hg-202	70-85	13,000	448	3,000						10.000		
	>95			-,	7,500		2.848		2.848		50	47
Hq-204	44-80		12,639		•	329	2,400		2,729			
•	80-90		276		1						•	
			1,887		33,000		•				1	
	×98							4,052	4,052		. }50	46
Mo-92	90-98		24,651		35,000	-50 000	197 147	52 000	199,147		195	None
Mo-94	85-95		14,146		15.000		182.359	2,000	184.359		100	None
Mo-95	-96		14.071		15,000	147-000	50,000	6,000	203.000		203	None
Mo-96	-96		11.581		15,000	,	197,000	3,000	200.000		200	None
Mo-97	90-95		5,117		6.000	40.000	50,000	7 000	97,000		9.7	None
Mo-98	85-90		40.423	40,000 1			50,000	,,000	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,,	none
	92-99		358,967	497.000	>1,000,000	46,402	151.010	9.000	206.412	•	206	None
Mo-100	95-99		21,416	,	15,000	31,025	265,584	10,735	307,344		100	None
lid-142	90-95		316			4,257			4,257	· · · · · · · · · · · · · · · · · · ·		
	-95		29,604		80,000	67,489	117,705	8,000	193,194		194	None
Nd-143	65-85						19,077	•	18,077			
	>85		4,716		6,000	93,235	56,000		149,235		150	None
lld-144	94-99		15,040		17,500	39,090	38,000	67,788	144,878		140	None
Nd-145	55-75		4,302			1,861		20,000	21,861			
	75-85		1,474					-	-			
	-85		26,790		5,000	71,186		23,279	94,466		150	· ·
Nd-146	85-95				-	74,000		5.000	79,000]	
	-95		502		15,000	14,128	39.078		53,206		2132	

			<u> </u>	ales			Research	Materials	Collection)	·····	
lsotope	Enrich- ment (*)	Proposed Separations thru Dec. 197 (mg)	4 Inventory (mg)	To Be Added from Pronosed Separations (mg)	5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (ma)	Reproc- essing (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	RMC Requirements (g)	Approx. Bal. RMC Requirements (a)
Nd-148 Nd-150	87-90 -90 -90		9,442 11,306		12,000 25,000	20,699 4,226 11,393	39,000 42,092	6,000 30,000 47,549	26,699 73,226 101,034	•	}100 100	None None
Ni-58 Ni-60 Ni-61	-99 98-99.8 70-85		241,562 43,853 33		250,000 175,000	301,261	587,844 748,918		587,844 1,050,179		280 1,050	None None
	85-95 >99 >98		11,399		10,000 2,000	267 3,912	6 9,960	1,437 424	71,397 4,336		100	96
Ni-62 Ni-64	>95 >95		26,763 6,810		100,000 10,000	14,462 8,993	3,404 19,568	1,444 1,439	139,310 30,000		138 30	None None
0s-184	2-3 > 5	50	37		`100					50	9.92	0.02
0s-186	60-65 75-80	2,200	-30	200	2,000	125		. 59	184	2000	2 ·	
0s-187	45-50 70-75	2,200		200	2,000	·I	266		267	2000	2	- 2
0s-188 0s-189 0s-190 0s-192	>85 >85 >95 >95	18,000 22,000 35,000 55,000	3	5,000 10,000 10,000 15,000	5,000 10,000 19,000 15,000	-1,399 -1,392	3,974 3,784	•	2,575 2,392	13,000 12,000 25,000 40,000	10 20 20 50	10 17 17.5 50
Pd-102	75-80 >80	4,000	228	300	500					3,700	190	100
Pd-104	55-70 70-85		516					633	633			
	>85 - >90	34,500	822	2,500	2,500			5,000	5,000	32,000	100	95
Pd-105	~80 >90	46,600	210 330	2,600	2,500		9,990	·	9,990	44,000	100	·· 90

			S	ales			Research	Materials	Collection	n		
Isotope	Enrich- ment (%)	Proposed Separations thru Dec. 1974 (mg)	Inventory (mg)	To Be Added from Proposed Separations (mg)	5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (mg)	Reproc- essing (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	RMC Requirements (g)	Requirements (a)
Pd-106	< 90 >90	80,200	376 1,432	4,200	5,000	1,500	1,493	10,500	1,500 11,993	76,000	_ 100	88
Pd-110	· · · 95	89,600	45	4,600	5,000	385	8,300	6,300	14,985	85,000	} 100	· 85
	>95	29,700	375	6,700	7,500			3,600	3,600	23,000	100	97
Pt-190	0.3-0.6		740		500							······································
Pt-192	2.5-3.0 3.0-5.0 8.4-15	212	1,215	32	1,000					180	50	50
	57 · >90	1,839		339						1,500	50	48.5
Pt-194	40-60 60-70 -95	60,058	3,961	5,058	5,000	9,582			9,582	55,000	50	None
Pt-195	45-55 55-65 47-60		6,595 897	•	1,000	4,422			4,422		50	
Pt-196	-95 40-50	59,831	65	1,000	1,000					58,831	50	None
Pt-198	50-60 295 30-50	40,893		5,896	6,000	1 274			1 274	35,000	50	50
	>95	13,519		1,519	2,000	1,2/4			1,2/4	12,000	50	50
K-39 K-40	-99 30-55		8,500 211*	· · · · · · · · · · · · · · · · · · ·	10,000	39,919	18,081		58,000		58	None
	55-60 6 0-80 >80	·	36 261 12		2,500						}1.0	1.0

*Includes 32 mg on loan.

			5	ales			Research	Materials	Collection	n	· · · · · · · · · · · · · · · · · · ·	
Isotope	Enrich- ment (%)	Proposed Separations thru Nec. 1974 In (mg)	nventory (mg)	To Be Added from Proposed Separations (mg)	5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (mg)	Reproc- essing (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	RMC Requirements (g)	Approx. Bal. RMC Requirements (o)
K-41	>98		1,114		15,000	8,000	39,709		47,709		50	2
Re-185	>85 >98		10,038		8,000	72,904			72,904		100	26
Ke-187	<98 >98		4,349		8,000	54,460 96,207			54,460 96,207		200	103
Rb-85 Rb-87	98- 85-99 99-		15,743 49,920		25,000 }50,000	94,000 90,000			94,000 90,000	· · · · · · · · · · · · · · ·	94 90	None None
Ru-96 Ru-98	-98 -55 55-65 85-95		19 437 20	#	1,500	327 449		· ·	327 449		100	100
Ru-99	>95 75-90 >90				5,000						100 100	100
RU-100	71-80 80-90 >95		344 1 478		1,000	1,000 2,942			1,000		100	97
Ru-101 Ru-102 Ru-104	85-95 >95 >95 >95		21 639 42 14		2,000 10,000 4,000	1,500 1,881 9,918 3,353	3,000 2,931		1,500 4,881 9,918 6,284		100 100 100	95 90 94
Sm-144	75-85	<u> </u>	847	· · · · · · · · · ·	10,000		24 830		24 930			
Sm-147 Sm-148	>95 90-99 80-95		227 16,650		15,000 15,000 15,000	1,000	23,836 219,452	24,870 4,000	24,830 24,836 223,452		50 150	25 None
J 140	95-99.9 -99.9		20,811 30		15,000	89,594 1,723	40,000	2,500	132,094 1,723		}150	16

			Sales				Research	n		A 0:1		
Isotope	Enrich- ment (%)	Proposed Separations thru Dec. 1974 (mg)	Inventory (mg)	To Be Added from Proposed Separations (mg)	5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (mg)	Reproc- essing (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	RMC Requirements (g)	Approx. Bal. RMC Requirements (q)
Sm-149 Sm-150	>90 60-85 85-99.7		20,117 140 4,202	- · ·	20,000	17,580 6,627 42,869	110,000 73,820	4,000 4,000	131,580 6,627 120,689		150 }150	20 27
Sm-152 Sm-154	>99.7 >90 -96		26 39,546 67,931*	. •	50,000 60,000	11,107	140,323 145,604	4,000	155,430		150 150	None None
Se-74	25-40 >40		60	1,500	7 500	703				· · ·	80	80
Se-76	~70 ~95		372 5,207		5,000	40,000					40	None
						•					· .	
Se-77	>90		1,018	-	5,000	40,000			40,000		40	None
Se-78	-95		4,630		5,000	60,000			60,000		60	None
Se-80	>94		13,060		20,000	80,010			80,000		80	None
36-02	80-90 90-95		2,735		4.000	·	2,000		4,890			•
	>95		1,182	2,512		38,000			38,000		40	. 2
Si-28	,98 ≥¤4 99,99+		12,832	÷.,	15,000	18,478	2,000 182,000		2,000 200,478)	}200 30	None 30

*Includes 50,000 mg on loan.

			<u>c</u>	ales		••••••	Research	Haterials	Collection	<u>יייי</u> יייייייייייייייייייייייייייייייי		
Isotope	Enrich- ment (*)	Proposed Separations thru Dec. 1974 (mg)	Inventory (mg)	To Be Added from Proposed Separations (mg)	5-Year Sales Requirements (mg)	Inventory (mg)	n Loan (pa)	Reproc- essing (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	RMC Requirements (g)	Approx. Bal. RMC Requirements (q)
Si-29	85-95 95 99.99+		10,293		7,500	7,497 4,299	12,873	78,990	7,497 96,162		100	3.9 1.0
51-30	90-94 90-94 94 99,99+		19,109 776 18,338		12,500	1,304 4,630	52,807		1,304 57,437		80 1.0	23 1.0
Ag-107 Ag-109	- 98 - 99		10,632 10,020		12,000 12,000	100,000		99,959	100,000 99,959	· · · · · ·	100 100	None None
Sr-84	60-80 03- 26-25		5,601 11,572		15,000	20,000			20,000	<u> </u>	20	None
Sr-86 Sr-87 Sr-88	75-95 95 85-90 -90 -98		22,568 28,909 7,168 126,328		30,000 10,000 6,000 100,000	100,000 284,256 67,418 116,000		·	100,000 284,255 67,418 116,000		100 }100 126	None None 10
S-32 S-33	- 98 - 30 45-75 75-90 - 90		7,143 27,359 553 46 81		3,010 }3,000	240,000	1,972 2,000 995 1,086	7,253	249,425 1,086		250	None 3.9
S-34 S-36	70-85 -85 -2.0		70,277 2,625 14,556	•	10,000	3,323 166	15,000	14	3,323 15,180		100	85
	2.0-4.0 >10 55.8	12*	63	12	1,000	104			104		100	100

*To be added to inventory when price approved by AEC.

			20162		· · · · · · · · · · · · · · · · · · ·	<u></u>	1					
Isotope	Enrich- ment (%)	Proposed Separations thru Dec. 1974 (mg)	Inventory (mg)	To Be Added from Proposed Separations (mg)	5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (mg)	Reproc- essing (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	RMC Requirements (g)	Approx. Bal. RMC Requirements (a)
Ta-180	0.34-5.10 >5.1		, 75		100		164		164	· · · · · · · · · · · · · · · · · · ·	1.0	1.0
Te-120	<50 50-60	1,000	556	· .	1,000	408 1,100			408 1,100	1,000		2 0
Te-122 Te-123	>60 >90 <75 .75-85 -85	25,000 8,000	19 141 2,349 1:756	20,000	50,000 1,000 2,000	3,000 8,120 85	·	2,900	8,120 3,075	5,000 8,000	40	40
Te-124	>80 70-95 -95	45,000	10,717	10,000	20,000	27,369		•	27,369	35,000	10 . 90	6 •27
Te-125	90-97 85-90 98	•	14,162 -100 13,050		20,000 }15,000	3,868 199,836			99,836 100,000		90 }100	None None
Te-128 Te∸130	80-97 97-99+ 90-99+	· . · ·	23,784 131,055 13,281	ж.	60,000 30,000	186,286	110,000	7,000 7,000	117,000 193,286		103 101	tione
T1-203 T1-205	>90 >95	······································	49,624 14,998		40,000 30,000	138,977 977	33,487 250,614		172,464 251,591		200 200	28 None
Sn-112 Sn-114	>70 45-55 55-75		593 85 6,891		25,000 1,000	5,100 21,253		933 902	6,033 22,155		10	4
Sn-115	>75 <30 30-40		3,105		750	7,468		9,515	7,468 9,515		10	4
Sn-116 Sn-117 Sn-1.18 Sn-119	>40 >95 75-90 ,90-99 >80		45,262 24,835 62,927 37,282	,	20,000 25,000 100,000 50,000	80,243 83,339 135,330 22,575	50,020 29,242 117,730	1,940 925 918 66,425	132,203 113,506 253,978 89,000		158 74 254 89	26 None None None

			Ś	ales			Research					
lsotope	Enrich- ment (~)	Proposed Separations thru Dec. 1974 (mg)	Inventory (mg)	To Be Added from Proposed Separations (mg)	5-Year Sales Requirements (mg)	Inventory (mg)	On Loan (mg)	Reproc- essing (mg)	Total Inventory (mg)	To Be Added from Proposed Separations (mg)	RMC Requirements (g)	Approx. 8al. RMC Requirements (a)
Sn-120	95-99		74,691		90,000	81,216	213,759	941	295,916	• •	295	None
Sn: 122	85-95		12,231		15,000	66,883	33.117	921	100,921		100	None
Sn-124	85-97		22,430		20,000	24,463	59,537	1,865	85,665		84	None
Ti-46	70-80		8,552			66,790			66,790			
	80-90		17,690		40,000	9,435	2,049		11,494			
	>90		-		-	-	-				40	40
Ti-47	- 75		878			50,943		2,087	53,030			
	75-90		18,086		6,000	30,860	13,466		44,326			
	>90										40	40
Ti-48	>96.5		11,033		40,000	172,967	8,609	16,736	198,312		144	None
Ti-49	25-50		567			13,180			13,180			
•	50-75		2,279			39,294			39,294			
	75-90		12,679		9,000	11,610	4,759		16,369			
	~90						-		-		· 40	40
Ti-50	65-75		4,962			52,370		1,536	53,906			•
	75-85		873		15,000		6,712	•	6,712			
	>90		1. A. A.								40	40
W-180	<12		3.786		1,500	20,177			20,177	••••••••••••••••		
	>20		•••••								20	20
	92.62		123		150							
W-182	90-95		13,992		15,000	128,854	482.713	181.000	792.567		130	None
W-183	70-90		16.838		10,000	21.859	263.294	208.083	493.236			•
	>90						•				100	:88
W-184	80-96		14 075		20,000	167,000	457,909	177.000	801.909			2
	>94		14,071			,			031,111		167	None
W-186	>96		22,545		30,000	103,905	550,778	187,000	841,683	•	124	None
¥-50	36-45		146		150	307			307		0.34	None
V-51	-99.95		50		500				507	•		

			S	ales			Pesearch	Materials	Collection	n		
Isotope	Enrich- ment (%)	Proposed Separations thru Dec. 1974 (mg)	Inventory (mg)	To Be Added from Proposed Separations (mg)	- 5-Year Sales Requirements (mq)	Inventory (mg)	On Loan (mg)	Reproc- essing (mg)	Total Inventory (mg)	To Be Added from Proposd Separations (mg)	RMC Requirements (g)	Approx. Bal. RMC Requirements (o)
YD-168	10-20 20-30		4,058		1,000	2,000			2,000		2.0	None
10~1/U	85-90		10,506		1,000	46,495		· .	46,495 1,801			•
Yb-171	85-95		40,547		10,000	55,713	190,000		245,713		30	30
Yb-172	×95 85-98		8,791		10,000	4,1/3	5,000 87,461		9,1/3		100	90 None
Yb-173 Yb-174	75-95 .85-99 .85-99		19,057		35,000	189,000	235,000		189,000		98 189	None
70-64	95-00			<u> </u>	30,000	1,14,639	15.000		114,839	·		None
7. 66	>99		28,013		10,000	169,459	15,000	3,766	173,225		64	None
7- 67	>99	ca 000	14,530	15 000	20,000	46,995	20,000	3,090	50,085 24,423		80 }	6
211-07	75-95	53,000	171	15,000	15,000		11,051	1,990	13,041	30,000		· ••
Zn-68 Zn-70	98-99+ <75	175,000	2,907	145,000	200,000	50,785	10,000	3,384	64,169	•	3') 60	None
	75-90 >90	3,500	922	1,000	500	505			505	2,500	3	3
Zr-90	97-99		91,878	<u> </u>	50,000	9,922	267,700	21,386	299,008		217	None
7	>85		4,035		15,000	11,485	85,495	5,132	102,112		100	None
794	>95 80-90		12,929		10,000	18,451	75,169	7,690	101,310		100	None
7r-96	90-99		63,479		10,000	15,069	9,277	42,329	66,675		100	34
s, - 90	60-75 75-90	12 000	1,739	4 000	}2,000	•	13,453	6,700	1 446	8,000		
	, <u>,</u> , , , , , , , , , , , , , , , , ,	.2,000	1,522*	4,000	10,000		211	1,235	1,440	0,000	50	50

>95 *Includes 1,235 mg on loan. Agenda Item V.c(b) 27 September 1974

NDS Working Paper 6

Use of evaluated data files

The evaluated neutron data files stored at the IAEA Nuclear Data Section are listed in <u>Annex I.</u> These files are available free of charge on request, and can be supplied in the form of listings or on magnetic tape.

In addition to the evaluated data dissemination statistics given in INDC(NDS)-63/L (page 40, Table IIB) for the time period 1 September 1973 to 31 August 1974, <u>Table I</u> of this working paper gives an account of the frequency of evaluated neutron data file dissemination by NDS between May 1972 and September 1974. The cut-off date of May 1972 was chosen so as to have a representative time period during which the ENDF/B standards files have been available from NDS.

Table II gives a more detailed breakdown of the dissemination of the ENDF/B-III evaluated standards data files by NDS from May 1972 to September 1974. This summary does not include information on the latest FNDF/B-IV standards file which has been received by NDS in the middle of September 1974.

Annex I

Evaluated Neutron Data Files Available from the Nuclear Data Section on Magnetic Tape.

Description and Documentation

1. Australian Fission Product Library

- Received: 17 December 1971
- References: a) "Fission Product Cross Sections" J.L. Cook, June 1970 AAEC/TM-549
 - b) "The AAEC Fission Product Cross Section Libraries FISPROD.POINTXSL and FISPROD.GROUPXSL."
 E. K. Rose, March 1971, AAEC/TM-587

116 -

2. Australian Fission Product Group Cross Section Library

	Received:	31 January 1972								
	Reference:	"Fission Product Group Cross Sections Library", V.K. Bertram et al, 1971; AAEC/E-214								
<u>3</u>	Australian Strer	gth Function File								
	Received:	9 January 1974								
	Reference:	"A Compilation of S- and P-wave Neutron Strength Function Data", A.R. de L. Muserove AAEC/E-277								
4.	Italian (Bologna) Fission Product Library								
	Received:	several releases between 1968 and 1972								
	Reference:	Newsletter CCDN/NW-10								

5. Soviet BOYAD 1 file

(U-238 file # 2001: "Evaluated Nuclear Data Library for Reactor Calculations", V.E. Kolesov and M.N. Nikolaev)

Received:	17	July	1972
-----------	----	------	------

References: INDC(CCP)-13/L INDC(CCP)-23/G

6. Soviet BOYAD 2 file

(Angular distribution of neutrons scattered from Deuterium to Pu-239, files 1001 to 1042 (by M.N. Nikolaev), file 1043 containing data for U-235 (by V. Konshin).

Received: 21 January 1974

- References: a) "Anisotropy of Elastically Scattered Neutrons", M.N. Nikolaev and N.O. Bazazjants (1973) translated by A. Schett, NEA/CCDN; to be published
 - b) INDC(CCP)-13/L

. ENDF/B-3 Standards File

- Received: a) 6 Materials File: 4 May 1972 b) 7 Materials File: 16 October 1972
- References: a) "Data Formats and Procedures for the ENDF Neutron Cross Section Library", M.K. Drake, Oct. 1970, Vols. 1 and 2, BNL-50274 (T-601)
 - b) "ENDF/B Summary Documentation"
 O. Ozer and D. Garber, May 1973, BNL-17541 (ENDF-201)
 - "Up-dated Documentation for ENDF/B-IV,"
 S. Pearlstein, April 1974
- Note: the ENDF/B-IV Standards file, superseding the ENDF/B-III files, was received by NDS on 15 September 1974.

. Lawrence Livermore Laboratory FNDL File

- Received:
- a) 2 sets received 25 January 1974
- b) 72 sets received 8 April 1974

- Reference: "The Lawrence Livermore Laboratory Evaluated Nuclear Data Library (ENDL) Translated into the ENDF/B Format", R.J. Howerton, Oct. 1973, UCID-16376
- 9. KEDAK The Karlsruhe Evaluated Nuclear Data File
 - Received: 9 October 1970
 - References: a) "Neutron Cross Sections for Fast Reactor Materials - Part I: Evaluation", J.J. Schmidt, Feb. 1966, KFK-120 (EANDC-E-35U); and "Tables of Evaluated Neutron Cross Sections for Fast

Reactor Materials", I. Langner, J.J. Schmidt, D. Woll, KFK-750, September 1968

- b) "Card Image Format of the Karlsruhe Evaluated Data File KEDAK",
 D. Woll, December 1968, KFK-880 (EANDC-E-112U)
- c) "Status of the Karlsruhe Evaluated Nuclear Data File
 KEDAK as of June 1970",
 B.Hinkelmann et al, June 1970, KFK-1340 (EANDC-E-136U)

10. UK Nuclear Data Library (UKNDL)

Received:	Several releases of this file since 1968, 62 files as of July 1974	
Reference:	"The Aldermaston Nuclear Data Library as of May 1963", K. Parker, AWRE Report 0-70/63.	

- 118 -	-
---------	---

NUCLIDE	Acc.No.	Sub Acc.no.	no. of material sets	no. of lines		LAB CODE	REQUESTOR	FORMAT	DATE
<u>6 set standards</u> * Li-006 He-CO3 H-CO1 B-C10 U-235 Au-197	1115 1146 1148 1155 1157 1166		6	6590		ACCP INP 4CCPCJD	Konshin (USSR) Usachev (USSR)	LD TD	720720 720522
H-001 H-001	1148 1148		1 1	444 444	•	4CCPKUR 3SAFNIT	Yankov (USSR) Bibby (South Africa)	LD L	720607 721003
Subtotel 1			14	14068					
7 set standards ** Li-006 He-003 H-001 B-010 U-235 C-012 Au-197 C-012 C-012 C-012	1115 1146 1148 1155 1157 1165 1166 1165 1165)7	9245 2655 2655		3 INDKAL 3HUNFKI 3KORSEO 3RUMBUC 3CSR 4CCPCJD 3SAFSLT	Shankar Singh (India) Vertes (Hungary) Mann Cho (Korea) Mateescu (Romania) Kott (Czechoslovakia) Manokhin (USSR) Pauletta (South Africa)	TD TD TD T T T	731012 730319 730402 730323 730321 730731 730921
U-235 Au-197	1157 1166	3	1 1	2995 59		3BZLSAO 3ISLNEG	Herdade (Brazil) Kushelevsky (Israel)	T L	720830 740104
Subtotal 2			53	73079			9		
TOTAL			67	87147			13		

Tape received at NDS = 720504 Tape received at NDS = 721016 * **

L = Listing,

D = Documentation, T = Magnetic tape

Table I

Bvaluated Data Discemination by NDS	between May 1	972 and September	1974	
			÷	
Evaluated Data File		Dissemination		
File name	<u>Total no.of</u> material	<u>No. of material</u> <u>sets</u>	No. of ti itemized	mes sub-
	<u>sets in file</u>			TOTALED
Australian fission product library	192	whole file	5	
		4	Ś	
Australian fission product group		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	ç	
cross section library	196	atti atoum	N .	
Australian strength function file	199	whole file	-	
Australian files which al				
Italian fission product library	246	whole file	5	
Italian file subtotal			-	2
Soviet BOYAD 1 file	1	whole file	8	
Soviet BOYAD 2 file	43	whole file	2	
Soviet files subtotal				01
ENDF/B-3 standards	. 9	whole file	2	
		ŝ	ŝ	2
ENDF/B-3 Standards	7	whole file	<u>د</u>	
2 . 2 .		3	3	
FMDF/B files subtotal		-		ส
Lawrence Livermore Laboratory ENDL file	72	5		
US file subtotal		•		শ
FRC KEDAK file	41	whole file	4	
		34	8	
KEDAK files subtotal				12
UK Nuclear Data Library	62	whole file 43	8 Q	
UK files ruhtotal				वर
Total number of evaluated data	a material set	is sent	4	72

- - - - -

T

SEVENTH INTERNATIO	NAL NUCLEAR DATA COMMITTEE MEETING
TOPICAL SESSION - "	GAMMA RAYS FROM NUCLEAR REACTIONS"
	LUCAS HEIGHTS
	OCTOBER 9, 1974
]	LIST OF PAPERS
J. R. BIRD (AAEA)	Review of Second International Symposium on Neutron Capture Gamma Ray Spectroscopy and Related Topics September 2~6, 1974, Petten, The Netherlands)
M. J. KENNY, B. J. ALLEN J. W. BOLDEMAN, A. R. de L. MUSGROVE (AAEC)	Non-statistical Effects in keV Neutron Capture
D. G. SARGOOD (Melbourne University)	$(\mathtt{p}, \mathtt{\gamma})$ Resonance Strengths in the (s,d) Shell
M. N. THOMPSON (Melbourne University)	De-excitation Gamma Rays from Residual States following Photonuclear Disintegration
B. M. SPICER (Melbourne University)	Recent Photoneutron Cross Section Measurements
R. H. SPEAR, et al. (Melbourne University)	Electromagnetic Transitions in ²² Na Gamma Rays from ²² Na
Presented by B. ROSE (UKAEA, Harwell)	Non-Statistical Effects in Neutron Capture in ${}^{93}\mathrm{Nb}$ and ${}^{103}\mathrm{Rh}$
Y. TOMITA, S. TANAKA (JAERI, Japan)	The Level Structure of 50 V and the 5.255 MeV Isobaric Analog Resonance in 51 V Studied by the 50 Ti(p,n) and (p,n $_Y$) Reactions
C. NORDBERG, B. LUNDBERG, L. G. STROMBERG AND H. CONDE (RIND, Sweden)	Gamma-rays from Inelastic Neutron Scattering in Oxygen
L. NILSSON, A. LINDHOLM (TAL, Sweden) and I. BERGQVIST ('niversity of Lun Sweden)	Gamma Rays from Fast Neutron Capture in Silicon and Sulphur
A. LINDHOLM, L. : SSON (TAL, Sweden) I. BERGQVIST, D LSSON (University of Lund, Swede	Gamma Rays from Fast Neutron Capture in ⁸⁹ Y and ¹⁴⁶ Ca en)

SEVENTH INTERNATIONAL NUCLEAR DATA COMMITTEE MEETING ABSTRACTS OF PAPERS FOR TOPICAL SESSION GAMMA RAYS FROM NUCLEAR REACTIONS, OCTOBER 9, 1974

J. R. BIRD (AAEC) - Review of Second International Symposium on Neutron Capture Gamma Ray Spectroscopy and Related Topics.

This symposium concentrated on a specific topic and provided quite a thorough review of progress since the first symposium in 1969. Some of the material presented was already well known, but a number of new developments and trends were also evident - from the papers and from private discussions.

There was considerable emphasis on reaction mechanisms with only one third, or less, of the time being spent on nuclear spectroscopy and structure. This meant that there was also more emphasis on epithermal rather than thermal capture. This presumably arose, in part at least, from the fact that there was to be an International Conference on Nuclear Structure in Amsterdam the following week.

M. J. KENNY, B. J. ALLEN, J. W. BOLDEMAN, A. R. de L. MUSGROVE (AAEC)

- Non-statistical Effects in keV Neutron Capture.

Neutron capture gamma ray spectra following capture of neutrons up ₽ to 1 MeV energy in silicon, calcium, iron and zirconium show strong high energy transitions indicating a departure from statistical decay. section data obtained at ORELA. Valence model calculations give good agreement for zirconium, but not for iron.

D. G. SARGOOD (Melbourne University)

- (p,y) Resonance Strengths in the (s,d) Shell

There is serious disagreement in the literature concerning absolute strengths of (p,γ) resonances in the (s,d) shell. These strengths are generally measured by determining the height of the step in a thick target yield curve. This method requires accurate knowledge of the isotopic composition of the target and its stopping power, the total beam charge collected, and the detection efficiency of the gamma ray detector.

An alternative method which was developed by the Utrecht group and which avoids these requirements, depends on the measurement of the resonant absorption of ground state gamma rays from a (p,γ) reaction, using a lump of the product isotope as absorber. The method is applicable only for resonances with strong ground state gamma decay and natural width \geq the experimental resolution. It has therefore been applied to only two resonances, one in ${}^{30}\text{Si}(p,\gamma){}^{31}\text{P}$ and one in ${}^{26}\text{Mg}(p,\gamma){}^{27}\text{Al}$, and the Utrecht group have then used these to calibrate relative measurements on resonances in other nuclei using chemical compound targets.

Disagreements between the two methods, as large as a factor of two, exist. The current status of the disagreement will be discussed.

M. N. THOMPSON (Melbourne University)

- De-excitation Gamma Rays from Residual States following Photonuclear Disintegration.

The talk will cover recent data obtained from the study of gamma rays from excited states in residual nuclei formed following nucleon emission from the dipole resonance of certain light nuclei.

The data lead to estimates of photonuclear cross sections to these residual states. Because the states so populated are generally the same as those populated following pick-up reactions on the same nuclei, a largely single particle interaction by the incident photon is inferred. B. M. SPICER (Melbourne University) (paper by abstract only)

- Recent Photoneutron Cross Section Measurements

Recent precision measurements of the photoneutron cross sections of ${}^{45}Sc$, ${}^{181}T_4$ and ${}^{208}Pb$. Their relationship to, and interpretation in terms of inelastic scattering experiments with electrons, protons and deuterons on ${}^{181}T_a$ and ${}^{208}Pb$ targets will be discussed. The ${}^{45}Sc$ results will be discussed in terms of isospin effects.

R. H. SPEAR, R. A. I. BELL, M. J. ESAT, P. R. GARDNER, D. C. KEAN

A. M. BAXTER (ANU)

 Electromagnetic Transitions in ²²Na Gamma Rays from ²²Na.

Gamma rays from ²²Na states up to 4.6 MeV excitation have been studied using the ¹⁹F(α ,n γ)²²Na and ²³Na(³He, $\alpha\gamma$)²²Na reactions. The existence of several controversial weak transitions has been established and branching ratios measured. Angular correlation measurements have established, or restricted possibilities for, several level spins and decay mixing ratios. The electromagnetic properties of ²²Na levels are found to disagree significantly with predictions of the simple rotational model, but impressive agreement is obtained with recent shell-model calculations.

(Presented by B. ROSE, UKAEA, Harwell)

- Non-statistical Effects in Neutron Capture in ${}^{93}\mathrm{Nb}$ and ${}^{103}\mathrm{Rh}$.

~

A search has been made by T. Haste and B. Thomas at Harwell for non-statistical effects in partial radiation widths following neutron capture in ^{93}Nb and ^{103}Rh in the neutron energy range up to about 5 keV. The only significant correlation observed have been with the widths of d-p transitions to the same final states. Y. TOMITA, S. TANAKA (JAERI, Japan) (presented by T. Fuketa)

- The Level Structure of ${}^{50}v$ and the 5.255 MeV Isobaric Analog Resonance in ${}^{51}v$ Studied by the ${}^{50}\text{Ti}(p,n)$ and $(p,n\gamma)$ Reactions

The ${}^{50}\text{Ti}(p,n)$ and $(p,n\gamma)$ reactions have been studied at proton energies between 3.8 and 5.4 MeV. Excitation functions and angular distributions have been measured for both neutrons and γ -rays. The results have been analysed by the statistical theories. For most of the levels in ${}^{50}\text{V}$ below 1.9 MeV, spins have been determined. The branching ratios and the mixing ratios for the γ -rays deexciting these levels have also been obtained. The 5.255 MeV analog resonance has been observed in the (p,n) reaction and has been assigned to be ${}^{9}/{}_{2}^{+}$.

C. NORDBERG, B. LUNDBERG, L. G. STROMBERG and H. CONDÉ (RIND, Sweden) - Gamma-rays from Inelastic Neutron Scattering in Oxygen

The gamma-rays from inelastic neutron scattering in oxygen have been measured between 6.5 and 10.5 MeV. The measurement has been made in two parts covering the energy regions from 6.5 to 8.2 MeV and from 7 to 10.5 MeV, respectively. The gamma-rays were detected with a large NaI crystal using time of flight techniques. The differential cross sections at 90° were measured together with angular distributions at three different energies. Spins for the involved levels in the compound nucleus are proposed and the shapes of the angular distributions are compared with calculations based on the compound nucleus model. The results are also compared with previous reported measurements.

- L. NILSSON and A. LINDHOLM (TAL, Sweden) and I. BERGQVIST (University of Lund, Sweden) (presented by H. Condé)
 - Gamma Rays from Fast Neutron Capture in Silicon and Sulphu

Gamma-ray spectra from neutron capture in natural samples of silicon and sulphur have been measured at incident neutron energies between 4.7 and 10.9 MeV as well as at 15 MeV. A large NaI(TL) scintillator was used as gamma-ray detector and time of flight technique was employed to reject undesirable background. The experimental results are compared with theoretical predictions of the semi-direct model. A. LINDHOLM, L. NILSSON (TAL, Sweden), I. BERGQVIST and B. PALSSON (University of Lund, Sweden)

- Gamma Rays from Fast Neutron Capture in ⁸⁹Y and ¹⁴⁰Ce

Gamma-ray spectra from the reactions $^{89}Y(n,\gamma)^{90}Y$ and $^{140}Ce(n,\gamma)^{141}Ce$ have been recorded with a large NaI(TL) scintillator for incident neutron energies between 6.2 and 10.9 MeV. Time of flight technique was used to reject undesirable background. The experimental results are compared with theoretical predictions of the semi-direct capture model.

1 Det

REPORT TO THE 7TH INDC MEETING BY ITS SUBCOMMITTEE ON STANDARD REFERENCE DATA

J. W. Boldeman, Australia

Y. Le Gallic, France

J.R. Lemley, IAEA/NDS (ex-officio member)

H. Liskien , EC/CBNM (Chairman)

A. Michaudon, France

B. Rose, U.K.

A.B. Smith, U.S.A

A.H. Wapstra, Netherland

G.B. Yankov, U.S.S.R

A. GENERAL RECOMMENDATIONS

1. Third IAEA Meeting on Nuclear Standard Reference Data

2. Proposed Changes of the Subcommmittee's Method of Work

B. TECHNICAL REPORTS AND RECOMMENDATIONS

 γ - Dectector Calibration
 Reactor Dosimetry Standards
 n - p Scattering Cross Section
 ³ He (n, p) Cross Section
 ⁶ Li (n, α) Cross Section
 ¹⁰ B (n, α) Cross Section
 ¹⁰ B (n, α) Cross Section
 ¹⁹⁷ Au (n, γ) Cross Section
 ²³⁵ U (n, f) Cross Section
 ¹⁹⁷ ²⁵² Cf ; Thermal Cross Sections for Fissile Materials ; Half - lives
 Methods and Techniques for Flux Determination
 Fission Spectra
 Neutron Energy Scales

Т

 \sim

Ň

1

APPENDIX XIV

A. GENERAL RECOMMENDATIONS

1. Third IAEA Meeting on Nuclear Standard Reference Data

The sub-committee has been informed by the IAEA Nuclear Data Section (NDS) about the steps taken towards a third IAEA-sponsored meeting on Nuclear Standard Reference Data in 1976 as recommended by the INDC during its 6th meeting. It agrees to the proposed two additional topics, namely γ -ray Standards and Reactor Dosimetry Standards, but would not like to see the list of topics already definitely closed. It suggests that INDC confirms its former recommendation but finds it very disturbing that from the 2nd IAEA panel which took place in November 1972 neither the presented contributions are available nor the "Summaries, Conclusions and Recommendations " as a formal document. A not negligible part of the participants of such specialists'meetings organised by the IAEA is funded by their laboratories.

The participants themselves and their laboratories must necessarily become uninterested in such meetings if the outcome is not properly documented and published within a reasonable time.

2. Proposed Changes of the Subcommittee's Method of Work

a) The Sub-committee on Standard Reference Data proposes to change its method of working.

In future, responsibilities for keeping a status file on each topic of standards interest will be assumed by a country which is represented on the sub-committee. The responsibility will be discharged by nominating an individual who would normally carry out this task for three years. The various nominated individuals would prepare up-to-date status reports which could be sent to the chairman of the sub-committee two month before the next meeting of INDC, who would ensure the distribution of a combined report to members of the sub-committee to be received by them one month before the date of the meeting.

b) The list of topics and the corresponding responsibilities has been agreed as follows :

H(n, p)	U.K.
³ He (n, p)	AUS
⁶ Li (n, α)	U.S.A.
¹⁰ Β (n , α)	E.C C.B.N.M.
¹² C(n, n)	U.S.A.
¹⁹⁷ Au (n,Y)	U.S.A.
²³⁵ U(n,f)	U.S.S.R.
\tilde{v} , T_1 and	
thermal parameters	I.A.E.A N.D.S.
Y - ray calibration	F
neutron flux	F
neutron energies	U.K.
Cf fission spectrum	U.S.S.R.

c) The sub-committee is conscious of overlap with the corresponding sub-committee of NEANDC on this topic. It believes that, if a similar method of work could be adopted by that committee, the overlap would be reduced and the efficiency of working increased by requiring that the nominated individuals on any given topic co-operate fully in maintaining a joint status file on that topic and exchanging status reports at the approriate time. (It would clearly be advantageous in ensuring continuity that their periods of responsibility be staggered). The two sub-committees would then each deal with the status reports following their own methods of work.

23

1

d) The Sub-committee on Discrepancies could work in a similar fashion for a number of items.

e) We propose therefore that the NEANDC be approached to consider this recommendation, which we believe has the greater weight because of the INDC proposal to increase the interval between INDC (and NEANDC) meetings to 18 months.

B. TECHNICAL REPORTS AND RECOMMENDATIONS

1. y - Detector Calibration

Working papers presented to the INDC at its last meeting by the NDS have opened the discussion on the need of promoting progress in connection with the calibration of Ge(Li) detectors with respect to both, energy scale and efficiency. In the mean time NDS has drawn our attention to three further publications by W. Beer and J. Kern .

- Phys. Letters <u>47B</u> (1973) 345
- IAEA panel " Charged particle induced radiation capture " p. 345 (1974) = INDC (SWT) - 5/L
- NIM 117 (1974) 125 = INDC (SWT) 6/G

all dealing with " γ - energy standards " with accuracies in the order of 10 eV. In addition Wapstra reported that the Commission on Atomic Masses and Fundamental Constants of IUPAP has formed a sub-committee consisting of Drs. Van Assche (Mol), Van der Leun (Utrecht) and Helmer (Idaho) which is charged to develop a set of energy standards to be officially adopted. This set will be applicable to gamma rays of radionuclides, as well as emitted in charged particle reactions and in neutron capture. It is hoped that this list will be ready to be presented at the 5th International Conference on Atomic Masses and Fundamental Constants (AMCO V) to be held in June 1975 and organised by BIPM at the occasion of the centennial of the "Convention du Mètre ". Given these facts the sub-committee sees no need to become active in this field. However, the sub-committee realises the urgent need for practical " γ -efficiency standards ".

Efficiency curves of γ -detectors depend on many parameters and are not at all simple curves. Many examples exist where the absolute efficiency of such detectors must be known to the 1% accuracy level. At present there is a large number of precise <u>"Y-activity standards (Ci)</u>" and <u>Y-emmission</u> <u>rate standards (γ/s)</u> known. However, the number of calibration points per such source is typically one or two. This implies that a determination of a complete efficiency curve requires the simultaneous availability of many sources. These tedious methods should be supplemented by the use of multi- γ ¹⁵² Eu <u>"emission rate standards "</u>.

Considering the fact that this source, though representing an important improvement, does not cover the whole energy range of interest, it is recommonded to fill the gaps with other multigamma emission rate standards, possible candidates being 133 Ba (below 0.3 MeV) and 56 Co (above 1.5 MeV). This implies :

- (a) to study the involved decay scheme parameters
- (b) to produce and distribute upon request accurate standard sources of the chosen radionuclides

(c) to develop computer programs simplifying the procedure of efficiency calibration of γ -spectrometers by correcting automatically for the possible effects of summing when multi-gamma emission rate standards are used.

The sub-committee will in the future draw its attention to the high energy part which can not be covered by radionuclides.

2. <u>Reactor Dosimetry Standards</u>

During the Second Panel on Neutron Standard Reference Data the need for rapid improvement of certain cross sections relevant to reactor dosimetry was pointed out. The panel suggested that the EURATOM Working Group on Reactor Dosimetry (EWGRD) should consider wether the adoption of the 237 Np (n, f) cross section as a primary standard would improve the situation and this suggestion was also brought to the attention of the Agency's International Working Group on Reactor Radiation Measurements (IWGRRM). A definite answer from the EWGRD does not yet exist while according to J.R. Lemley the IWGRRM thinks that designation of one more cross section such as 237 Np (n, f), as a standard would not help significantly.

The sub-committee is ready to take up this matter if a definite reply from EWGRD and IWGRRM is available.

124 -

Т

The complete set of excitation functions (which include four of the acknowledged standards and 237 Np (n, f)) classified as category I by the IAEA Consultants' Meeting (INDC (NDS) - 56 U p. 127) cannot be accepted as standards since it comprises a too large number (14) of reactions.

3. n-p Scattering Cross Section

Below 20 MeV the total n - p scattering cross-section is believed to be known to the 1 % accuracy level and there is general agreement that the results of the phase shift calculations by Hopkins and Breit (Nucl. Data Tables <u>A9</u> (1971)137) should be used. The sub-committee however, notes that this publication is of limited value because linear interpolation between give n energy points introduce unacceptable errors. Users attention is drawn to the additonal calculations of Report LA-4574, which are included in the ENDF Standard File.



Examination of the three most precise data (Karlsruhe, Harwell, Columbia) shows a very good agreement. In summary, energy calibration of different neutron spectrometers of different types has recently made great progress and overall agreement together with good accuracy seem to have been achieved.

b) determination of the 6 Li content in 6 Li-loaded glass scintillators Some measurements of the ${}^{6}Li(n, \alpha)$ cross section, such as those made at Cadarache, need to know accurately the ⁶Li content in the ⁶Li-loaded glasses used in the experiments. This content has been determined by several methods with conflicting results. Therefore, it is absolutely necessary to improve the precision and the reliability of the determination of the ⁶Li content. Among the most recent results or proposals, let us quote: The transmission method, using the time-of-flight technique with a white neutron source, assumes that the 1/v component of the total cross section is due to 6 Li only. Several measurements have been made already at Saclay (using the 60 MeV linac) for the 127 glass used at Cadarache for the determination of the 6 Li(n, α) cross section. The value obtained for the ⁶Li content is about 12 per cent lower than the value assumed previously by Fort and based on several other measurements (value given by Nuclear Enterprise, pile oscillation method and a previous linac experiment). This would mean that the Cadarache values of the ⁶Li(n, α) cross section should be raised by 12 per cent.

A preliminary intercomparison of the Harwell and Saclay measurements carried out with the same Harwell glass does not lead to the same results yet. A difference of about 5 per cent is observed, the Harwell value being still lower than the Saclay one (a 2 per cent accuracy is claimed for both measurements). This intercomparison will continue between Harwell, Geel and Saclay. For example, similar measurements are now being carried out at Saclay on the following samples:

the Cadarache glass (repeated)

the Harwell glass (repeated)

a calibrated sample of metallic Li provided by Geel

<u>The boron content</u> of the ⁶Li glass scintillator used by Coates et al. to measure the ⁶Li (n, α) cross section has been determined using the ¹¹B(p, α) reaction on a cullet of the glass. No counts due to this reaction were observed and the measurement gives an upper limit of six parts in 10,000 parts natural boron by weight in the glass. A chemical determination of the boron content has given an upper limit of one part in 10,000. These values are well below the level which could affect the cross section measurements. A transmission measurement on a ⁷Li glass used for comparison has been made and showed no 1/v component, which-if present-could have contributed to overall errors in the measurement of the ⁶Li cross section.

<u>Measurements of the capture gamma rays</u> induced in the sample by thermal neutrons have been proposed by H. Motz to determine the relative Li content and also to detect possible impurities in the glass through their characteristic capture gamma rays. We note that, with this method, the amount of ¹⁰B can be determined by observation of the 422.6 keV line even though this is the same line as the one produced by neutron capture in ⁶Li. This is due to the fact that the line is Doppler broadened in the case of ¹⁰B, but not in the case of ⁶Li. It would be of great interest to extend the range of intercomparison discussed above and to measure the thermal neutron gamma rays of the samples measured with the transmission method. The Cadarache group is quite willing to send their glass to Los Alamos for such an investigation after the Saclay measurements have been completed.

c) R-matrix approach

It has been shown that it is not possible to fit all ⁶Li neutron cross sections in the 250 keV region with a single level Breit-Wigner formalism. A multilevel formalism is necessary to fit the data. But, in addition, it has been suggested by Motz to include in the data to be fitted, not only the neutron cross sections, but also all other data relevant to the formation of the ⁷Li system by other channels, $(\alpha + t)$ cross sections, angular distribution,

polarisation data, for example. Clearly, such a simultaneous fit to all these data will introduce new constraints on the possible values of the ⁶Li(n, α) cross section. Calculations have been made already, but the conclusions can be obtained only if the errors are properly taken into account and if their impact on the ⁶Li(n, α) cross section can be evaluated through sensitivity studies. Though such calculations do not replace direct neutron measurements, they can be very useful in bringing in other relevant data and help to find out possible internal inconsistencies.

d) measurements in progress

Euratom - Geel

Data analysis	⁶ Li σ_{T} 0.1 MeV to 3 MeV VdG Monoenergetic	
-	⁶ Li σ_{T} 2 keV to 2 MeV Linac	
Measurement started	6 Li $\left(\frac{d\sigma}{d\Omega}\right)$ el 0.25 MeV to 3 MeV VdG	
	⁶ Li $\sigma_{T}^{}$ 0.1 MeV to 0.5 MeV White spectrum	
In preparation	ratio $\frac{6_{\text{Li}(n,\alpha)}}{10_{\text{B}(n,\alpha)}}$ 0.1 keV to 1 MeV Linac $\overset{ }{\underset{\text{No}}{\overset{No}}{\overset{No}}}{\overset{No}}{\overset{No}}{\overset{No}}{\overset{No}}{\overset{No}}{\overset{No}}{\overset{No}}{\overset{No}}{\overset{No}}{\overset{No}}}}}}}}}}$	
Italy (Trieste group)	· · · · · · · · · · · · · · · · · · ·	
${}^{6}_{\text{Li}} (\frac{\mathrm{d}\sigma}{\mathrm{d}\Omega})$ results el	obtained from 1.98 MeV to 4.64 MeV	
Saclay and Harwell		
Determination of the ^{6}Li content in ^{6}Li -loaded glasses by the		
transmission method.		

¹⁰B(n,a) Cross Section

The only new piece of information are the Friesenhahn data. Spectrum shape has been determined in the 2.5 keV to 1.5 MeV range using a CH_4 filled proportional counter and also (in the 0.2 to 1 MeV range) by a BF_3 counter with an additive of CH_4 . There are cross sections for the sum of both branches (ion chamber) and branching ratios $(^{10}B \text{ slab} + Ge(\text{ Li}))$. Results were normalised to absolute scale in the keV range where the 1/v behaviour is well established. It is not excluded that the observed discrepancy on $Li(n,\alpha)$ between the Friesenhahn set and other sets will have also some bearing on the $^{10}B(n,\alpha)$ data.

Total Neutron Cross Section of Carbon

a) Justification and Use

This is one of the best reference checks for verifying angleintegrated scattering distributions and the performance of apparatus. The energy range of most interest is below 5.0 MeV and away from sharp resonance structure (e.g. 2.1 - 2.7 MeV).

The cross section is valuable in white-source and other energyscale calibrations (e.g. 238 U fission cross sections). It is an easily used sample with some sharp structure in cross section at a number of energies. One of the best H(n,n) results depends upon the energy of the C(n,n) resonance at ~ 2.08 MeV (PR C4, 1061 (1971)).

b) Status

There are a number of measurements but the most recent and more comprehensive sets are probably those of S. Cierjacks et al., KFK-1000

- R.B. Schwartz et al., NBS-138
- F. Perey et al., ORNL-4823
- J. Whalen, priv. communication

- 16 -

The first three use the white source technique. ENDF/B-III and -IV apparently rely on the model fit as mentioned by N. C. Francis et al., (Proc. EANDC Symp. Neutron Standards and Flux Normalization, p. 166 (1970)). There are discrepancies in both magnitude and energy scale. For example, the data of Cierjacks et al. are 4 to 6 % higher than those of Schwartz et al. and those of Whalen in the 2.1 to 3.0 MeV energy range and there are differences elsewhere. The evaluation of Francis et al. tends toward the lower values. Moreover, detail R-matrix polarization studies by Holt and Fink (priv. communication) make it difficult to accept the higher σ_t values. The recent measurements by Perey et al. indicate a 5 or more keV shift in the energy scale from some previous measurements and evaluations. The energy uncertainties are such as to negate the use of carbon as an energy-scale standard.

c) Recommendation

A working group composed of representatives from the major data sources and analysis groups should review the carbon total cross section with particular attention to the following issues:

The most recent, corrected, etc. data values from each source should be obtained, documented and set forth in a clearly identifiable file at the four Neutron Data Centers.

- The working group should review this file and
 - i) formulate the best composite date set with associated uncertainties in both energy and magnitude;
 - ii) Recommend, if warranted, specific measurements to resolve discrepancies.

Working from the best composite data set (i, above) an evaluated standard file should be constructed from 0 - 20 MeV with scheduled revision as indicated by recommended measurements (ii, above). The evaluation should probably be based on an Rmatrix fit to the available data including polarizations, partial neutron channels and charged-particle information (i. e. a "physical" model). However, the weighting for the interpretation should be such as to assure a good representation of the best contemporary neutron total cross section information. The results should be made available as a standard file through the four Neutron Data Centers.

8. $\frac{197}{\text{Au}(n, \gamma)}$ Cross Section

Renewed emphasis has been given to the 197 Au(n, γ) reaction as a capture standard. The reaction is attractive in combining the advantage of high resolution tank techniques with the potentially more accurate activation technique. Gold as sample material is easily available with high chemical purity. The previous concern for cross section structure at lower energies remains, but is now better defined (see below). This emphasis is manifested by work going on at various places to determine the cross section for this reaction with the highest achievable accuracy.

- a) Using the direct capture y detection method
- Le Rigoleur et al. (Report CEA-N-1662 (1973)) analysed their results in the energy range 75 to 550 keV. Analysis for lower energies is in progress. Flux determination is obtained employing a calibrated "directional" counter.
- 2. Czirr and Stelts (NSE <u>52</u> (1973) 299) cover the energies between 7 and 530 keV and relate their results to the 235 U(n,f) fission cross section by observing fission neutrons in a deuterated benzene scintillator. Their absolute values are related to the evaluation of Davey (NSE <u>32</u> (1968) 35) and are partly more than 20 per cent higher than the Le Rigoleur values.
- 3. Macklin et al. (ORNL, to be published) took data in the 3 to 550 keV range using a ⁶Li glass scintillator to determine the flux shape. Their results are normalised at the 4.9 eV resonance. Fluctuation intensity appears to indicate intermediate structure in ¹⁹⁸Au with ~10 keV width and ~40 keV average distance and has to be taken into account certainly below several hundred keV.

 Poenitz (ANL, to be published) determined cross sections at 23 energies between 400 and 3500 keV employing his "black" and "grey" neutron detectors.

b) Using the activation method

- 5. Fort (CEN Cadarache) has preliminary data in the 20 keV to 500 keV range. For fluence determination he used the calibrated "directional" counter.
- 6. Paulsen and Liskien (CBNM Geel) have preliminary data in the 200 to 3000 keV range relative to the n-p scattering cross section employing a proton recoil proportional counter. Data are presented in Fig. 4.

There is good hope that our knowledge on this cross section will be improved significantly if all data are available in their final form and evaluated.



Fig. 4

9. 235 U(n,f) Cross Section

> Care should be taken at energies below a few hundred keV to ensure against perturbations due to known energy dependent structure (Bowman, Proc. EANDC Symp. "Neutron Standards and Flux Normalization, p. 246 (1970). It is doubtful if below 50 keV this cross section is at all useful. Nishimura has recently surveyed the field. His paper is attached as appendix.

a) Contemporary Status

A. 50 keV to 1.0 MeV

Results reported since 1965 are nicely converging over this energy range including the results of

- W.P. Poenitz, NSE 53, 370 (1974)
- D. Gilliam, Thesis, University of Michigan (1973)
- F. Kaeppeler, Proc. of Panel "Neutron Standard
- Reference Data", p. 213 (1972)

D. B. Gayther et al., Proc. of Panel "Neutron Standard Reference Data", p. 201 (1972) I. Szabo et al., CONF-710301 p. 573 (1971)

- J. Lemley et al., NSE <u>43</u>, 281 (1971)
- G. Knoll and W. Poenitz, JNE 21, 243 (1967)
- P. White, JNE A/B 19, 325 (1965)

Lesser weight should be given to earlier values as discrepancies may be as large as a factor of two. Optimistically, this standard is known to $< \pm 3$ per cent throughout this energy range and conservatively to ± 5 per cent. The very lowest energy values of White tend to be a bit high as do the Kaeppeler results near 700 keV. The spread in the various results is well illustrated by Figure 16 of the recent paper by Poenitz. This agreement is encouraging, particularly as the results were obtained with differing techniques (e.g. monoenergetic and white source) and employed various methods of normalization.

- 131 -

B: 1.0 to 4.0 MeV

Primary results in this energy range are those of Poenitz Hansen et al. (LA), Pankratov (AE 17, 1017 (1963)), Smith et al. (BAPS 2, 196 (1957)) and Szabo et al. The consistancy is relatively good with overall uncertainties of 3 to 4 per cent over the energy range. The largest uncertainties are from 1 to 2 MeV where the Hansen et al. results are systematically higher than those of Szabo et al. and of Poenitz by 3 to 9 per cent. In addition to the above results, there have recently been reported preliminary results by Czirr and Sidhu (UCRL-74071 (1974). The latter is a "shape measurement" relative to the energy dependence of the H(n,p) cross section. Both definition and relative errors $(\pm 1 \%)$ are excellent and the results are consistent with the above uncertainties estimated from previously reported measurements.

C. 4.0 to 20.0 MeV

Recent values are those of White, Pankratov. Smith et al. and Czirr and Sidhu. The latter are "shape measurements" however. When normalised in the energy range of 3 to 4 MeV where reasonably known cross sections exist they give good definition and relative accuracy. These various sets are in reasonable agreement at 2.0 MeV. (e.g. 3 to 4%) but become increasingly discrepant as the energy increases with differences amounting to as much as 10 to 15 % at energies of 15 to 20 MeV. For example, see Figure 9 of Czirr and Sidhu. These discrepancies are in both normalization and shape. Furthermore, there are apparently discrepancies between the results of Czirr and Sidhu and the widely used evaluation in ENDF/B-IV.

Summary Remarks ъ)

The 235 U standard fission cross section is known to ± 3 to 4 % from 50 keV to 1.0 MeV, to ± 3 to 4 % from 1.0 to 2.0 MeV with possibly lesser accuracy in the range 1 to 2 MeV, and becomes increasingly uncertain with increasing energy above 2.0 MeV amounting to possibly as much as ± 15 % uncertainties at 20 MeV.

Major attention should be given to the energy range above 5.0 MeV using several methods including a precise reference value at 14 MeV. Work is known to be in progress extending from 0.3 to 20 MeV at LLL and NBS using white source techniques with results scheduled for April 1975. Additional programs planned elsewhere. It is reasonable to expect the fission cross section of 235 U to 3 to 4 % accuracy from 50 keV to 20 MeV by June 1975. Achieving the "ultimate objective" of ± 1 % accuracies over this energy range is a far more remote reality.

$\overline{\nu}$ of ²⁵²Cf; Thermal Cross <u>Sections for Fissile Material</u>; Half-lives 10.

Consistent values for the thermal and the 20° C averaged cross sections of ²³³U, ²³⁵U, ²³⁹Pu and ²⁴¹Pu have been published by IAEA/NDS in 1966 and 1969. A third evaluation by NDS and a small group of specialists is underway. Final results are expected for spring 1975. Main difficulties encountered are: 5

- the assumption of a most probable value for $\overline{\nu}_{i}$ of $^{252}Cf_{i}$

- the establishment of best values for relevant half-lives,

Ň

ı

- as very often sample assay depends on them,
- insufficient knowledge of cross section shapes below

* thermal energies for Westcott g-factor determination. At NPL, work is going on to improve corrections relevant to the $\overline{\nu}$ -determination. Results obtained so far indicate that while small changes may have to be made in the individual corrections, the overall effect on the NPL value for \overline{v} will be negligible. For this third evaluation $\overline{\nu}_t$ of ²⁵²Cf is assumed to be (3.736 ± 0.008) and will yield for example for ²³⁵U a thermal fission cross section of (587 ± 2) b assuming a half-life for 234 U of 244 600 ± 200 y. According to information provided by the Nuclear Data Section to the INDC, the inaccurate knowledge of the 2200 m/s fission cross section of ²³³U represents one of the main sources of uncertainty in the third IAEA review of the thermal neutron nuclear data of the fissile U and Pu isotopes. INDC therefore recommends strongly direct measurements of this quantity.

The fission cross section measurements by CBNM Geel at the BR2 in Mol for 233 U and 241 Pu are still in the phase of preparation. For the half-life of 233 U two new results became recently available:

- Jaffey et al., PR <u>C9</u> (1974) 1991, published a value of $(1.591 \pm 0.0015^*)$, 10^5 y. The measurement is based on titration and intermediate geometry α -counting (* statistical error only).
- Vaninbroukx et al., stopped their various measurements (since 1969) and end up with a value of $(1.592 \pm 0.0040) \cdot 10^5$ y. This result is based on coulometric methods and isotope dilution on one hand and on liquid scintillation, 4 π -proportional and low geometry α -counting on the other.

Final results from the half life determination of ²³⁷Np and ²³⁹Pu performed by Glover and Rogers at Harwell will be available early in 1975. Measurements for ²³⁸Pu, ²⁴¹Pu and ²⁴¹Am, using the calometric method are performed by Jordan at Mound Laboratory. The following best values are quoted from report EUR 5194 e by R. Vaninbroukx:

Nuclide	Half-life
$232_{U} \\ 233_{U} \\ 234_{U} \\ 235_{U} \\ 236_{U} \\ 238_{U} \\ 238_{Pu} \\ 239_{Pu} \\ 240_{Pu} \\ 241_{Pu} \\ 242_{Pu} \\ 244_{Pu} \\ 244_{Pu} \\ 241_{Am} \\ 252_{Cf} $	$(72 \pm 2) y$ $(1.592 \pm 0.003)10^{5}y$ $(2.446 \pm 0.007)10^{5}y$ $(7.038 \pm 0.020)10^{8}y$ $(2.34 \pm 0.02) 10^{7}y$ $(4.468 \pm 0.010)10^{9}y$ $(87.8 \pm 0.8)y$ $(2.430 \pm 0.025)10^{4}y$ $(6.55 \pm 0.07) 10^{3}y$ $(14.5 \pm 0.5)y$ $(3.87 \pm 0.05) 10^{5}y$ $(8.2 \pm 0.1) 10^{7}y$ $(432 \pm 4)y$ $(2.64 \pm 0.02)y$
	· · · · · · · · · · · · · · · · · · ·

11. Methods and Techniques for Flux Determination

The subcommittee is not aware about any major technical breakthrough or the application of new principles in flux determination devices. However, the attention given to this problem has obviously increased and is manifested by the construction, duplication or exchange of detectors based on the well known principles.

The outstanding event in this field is the termination of the first round of the intercomparison of fast monoenergetic fluences organised by BIPM. This first round is regarded as a learning experience in transfer instrument technology and therefore only five laboratories directly represented in the CCEMRI committee participated (CEN Cadarache, CBNM Geel, NRC Ottawa, BIPM Paris and NPL Teddington). Besides the foreseen energies 0.25, 2.5 and 14.8 MeV also the "optimal" energies 0.565 and 2.2 MeV were included. Deviations from the unweighted mean of the fluence results of all participants are typically 3 % except at 0.25 MeV where discrepancies up to 10 % exist. It is however, premature to go more into detail because at the very same moment a meeting at Paris is convened to discuss the results and future actions to be taken.

133

12. Fission Spectra

Besides the work of Alexandrowa et al. (AE $\underline{36}$, 282 (1974)) on 252 Cf no new final data are available. The 235 U measurements of Cadarache are not yet finalised. Work carried out at Harwell and Studsvik showed strong discrepancies between the two sets in the high energy part of the spectra. Therefore the work has been repeated jointly with Studsvik at Harwell and the results are still being analysed. It is certain that the new final results will show fewer high energy neutrons than the original Harwell data. Also the Harwell 252 Cf data have not yet been released because one expects that the uranium work will have some bearing also on the analysis of the californium data. Plans exist at Lucas Heights to measure the Cf-spectrum. Results on prompt fission neutron spectra are typically known only in form of "average energy", "Maxwellian temperature", "deviation from a Watt form below (or above) a certain energy", etc. The 1971 Consultants'Meeting on Prompt Fission Neutron Spectra agreed that very sophisticated representations would be requested, but - because it was premature to suggest such models - supported a purely numerical representation and invited experimenters to transmit such data to their local neutron data center. Nevertheless, at present the available EXFOR data with respect to 252 Cf and 235 U are not at all complete. The subcommittee would like to see a special effort both from the experimenters' side and from the four neutron data centers to update the EXFOR files with respect to such data. Fig. 5 demonstrates (using a few 252 Cf

data sets) how data could be presented for further discussion.



134 -

1

13. Neutron Energy Scales

The Subcommittee recognizes continuing problems associated with an inability to accurately standardize energy scales at both white and mono-energetic neutron facilities. These uncertainties extend from the eV resonances region to 20 MeV and are apparent in such data discrepancies as the energy of the ⁶Li (250 keV, p-wave) resonance, the energy of the ²³⁸ U fission threshold, and the exact value of a number of dosimetry-associated threshold reactions.

In view of the above, the subcommittee recommends that well defined total neutron cross section resonances be selected as standard reference energy values and that these standard values extend to energies of $\simeq 20.0$ MeV. The selected resonances should be consistent with reasonable sample availabilities used at both mono-energetic and white source facilities and with "state-of-the art" resolutions achievable at both types of facilities. The subcommittee intends

a) to set up a working group and give it the responsibility to select these standard resonances; and

b) to stimulate the experimental determination of the recommended resonance energies to be pursued by a number of laboratories in a cooperative manner including both mono-energetic and white source techniques. 1

FIRST DRAFT INDC SUBCOMMITTEE ON DISCREPANCIES

(Draft report to the VII INDC Meeting) The Subcommittee decided to restrict its review to the items listed under paragraph I of the proposed Agenda with the following modifications:

- item I-1 ("Fission cross section of ²³⁵U above ~ 100 eV")
 will be transferred for consideration to the INDC
 Subcommittee on Standards.
- a new item on "Delayed neutron emitters" will be added at the request of the INDC Scientific Secretary.
 However, as this proposal was made in the course of

the Subcommittee meeting, no information on this subject is included in this draft.

Concerning the 3 items of Paragraph II of the proposed Agenda, it was decided that the most important discrepancies must be selected by the and INDC (andits Subcommittees on energy applications of nuclear data or on non-energy applications of nuclear data) before consideration of those items by the Subcommittee on Discrepancies.

- I. Fission cross section of Pu-239, U-238 above 100 eV.
 - A. Pu-239 (n,f)
 - 1. below 1 MeV New data - Gayther et al (preliminary) agree with Szabo values above 200 keV. Discrepancies of ~ 3.5% remains still in the range 200 keV - 1 MeV. Käppeler (preliminary) relative to H(n,p) no

comparisons yet(0.5-1.2 MeV).

2. above 1 MeV New data (Szabo (absolute) 3% lower than the earlier evaluations at about 1 MeV. Poenitz (ratio measurement) up to 10% higher than earlier data in the range 1-2 MeV (σ_f U235, U238, Pu239, σ_c U238) .../2 Simultaneous evaluation of Sowerby et al finalised (to be published in Jour. of Nucl. Sci. and Engineering): Standard deviation of Pu-239 σ_g increases with energy: 100 eV : ± 3%; 10 keV ± 1% 1 MeV ± 5%.

New measurements not included in Sowerby's evaluations are: Gayther (shape measurement), Kappeler U-239/U-235) (to be published) Weston (ORNL) absolute measurements not yet published.

B. U-238 (n,f)

New data - Meadows (NSE 49 (1974 p.310)

Poenitz Germany (JNE 26 (1972) 403)

Cierjacks et al (EURATOM Progr. Report)

Coates & Gayther (UK Progr. Report)

Preliminary results of Coates et al are generally consistent with Sowerby's evaluation. For the range 0.6-1.8 MeV, these measurements agree with measurements of Stein and Meadows and disagree with earlier values of Lamphere; above 1.8 MeV,~3.5%, lower than Poenitz'and Meadows.' Agreements with new Karlsruhe data exists over the whole energy range except small differences in the peak region of 7 MeV and some energy shift above 17 MeV.

However, the difference in the change of microscopic data changes the fast reactor spectrum average values only by 0.5%.

Recent measurements of subthreshold fission are made by RPI (Block) et al(order of 0.1 mb) and Saclay relative to U-235) with better resolution. This can be significant in some reactor spectra:

Actions:

In order to try to clarify the existing discrepancies on 238 U and 239 Pu, it is decided to exchange, for intercomparison, the new data which were obtained after the Subcommittee reports to the VII meeting. This exchange will have to take place before December 31, 1974 and concern:

a) For 238

Conde for (NORDBORG data (Upsala))

Motz for BEHRENS data (LRL)

Cierjacks for KAPELLER data (KFK)

APPENDIX XV
b) For ²³⁹Pu

Cierjacks for KAPPELER data (KFK) Motz for WESTON data (ORNL) Rowlands for GAYTHER data (Harwell) Joly for SZABO data (Cadarache) To facilitate the intercom parison, it is suggested to present these new data relative to the last evaluation of SOWERBY.

- II. Capture cross sections σ_{c} (U-238).
 - A. Direct measurements
 - New results Ryen et al (UK Prog. Report)
 - Moxon and Pearlstein (preliminary)
 - Käppeler 20-500 keV relative to to Au (shape measurement)
 - Poenitz, 20-1200 keV relative to gold

The Ryves data is about 10% lower than earlier evaluations at 231, 559 and 524 keV, and these new measurements have an accuracy of about 2%. The Moxon and Pearlstein measurements also support the lower values at these energies particularly above 400 keV.

B. Ratio of σ_c U-238 to σ_f U-235

The new evaluated data for U-238 (n, γ) are not in particularly good agreement with previous evaluations below 600 keV. The disagreement between the U.K. and the Davey and the Pitterle evaluations are e.g. up to 7%. At higher energies the agreement is better, because there are only limited data. The Harwell results are in general lower over the entire energy range, since they are based on lower U-238 (n, γ) / U-235 (n, f) data - and lower U-235 (n, f) - values over parts of the energy range. An outline of the existing discrepancies between the several evaluated data sets is contained in a Japanese Report by Y. Kanda, presented at the 3rd Seminar on Neutron Cross Sections at JAERI in November 1972 (JAERI-1228, p.13, 1973). The major conclusion deduced from the Harwell evaluation is that the differences between recent evaluations are mainly due to differences in the philosophies adopted, since there is only little difference between the data, the various evaluators consider reliable. It appears to the U.K. evaluators that the discrepancies are not likely to be resolved by further evaluation work, but rather by additional new measurements. The particular problem envisaged is that all reliable data in the range above 100 keV, except those of Fricke et al which are not particularly accurate, have been carried out by or relative to an activation measurement.

It is, therefore, recommended that any new measurement of the absolute 5 U-238 capture cross section or its value relative to U-235 (n,f) should preferably not use this technique. In absolute measurements of the capture cross sections, in addition, the use of intermediate standards (e.g. Au-197) should be avoided, as these only add to the overall uncertainties.

The U.K. recommendation concerning the avoidance of intermediate standards as Au-197 for absolute capture cross section measurements is a formidable problem which needs some further discussion in t...s Subcommittee before being adopted. It has been pointed out earlier that the use of other standards (e.g. U-235 (n,f)) might introduce new difficulties with respect to the accuracy of the absolute values.

New results - Filtered beam measurements at 24 keV, C. Block et al,

- (Japanese Progr. Report) jr
- Fuketa et al (JAERI, Progr.Report a few to 30 keV)
- Spencer, Beer, KFK, relative to $\sigma_{\rm f}$ U-238 between 20-500 keV.

- Tolstikov, 23 keV - 7 MeV, YaderniEnerg. 13

Nev

../4

Evaluation - Tolstikov, USSR, between 0.2 keV - 7 MeV; these

are reported to be in agreement with the old Sowerby $\tau \neq A f$ evaluation (UK NDL (1921)).

../5

1

III. a Values for ²³⁵U and ²³⁹Pu

A. α²³⁵U

Presently only thermal values are discrepant as documented in the recent US check list of important discrepancies. Values derived from irradiation experiments are higher than those from all other methods by 3 to 4 times the combined errors.

New results: Kononov (Obninsk Report 15, 1974)

in the range 10 to 80 keV. These are -8% higher than the earlier results of this author. Measurements of α ²³⁵U are in progress at the Karlsruhe Van de Graaff accelerator in the range from 15 to 400 keV.

B. α²³⁹Pu

New measurements: Varotnikov (Proc. Kiev Conf)

3 to 200 keV normalised at 30 keV to values
of Lottin et al. and Kononov et al.
These results agree well with the shape of
the evaluated curve from Sowerby and Konshin.
- Bergmann et al. (Proc. Kiev Conf.)

thermal to 30 keV, total error ± 15 % in disagreement with Girin results by 15%.

- Kononov et al. (Obninsk Report 15, 1974) 10 to 80 keV. No comparisons have been made yet
- Petrov et al. (Atomnaja Energia <u>32</u> 1974, p.134 ff results with foil technique at $E_n = 2.0$; 24.5 and 140 keV.

24.5 und 140 kev.

Measurements in progress

- Kappeler, Beer, Ernst (KFK)

b

for 15 to 400 keV with new experimental technique

ø

IV. Resonance paramaters of 235_{U} , 238_{Pu} and 238_{U}

Status reports on the resonance paramaters of 235 U and 239 Pu are appended (Appendix II and III respectively).

Concerning ²³⁸U, the subject was reviewed at a meeting held at Saclay on "Resonance parameters of fertile nuclei and ²³⁹Pu". An evaluation of the ²³⁸U resonance parameters was proposed by Moxon : the proposed values are based on an averaging of results from ¹⁶ experiments. The author decided to include all these results; his decision is based on χ^2 analysis of all individual data and this may be subject to some controversy.

Δ

rf

../7

../6...6

V. Inelastic scattering data of ²³⁸U

The 238 U (nn') cross section is not well known below a few hundred keV because of the difficulty of resolving the scattering of the first excited state at 45 keV from the elastic peak. Although some data are available at large scattering angles, they are discrepant and in some cases irregular. Theoretical shape estimates are of some help, especially when data from similar rotationally deformed nuclei are available as A.B. Smith has demonstrated for 186 W. This energy region is of great importance to any fast reactor system containing 238 U.

New measurements in this energy region are under way at Harwell, ORNL, Karlsruhe and at Studsvik. These should help considerably in normalising the lower energy range.

The situation above about 500 keV is similarly confused by lack of detailed, reliable measurements on the first few excited states, although the partial cross-section of the first excited state has decreasing importance since the energy loss is not so significant.

Preliminary new measurements at the Lowell Technical Institute and at ANL above 1 MeV demonstrate significantly improved resolutions. They indicate increased cross-section values in the 1 to 2 MeV ranges.

Clean integral experiments might be of value in verifying cross-section sets in this critical region. A highly depleted uranium system has been studied at Karlsruhe (Bluhm et al, Nuclear Sci. and Energ., 1974). A 10 percent 235 U, 90 percent 238 U system, called Big 10, is being used at Los Alamos. Neutron spectrum measurements can be compared to calculated values with a high correlation to the (n,n') cross sections used for calculations as indicated by Bluhm.

> ? ../8

VI \overline{v} values for 233_{U} , 235_{U} , 238_{U} and 239_{Pu}

1. The $\bar{\nu}$ value for the spontaneous fission of 252 Cf is relevant to $\bar{\nu}$ values for 233 U, 235 U and 239 Pu since it is the standard. It was agreed at the 2nd IAEA Panel on Neutron Standard Reference Cross Sections that no discrepancy exists between direct measurements of $\bar{\nu}$ for 252 Cf and this situation has not changed since then. 2. The apparent discrepancy between direct measurements of $\bar{\nu}$ for 252 Cf and the indirect value inferred from the 2200 m s⁻¹ values has been a major consideration in the third IAEA review of thermal neutron data of the fissile isotopes by Lemmel et al. The report of this study is expected soon.

3. The discrepancy between earlier data on the correlation of $\bar{\nu}$ with resonance spin for²³⁵U and ²³⁹Pu has been resolved by the four α recent measurements of Shackleton et al., Reed et al, Theobald et al. and Howe. These measurements confirm that the correlation between $\bar{\nu}$ | values and the spin of the resonances is very small although statistically significant and that the fluctuations have their origin in pre-fission | gamma rays emitted in the (n, γ f) reaction' (Shackleton).

4. The question of structure in the energy dependence of \bar{v} for ²³⁵U in the low MeV regions remains unresolved. The latest measurement of Savin suggests a step-like dependence in \bar{v} in agreement with some, but not all, of the earlier measurements', suggesting structure. A recent measurement by Kappeler suggests a peak in \bar{v} for ²³⁵U between 200 to 400 keV. On the contrary, Boldeman finds no evidence of structure at all in measurements of $\bar{v}_p(E_n)$ and $\tilde{E}_K(E_n)$. The latest measurement by Soleilha'c also finds no evidence of structure.

A recent measurement by Volodin confirms the absence of structure in $\bar{\nu}$ for $^{2\,39}\text{Pu}.$

For ²³³U two recent measurements of $\vec{E}_k(E_n)$ (Kuzminov and Boldeman) confirm a sharp rise in \vec{E}_k between thermal and 200 keV and the minimum in $\vec{v}_p(E_n)$ that may be inferred from this data has been confirmed by Boldeman.

../9

VII Capture Cross Sections of Cr, Fe and Ni above 400 eV

The situation of capture cross sections for structural materials was extensively reviewed at a Specialist Meeting held in May 1973 at Karlsruhe. The report is presently being presented as KFK-Report 2046, NEACRP-U-61, NEANDC-U-98, extra copies of which are distributed to INDC members.

The proceedings contain contributions on neutron capture in Fe, Co and Ni in the energy range from 1 keV to 1 MeV. In the first part experimental techniques and recent microscopic measurements of the elements and of separated isotopes are described. The second part is devoted to recent evaluations, while the third part deals with some users aspects. (Contents given in the Proceedings).

In the discussion of techniques and experimental results one major problem was soon encountered; The proper detection of scattered neutrons, which might lead to discrepancies in the experimental data of different groups.by about 40 to 50 percent. (See the summary of this session provided by Dr. Frohner, CCDN). New results of the Ni capture cross sections were obtained by Poenitz. The preliminary data supports these values from Cadarache, which are ~20% higher than previous results.

The second session, devoted to recent evaluations discusses the large differences on the recommended data in the three major evaluated data files ENDF/B3, UKNDL (1971) and KEDAK, version 2. Major discrepancies exist in these data which can in some cases still exceed a factor of 2, e.g. the results for the Ni data in the energy range from 30 to 200 keV. Further information is given in the summary of the evaluation session, which was provided by Dr. Ribon, Saclay.

The users aspects were discussed in the last session. The required accuracy of e.g. stainless steel in the keV range was considered to be 10 per cent. This number is mainly based on the target accuracy for the breeding gain of large LMFBR systems. The influence of neutron capture data on uncertainties for physics quantities in zero power reactors was discussed. Data adjustment procedures seem to indicate that differential measurements on Co, Fe and Ni are not consistent with results from integral measurements in critical facilities. Further work, especially on iron neutron capture cross section measurements and on data testing is required.

VIII. Capture and total cross-sections in the 3 keV resonance

No new capture cross section measurement has been reported since the last meeting. A total cross section measurement and a resonance analysis have been made by Seltzer and Furk (N.S.W. <u>53</u>, 415, 1974). The discrepancy of about a factor of 2 on Γ_{γ} for the 3 keV resonance is not removed.

IX. Fission neutron spectrum of ²³⁵U, ²³⁹Pu and ²³⁸U

The joint experiment between Harwell and Studsvik on the fission neutron spectrum of ²³⁵U aimed to settle the discrepancy between earlier reported measurements at these two laboratories is still not finalized. Studies of systematic errors due to energy and efficiency calibrations are in progress. Preliminary results indicate the absence of a high energy tail in the spectrum as was seen in the earlier Harwell measurement.

Further measurements of the fission neutron spectrum of 235 U were reported to be in progress at Cadarache and Studsvik and on 239 Pu at Geel and Studsvik. No new measurements were reported on 238 H

ð

../10 10

APPENDIX I

VII INDC MEETING

_ _ _ _ _ _ _

PROPOSED AGENDA OF THE SUBCOMMITTEE ON DISCREPANCIES

I. Subjects to be considered according to the terms of reference adopted at the V INDC meeting :

Fission cross section of ²³⁵U above~100 eV.
 Fission cross sections of ²³⁹Pu and ²³⁸U above~100 eV.
 Capture cross section of ²³⁸U above~100 eV and the ratio to ²³⁵U fission.
 avalues for ²³⁵U and ²³⁹Pu.
 Resonance parameters data of ²³⁵U, ²³⁸U and ²³⁹Pu.

6) Inelastic scattering data of ²³⁸U.

7) $\overline{\mathbf{v}}$ values for 235_{U} , 239_{Pu} and 238_{U} .

- 8) Capture cross sections of Cr. Fe and Ni above~100 eV.
- 9) Na capture and total cross sections in the 3 keV resonance 10) Fission neutron spectra of 235 U. 239 Pu and 238 U.
- II. Subjects proposed by J.J. SCHMIDT for inclusion in the discussions of the Subcommittee
- 1) Discrepancies in fission product nuclear data. Conclusions and recommendations of the Bologna F P N D Panel.
- 2) Discrepancies in reactor dosimetry cross sections.
- 3) Draft conclusions of the third AIEA review on thermal fission constants.

 $\underline{N.B.}$: The decision for extending the Agenda of the Subcommittee to the items II above has to be discussed in INDC plenary session. -

Agenda item IX.A 2 October 1974

NDS Working Paper 7

Potential participation of the Agency's International Centre for Theoretical Physics at Trieste in the development of nuclear theory for nuclear data evaluation

The purpose of this working paper is to introduce, following requests, INDC participants briefly into history, purpose, fields of research, staffing and financing of the Agency's International Centre for Theoretical Physics at Trieste and to summarize the proposals and activities of INDC correspondents in the past year with regard to possible participation of the Trieste Centre in the development of nuclear theory for nuclear data evaluation.

1. Background information on the Trieste Centre

The first discussions on the creation of an international centre for theoretical physics under the auspices of the United Nations were held at the High-Energy Physics Conference in Rochester in 1960. More detailed plans and recommendations were formulated by a scientific panel of theoretical physicists convened by the IAFA in 1961 and by a three experts panel of the Agency in 1963 consisting of Professors R.E. Marchak (USA), J. Tiomno (Brazil) and L. Van Hove (CERN). On the basis of the reports and recommendations of these two panels the Centre was founded in October 1964 and, following an Italian offer, located at Trieste.

Currently the Trieste Centre is operated jointly by IAEA and UNESCO (with a yearly financial contribution of each of these two organizations of US 5 155.000,-). The administration is carried out by the IAEA on behalf of both organizations and the budget of the Centre forms, for administrative convenience, part of the budget of the IAEA. The Director of Budget and Finance of the IAEA is the liaison officer between the IAEA and the Centre. The Italian Government contributes US \$ 250.000,- per year to its support. The rest of the budget (irregular, varied after 1970 from US \$ 100.000,- in 1970 to 440.000,- in 1972) comes mainly from donations by the Ford Foundation, the United Nations Development Programme (UNDP, supports the Centre's condensed matter programme and the applied mathematics and computer science activities) and the Swedish International Development Authority (SIDA).

The basic objective of the Trieste Centre is, "to foster through research and training, the advancement of theoretical physics with special regard to the needs of developing countries so as to encourage theoretical physicists from those countries to continue and expand their research work". More specifically the aims of the centre are defined to be the following:

- "(a) to train young physicists from developing countries for research;
- (b) to help in fostering the growth of advanced studies of theoretical physics, specially in developing countries;
- (o) to conduct original research; and
- (d) to provide an international forum for personal contacts between theoretical physicists from countries at all stages of development."

The fields of research covered by the centre have so far been

- elementary particles;
- high-energy physics;
- field theory;
- nuclear physics;
- solid state physics;
- plasma physics;
- astrophysics;
- general relativity; and
- applied mathematics.

To implement its training and research programme for the specific benefit of physicists from developing countries the Centre has set up the following four schemes:

- (a) extended high level seminars;
- (b) the fellowship programme;
- (c) the associateship scheme;
- (d) federation agreements.

The <u>extended seminars</u> last up to three months and are organized in specialized topics, mostly in the field of nuclear and condensed matter physics and more recently in atomic physics and applied mathematics. The following table gives an overview of the courses in nuclear physics so far organized by the Centre: APPENDIX XVI

Ó

đ

-	1	No. of			
Subject	Date	Lectures	Participants		
Nuclear Reaction Theory	October - December 1966	32	102		
Nuclear Structure Physics	January - March 1969	46	141		
Nuclear Physics	January - March 1971	30	116		
Nuclear Physics	September-December 1973	23	. 69		

These seminars are designed to provide teachers, specially also from developing countries, with new contacts, with new knowledge and new research problems to pursue at home. They should bring as many young scientists as possible from developing countries in contact with leading experts in their field to update their knowledge, to encourage them to perform, under expert guidance, original and meaningful research and to carry out or initiate some research work during the courses.

Approximately 15 <u>fellowships</u> are awarded every year by the IAEA and UNESCO for post-graduate training and research to scientists from developing countries. The duration of the fellowships is usually about 6-9 months with possible extensions for a similar period. Applicants are expected to have a university degree (M.Sc. or Ph.D.) with a good background in quantum mechanics, methods of mathematical physics, relativity theory, atomic and nuclear physics etc. preference being given to those with research experience. Stipends are based on the rates of the United Nations Development Programme (UNDP) of US \$ 400 per month.

The <u>Associateship scheme</u> was created for the benefit of senior physicists from and working in developing countries. It is complementary to the fellowship and visiting scientist programmes and gives those senior physicists the opportunity to spend six weeks to three months at the Centre, three times in a period of five years. The stay of associates at the Centre is designed to keep them in the main stream of modern physics and stimulate their research and teaching when they return home.

Openings are announced by a circular letter from the Directors General of IAEA and UNESCO to all Member States with copies to physicists on the Centre's mailing lists. Letters of recommendation from two eminent scientists are requested for applicants. The Centre's Scientific Council examines the applications and issues recommendations for appointments. No salary is paid to associates, the home institution being expected to grant them paid leave of absence. Travel expenses and a subsistence allowance are paid by the Centre. The associateship programme is financially supported e.g. from contributions by the Ford Foundation, the Swedish International Development Authority (SIDA) and UNDP. The <u>federation agreement scheme</u> is aimed at building up relations of mutual co-operation between the Centre and scientific institutes or university departments in near- and/or developing countries. By these agreements, the institutes can send young scientists of their choice to the Centre for up to 40 (nearby countries) and 50 days (other countries). Normally the Centre pays a daily living allowance, while the federated institute provides for the travel cost. The number of federated institutes is at present 26 in 17, mostly Mediterranean and Near East, countries.

The Centre finally invites senior and junior research physicists from all Member States for periods ranging from a few weeks to nine months. Travel expenses are sometimes covered by the Centre. The intention is to bring together specialists and promising young scientists in some of the leading fields of theoretical physics for the specific benefit of the young fellows from developing countries.

The major research activity of the Centre is thus carried out by visiting and guest scientists, fellows and associate members, the core of the Centre's staff being rather small. It consists of its Director (Prof. Abdus Salam) and Deputy Director (Prof. P. Budini) and two other professional staff members, acting as administrative and scientific information officers. They are assisted by 15 general service staff and by 11 persons of the maintenance and operatives category provided by the Italian Government.

£

Т

Proposals from INDC Correspondents

Following action 26 of the last INDC Meeting several INDC participants submitted proposals on nuclear theory subjects. A few suggestions were also received from INDC Liaison Officers which were approached in this matter by NDS. Altogether NDS got so far replies from INDC correspondents from 10 countries (Australia, Bangladesh, Bulgaria, India, Netherlands, South Africa, Sweden, Switzerland, UK and USA; five of them explained that they had no suggestions). In the following the suggestions are summarized item by item (including those coming from NDS):

- 1. Study of reaction mechanisms in radiative capture reactions;
- Inelastic scattering (Hauser-Feshbach and Moldaner) calculations; Comment: we understand that the primary purpose would be to improve a theory, not to perform series calculations (see e.g. item 3)
- More detailed investigations of the statistical behaviour of compound nucleus processes;

- 4. Systematic investigation of nuclear parameters, their distributions and averages, entering nuclear reaction theories, such as level densities, fission widths (for double-humped fission barriers) and capture widths as function of A, E, J, I (or f);
- 5. A course or seminar on the current theories of nuclear fission;
- 6. Use of heavy-ion accelerator results to improve our understanding of the fission process; this will require extensive studies of the interrelation of single-particle and collective interactions;
- Development of reliable and well-tested computational programmes, particularly for deformed optical models;
- 8. Development of quasi-particle, exohange etc. theories applicable to high energy (< 20 MeV) neutron induced processes with several secondary particles emitted (e.g. (n,np), $(n, \alpha n)$ etc.); this would be useful for future CTR work;
- 9. Investigation of the three-nucleon problems in coordinate representation.

In addition, Prof. J. Kern and coworkers from the Fribourg University in Switzerland indicated a strong interest in cooperation with theoretical physicists from the Trieste Centre in problems of interpretation of their level structure measurements on rare earth and actinide nuclides.

B. Rose and J.E. Lynn had informal discussions with Prof. Salam with the result that there might be some possibility for an international theoretical nuclear data workshop being hosted by the Trieste Centre and meeting there annually or biannually for a period of two to three months, provided that sufficient funds can be made available.

First conversations between J.J. Schmidt from NDS and Prof. Salam confirmed this. Prof. Salam was briefly informed on the actions INDC and NDS had taken so far, in particularly also on the planned Consultants' Meeting or the Use of Nuclear Theory for Nuclear Data Evaluation in the late fall of 1975. He immediately offered to host this meeting at his Centre which would be the ideal surroundings for it. Also this meeting could be very useful for developing further a concrete programme for a potential workshop.

3. Suggestions for procedure

To get a firm basis for further discussions of the project, NDS suggests that INDC

1. at the meeting consider the various suggestions made and select two or three topics of primary importance for applications,

- submit a formal recommendation to the Director General stating the purpose of the project, the topics selected and formulating a suggestion to the Trieste Centre regarding their possible implementation in the Centre's workshop programme, in underlining the particular value of this project and its results for scientists and technicians in developing countries,
- 3. try to identify possible sources of financial support for such a workshop (or several workshops) and enquire into the liquidity of these sources in detail after the meeting,
- 4. approach after the meeting nuclear theorists of high standing and with interest in applications of nuclear theory to develop detailed working schemes for the treatment of the nuclear theory topics selected by INDC,
- 5. identify scientists with potential interest in the project, i.e. senior scientists for guidance of the work and other scientists, particularly also junior scientists from developing countries, for active participation,
- 6. keep NDS currently informed on the results of iteme 3,4, and 5,
- 7. NDS should approach INDC Liaison Officers particularly in smaller and developing countries on the issues of item 5.

The next meeting of INDC will take place before the Nuclear Theory Consultants Meeting. It would be extremely useful, if definite ideas and plans with a solid scientific and financial background for the project would have evolved by that time.

144 -

д

AD HOC SUB COMMITTEE NO. 4

NUCLEAR DATA IN DEVELOPING COUNTRIES

ORGANISATION

The committee discussed the way in which IAEA Regional Cooperation Agreements are expected to be organised and considers that within the expected arrangements, the following structure would be suited to the satisfactory development of nuclear data work.



The RCA may, of course, contain agreements on topics other than nuclear data. If, however, nuclear data is a clearly identifiable topic then a suitable Regional Nuclear Data Project Management Committee (RNDPMC) should be established to guide the work in this area.

The RNDPMC would be composed principally of experts from the region, together with one or two independent advisors selected by INDC, which would also be expected to offer advice to the RCA Steering Committee if requested to do so. The proposals concerning nuclear data from the RCASC to the IAEA would normally pass through the NDS which would need to satisfy itself of the technical merit of the proposals by reference to INDC, if they had not been effectively vetted by INDC at RCA Steering Committee level. It became clear during the discussion that a number of formal and informal bilateral agreements are in existence or being considered and it will be important for the RNDPMC to be aware of these if it is to make the best use of its resources. We <u>recommend</u> therefore that all members of INDC report to NDS any of these of which they are, or become, aware.

PROGRAM

We did not attempt to discuss possible content of a regional program because this only makes sense if one has details of facilities (men and equipment) available in the region. However, one new general area of importance was mentioned briefly of particular interest to the Far Eastern area, namely, on capture gamma rays for applied purposes.

It should certainly be remembered that in many countries research work with a <u>short term</u> pay-off is likely to receive favourable reception from the national authorities and that we should consider rather carefully whether the non-energy program could present more opportunities for this sort of work than the energy program.

APPENDIX XVIII: REPORT OF THE STANDING SUBCOMMITTEE ON NUCLEAR DATA FOR ENERGY APPLICATIONS.

The subcommittee discussed the recommendations resulting from the following NDS Meetings:

- 1. Fission product nuclear data panel.
- 2. Dosimetry.
- 3. Charged particle and photonuclear reactions.
- 4. Nuclear data for applications.

These recommendations encompass an extremely large spectrum of general information, data and functions, such as:

- Newsletters on compilations and evaluations
- MACENAKERKENAMMENAKERKEN
- Newsletters on measurements and facilities
- Discrepancy lists and their review
- Request lists
- International coordination of microscopic and of integral experiments
- Development of reference sets of microscopic and integral data
- Exchange of microscopic and integral and group constant data

In addition, some suggestions concerning the activities at the Seibersdorf laboratory related to standard materials, standard sources, intercalibration and distribution, and to detector standardisation are included in the meeting on dosimetry.

It appears clear that the attendees of these meetings expressed a strong interest for increased international cooperation and activity. While we endorse this in principle, the subcommittee is concerned that in practise, all of these cannot be initiated on a reasonably rapid time scale given the limited support available to the NDS staff and to the member countries that would be involved. It is necessary, therefore, to make some judgements as to priorities and efforts involved. The subcommittee cannot accomplish an in-depth study during this short period, but we do feel that sufficient user applied program needs clearly exist for increased support in both

fission product nuclear data, and in

in-pile dosimetry.

Much of the effort in these areas is now accomplished through national centers, but some improvement would certainly result from increased activity on the part of the IAEA. We would recommend a cautious and careful development of support in the following sense for these two efforts:

- (a) observe and coordinate the present work being done,
- (b) disseminate the existing information on compilations

and evaluations via bibliographic listings, and

- (c) encourage the review of requirements for new data and
 - data compilations and evaluations.

The subcommittee felt that there was less applied need *LA* in the fields of energy applications for similarly increased activity in the areas of charged particle, structure and decay photonuclear, and nuclear/data on the part of the IAEA in addition to that now being done by existing national efforts. There is, of course, overlap in some of these areas with the fission product data and with the dosimetry work, but it represents a small fraction of the total fields.

It is difficult to estimate at just what level these new activities should be undertaken. It is necessary to understand the interplay and importance of several general factors:

- (a) user requirements for applied programs,
- (b) implied manpower and costs on the part of both

the IAEA and the member country efforts,

(c) possible impact on existing NDS activities,

 (d) expectations and feasibility of obtaining the desired results from a new activity especially in light of the above factors.

In summary, we recommend a general strengthening of cooperative efforts of <u>existing</u> programs concerned with both fission product nuclear data and with dosimetry. We are concerned, however, that IAEA support in the sense explained above, must be carefully considered unless additional help is available even for these limited areas. Just how effectively the IAEA can coordinate existing efforts must be considered for each specific action and program.

Det. 10, 1974

as revised October 11, 1974.

74-6364 Translated from French BENCHMARK EXPERIMENT ON FISSION AFTER-HEAT

One of the recommendations of the Bologna Panel on Fission Product Nuclear Data was that a benchmark experiment on after-power should be introduced.

The aims of this experiment would be:

 (a) From the point of view of reactor projects, to improve knowledge of the after-power which is an important factor in safety evaluations;

- (b) From the point of view of nuclear data, to demonstrate the systematic errors occurring in calculations involving all the nuclides by comparing the deviation between calculation and experiment with the calculated uncertainty which would enable one to judge the real errors in the basic data;
- (c) To establish a standard which could be used to qualify the methods of calculation or the experiments.

Justification of separate measurements of E_{β} , E_{γ} , E_{β} + γ

Although the most important thing to know for safety evaluation is the total energy $E_{\beta + \gamma}$, this is in fact rarely measured directly. In most instances experimentalists measure β and γ separately, on the one hand because it is of interest to know these data separately (total activity is approximately equal to beta activity, and protection calculations are equivalent to gamma calculations) and on the other hand - and this is the important point for the benchmark experiment - because although calorimeters, if correctly designed, I can measure $E_{\beta + \gamma}$ with little risk of systematic error, they have a time constant making it difficult to make measurements with cooling times less than a hundred seconds or so, whereas the instruments for measuring beta or gamma energy - generally speaking, counters - have an instantaneous response; however, in this case instrument corrections, which are often difficult to check, can introduce large systematic errors.

Summing up, in order to achieve low cooling times, it is reasonable to proceed as follows:

(1) For cooling times where the calorimetric technique is applicable, measure E_{β} , E_{γ} and $E_{\beta + \gamma}$ and analyse the coherence of $E_{\beta + \gamma} = E_{\beta} + E_{\gamma}$. Establish standard values for E_{β} , E_{γ} and $E_{\beta + \gamma}$;

Ч

République Française COMMISSARIAT A L'ENERGIE ATOMIQUE Centre d'Études Nucléaires de Cadarache

P.O. Box No. 1 13-Saint-Paul-Lez-Durance

74-SECPR/DIR/418/11/JJ Your Ref: DAT/310 (5)

27 August 1974

Dear Mr. Lammer,

I am sending you informally herewith my draft guidelines for the benchmark experiment on after-power, which was recommended by the Panel on Fission Product Nuclear Data at Bologna in November 1973.

If this project is to go ahead and if you wish me to take charge of collecting the results, I think it would in fact be desirable for the Agency to make an official request to the CEA.

Yours sincerely,

(signed) M. Lott

P.S. I am attaching a list of authors of relevant articles as well as the addresses of the organizations to which they belonged at the time of publication.

Mr. Lammer Nuclear Data Section IAEA, Vienna (2) Having established the standard values, measure $E_{\beta} + E_{\gamma}$ for shorter times, using the standard values as a reference, which greatly reduces the risk of systematic error.

Benchmark proposal

(A) Measure the energies E_{g} , E_{γ} and $E_{g + \gamma}$ (MeV/fission) for thermal fission of ^{235}U (priority I) and for thermal and fast fission of ^{239}Pu (priority II) for irradiation over a period of 10^5 sec and for cooling times of 10^3 , 10^4 and 10^5 sec.

The account of the experiment should contain sufficient information to permit a critical appraisal to be made of the methods of analysis, in particular as regards possible corrections. It should contain the following headings:

- (1) Method
- (2) Equipment used for measuring E
 - Ceometric characteristics
 - Methods of calibration
 - Precision (σ)

As far as calibration is concerned, it is desirable to use the Joule effect for the calorimeters and to circulate standard sources among the various laboratories for calibrating the beta or gamma counters.

- (3) Irradiation
 - Neutron spectrum (for fast fission of ²³⁹Pu)
 - Fission rate associated error

To avoid systematic errors, it is desirable that experimentalists should measure the activity of fission products such as 140 La or 137 Cs. It is also desirable for these activities to be measured by several laboratories.

- (4) Measurement of the specimen
 - After-power and associated error
- (5) Discussion

(B) Calculate the energies E_{β} , E_{γ} and $E_{\beta+\gamma}$ in the same conditions as the experiment.

Estimate the uncertainties $\boldsymbol{\sigma}$ corresponding to the precision of the basic data.

Classify the nuclides in order of importance.

(C) Calculate the energies E_{β} , E_{γ} and E_{β} , for an irradiation of one year without capture for thermally irradiated 2350 in MeV/fission for cooling times of

- 0 and 10ⁿ sec with n from 0 to 8
- Establish the associated errors
- Classify the nuclides in order of importance.

JAMES M.F	A E E - WINFRITH - DORCHESTER - DORSET			
TSOULFANIDIS	UNIVERSITY OF MISSOURI, ROLLA , MISSOURI			
MAC MAHON	SCOTTISH RESEARCH REACTOR CENTRE, EAST KILERIDE	ENGLAND	BETTIS ATOMIC POWER LABORATORY WEST MIFFLIN PENSYLVANIA 15122	
	GLASGOW - SCOTLAND.			
TOBIAS	BERKFLEY NUCLEAR LABORATORIES BERKELEY	BUNNEY	US NAVAL RADIOLOGICAL LABORATORY, SAN FRANCISCO	
	GLOUCESTERSHIRE - GL 13 9 P B.		CALIFORNIA 94135	
JOHNSTON		., SVW	n a	
MAC NAIR	THE RADIOCHEMICAL CENTRE, AMERSHAM - ENGLAND.			
BANNISTER	LOCKHEAD AIRCRAFT CORPORATION - MARIETTA GEORGIA.USA	GROSSMAN	UNIVERSITY OF CALIFORNIA BERTRELEY CALIFORNIA DEPT OF NUCL-ENG - 94720 -	
KEITH	AWRE - ALDERMASTON - ENGLAND.			
WILSON	SCOTTISH RESEARCH REACTOR CENTRE EAST KILBRIDE	FISHER }	LOS ALAMOS SCIENT. LABORATORY	
	GLASGOW - SCOTLAND.	ENGLE	UNIVERSITY OF CALIFORNIA LOS ALAMOS NEW MEXICO	
WYMAN	UNIVERSITY OF ILLINOIS, URBANA, ILLINOIS 61.801.	SEYFARTH	KERN FORSCHUNGS ANLAGE JULICH	
SCOBIE	SCOTTISH RESEARCH REACTOR CENTRE LAST KILERIDE GLASGOW - SCOTLAND.		INSTITUE FÜR FESTKÖRPER UND NEUTRONENPHYSIK	
SCOTT	N 11	ÅRNRUSTER		
KUTCHER	PACIFIC NORTHWEST LABORATORIES BATTELLE MEMORIAL	MEISTER		ı
•	INSTITUTE RICHLAND WASHINGTON.	GANGULY	HEALTH PHYSICS DEVISION, BHARBA ATOMIC RESEARCH	150
Wyman	UNIVERSITY OF ILLINOIS, URBANA, ILLINOIS.		CENTRE - BOMBAY - INDIA	1
MAIENSCHEIN	OAK RIDGE NATIONAL LABORATORY -	SAKHAROV	7	
PERRY			· ·	
BATTAT	UNIVERSITY OF CALIFORNIA.	MALOVEEV	?	
DUDZIAK	LOS ALAMOS SCIENT. LABORATORY , POST OFFICE BOX 1663	PETROV	7	
۲ ۲	LOS ALAMOS - NEW MEXICO - 87.544			
NTOYO .	с	TASAKA	JAPAN ATOMIC ENERGY RESEARCH INSTITUTE	
	· · ·		TOKAI _ MURA, NA KA-GUN, IBARAKI-KEN	
			JAPAN.	

./...

FINAL DRAFT

APPENDIX XX

RECOMMENDATIONS

OF THE "NON-ENERGY" STANDING SUB-COMMITTEE

ON THE NECESSARY ACTIONS

Different meetings, numerous documents (recently INDC-NDS-59/W + spec and INDC-NDS-60/W + spec) show and emphasise at the IAEA the importance of nuclear data in the field of "non-energy" applications in the last years.

To clarify and quantify the needs for nuclear and related atomic data in the main fields of "non-energy" applications (neutron, charged particle, photon activation and in-beam analysis in biomedical research and practice, in industry and in environmental control, isotope tracer techniques, radiation therapy, radiation protection and dosimetry etc.) INDC recommends following actions as well as to promote the coordination of existing non-neutron data centres.

 To ask member states to form proper <u>ad-hoc committees or study</u> <u>groups</u> to asses the needs and, as appropriate to formulate request lists (DG, NDS, all members).

<u>Questionnaires</u> should be sent to a broad circle of the "nonenergy" users of nuclear data to find out their real needs in this respect and to evaluate the responses very carefully. Werever possible these should be dealt with at a personal interview, i.e. in the frame of local study groups (NDS).

2. The IAEA, in due course, should ask outstanding specialists or groups of them (consultants' meetings) of the field concerned, to analise critically, in collaboration with nuclear experts, their needs in nuclear data and to compare them with the accuracy and availability of the existing nuclear and related atomic data (NDS).

- 3. The INDC values the activity of the existing "non-neutron" nuclear data centres and groups and judge it is important to continue the work, in most cases with an increased support. Ask the member states and IAEA to support the above acrivity, especially international coordination of this work and the ex change of appropriate "non-neutron" nuclear data (X-centre meetings).
- 4. The NDS formulate the details of necessary actions on the basis of the recommendations of the last specialists' meetings on charged particle and photo-nuclear reaction data (24-26 April 1974, Vienna, INDC-NDS-59/W + spec) and non-nuclear data for applications (29 April - 3 May, 1974, Vienna, INDC-NDS-060/W + spec) and discuss them with INDC members by correspondence for approval continuing the work started during the Lucas Heights meeting of INDC. (NDS, all members.)
- 5. Even in the present stage of the knowledge of the needs of users in the "non-energy" application fields seems to be very useful to maintain, on a continuing basis, and ensure publication of an up-to-date <u>catalogue of compilations and evaluations</u> of the pertinent nuclear and related atomic data, (in the field of atomic data such a catalogue is completely missing), as well as a list of groups working on compilation and evaluation (NDS).
- 6. To make easier the compilation and evaluation work, the INDC recommend to the editors of nuclear physiscs journals to instruct the authors of the papers to follow the <u>recommendations</u> <u>of IWGNSRD,1972</u> on the format and way of presentation of the new data (NDS).
- 7. The necessary action should be taken to ensure that the turn-

around time of A-chain compilations does not become larger than 5 years

- 8. That existing and new groups preparing compilations and evaluations be, on one hand, closely associated with existing laboratories in the field, and on the other hand maintain sufficient contact with the main compilation centers in the field.
- 9. Fellowships should be made available to prospective new compilers and evaluators for training in the main centres.

APPENDIX XXI : REPORT TO THE INDE OF AD HOE SUB COMMITTEE

ON INDC-NEANDC/RELATIONS.

Working papers presented to the sub-committee by Schmidt and Smith describe the similarities and differences in membership, agenda and the scope of the technical work of the INDC and NEANDC. A number of historical distinctions between the two committees are gradually disappearing, although significant differences in policies remain. The overlap of the functions of these two committees in several areas and, consequently, attendance of committee member and advisors at intervals as frequent as six months has been of concern in a number of member states.

In view of these considerations, the possibility of merging the two committees was raised. While this change is not generally acceptable at this time, it was agreed that close cooperation between the committee, on technical matters is both desirable and feasible. In particular, it is considered desirable for the NEANDC and INDC technical sub-committee, to prepare a common information base, and a specific proposal for a method of achieving this was presented to the Standards Sub-committee meeting by Rose and summarised in the report of that sub-committee.

It is also considered desirable that the INDC and NEANDC consider extending the interval between meetings from 12 to 18 months, the two meetings being staggered at approximately 9 month intervals. While some concern was expressed that this longer period might result in less vigorous action on the part of members and standing sub-committees between meetings, the sub-committee accepted the proposal. Such a change would require alterations in the Methods of Work of the INDC.

Ce uittee Membership

Dr. S. Cierjacks Dr. H. Conde Dr. W. Cross (Chairman) Dr. T. Fuketa Dr. M. Mehta Dr. A. Michaudon Dr. B. Rose Dr. J. Schmidt Dr. A. Smith Prof. L. Usachev

NDS Working Paper 9

IAEA Financing of future INDC Meetings

(General IAEA policy regarding meetings and standing technical Committees)

1. Reclassification of TAFA Meetings

In an internal IAFA memorandum, dated 21 November 1973, the Director General has endorsed the recommendations of an Inter-Secretariat Working Group regarding the classification of Agency meetings and their financing. These recommendations are to be implemented as of 1 January 1975.

The new classification of Agency meetings contained in <u>Annex 1</u>, shows that starting 1975 all IAEA meetings other than those of its governing organs will be incorporated into four categories which will be described exclusively by the titles shown in Column 1 (Consultants' Meetings are excluded from these considerations).

According to this memorandum, INIC is classified as a permanent technical committee of the Agency whose meetings fall under category III, implying that the participation at the meetings is selected, and that the participants are nominated and their costs (of participation) covered by the Governments concerned.

"Discussion leaders and nominees from developing countries" (as specified by the annually updated officially approved IAEA list of such countries) "will be eligible for Agency's financial support" (see footnote in $\underline{Annex \ l}$).

Pursuant to this directive, all INDC Member Governments were notified by letter from Deputy Director General, Professor H. Olubrecht, dated 14 February 1974, that "...the costs of participation at INDC meetings will from 1975 on no longer be borne by the IAEA", and that "Governments concerned will therefore be asked to bear the cost of attendance of participants nominated by them".

2. Revision of TNDC Terms of Reference

In accordance with the above mentioned memorandum, the "Terms of Reference" of all ad-hoc and standing committees of the Agency are to be reviewed in the light of the new meeting classification and submitted to the Director General for approval. The only sections of the INDC "Terms of Reference" (see <u>Annex 2</u>) which are to be revised are paragraphs 2 dealing with the selection of 'members and 7 dealing with travel expenses. The following revisions of these paragraphs are proposed:

- 2) "In selecting the members of the INDC, in consultation with the Governments of the Member States of the IAEA concerned, the Director General will be guided by the following considerations:
 - Each member....should be appointed upon nomination by his Government;"

"Travel expenses

7) Travel and subsistence expenses incurred by INDC meeting participants including INDC members, accompanying advisors and specialists, and observers, shall be borne by the Governments and organizations concerned."

	ष	Ann ROPOSED CATEGORIES OF SCI	ex I EMTIFIC AND TEC	HIICAL MEETINGS	
	CATECORY AND PURPOSE	PARTIC IPATION	NOMINATED BY	COSTS COVERED BY	TYPES OF MEETINGS HELD AT PRESENT
-	<u>CONFERENCES/SYMPOSIA</u> exchange of information	all Member States or all Nember States in the region (not limited)	Governments	Governments */	Conferences Symposia Seminars
H H	<u>SEWINARS</u> having an educational function	all Nember States or all Member States in the region (not limited)	Governments	Governments */	Seminars Study group meetings Workshop meetings INIS Seminar Seminar on Muclear Law
III	<u>TEDHNICAL</u> <u>COMMITTEES</u> (<u>ad-hoc or standing</u>) to advise on <u>Agency's</u> programme; to prepare standards and recommendations	selected	Governments	Governments */	Meetings of INDC, Fusion Council INIS Liaison Officers, Working Groups on Fast Breeder Reactors, on Nuclear Power Plant Instrumentation, Safeguards Working Groups, Repetitive Panels on Standards, etc., mini-symposia (PNE) (actually called a "panel")
N N	ADVISORY GROUPS to advise on specific part of the programme or on a project	selected	IAEA	IAEA	Panel meetings Ad hoc panel meetings Panel of experts <u>Specialists meetings</u>

٣

with the

Agency's financial support

for

discussion

leaders

and

nominees

from

developing countries.

	Annex 2
	INDC
TERIS	OF REFERENCE

1. The International Nuclear Data Committee (INDC) will serve as a continuing Committee within the framework of the International Atomic Energy Agency. As such the INDC will have the dual purpose of serving as a means of promoting international cooperation in all phases of nuclear data activity, and of advising the Director General of the IAEA in this field.

2. In selecting the members of the INDC the Director General will be guided by the following considerations:

- (i) Each member should be drawn from a Nember State of the IAEA that has scientific activities in the nuclear data field and should be appointed after consultation with his Government;
- (ii) In particular the Committee (shall) should include one member from each Hembor State having a major nuclear data programme;
- (iii) Each member should be a scientist actively working in the field of nuclear data or having broad responsibilities for programmes in this field;
- 1 Ц υī δ I.
- (iv) Each member may be accompanied by advisers and specialists;
- (v) As a means of ensuring continuity, members from States having major nuclear data programmes will normally serve on the Committee for a period of at least three years.

3. The Committee will advise the Director General from time to time regarding the desirability of coopting members or experts from other iember States on a regular, or an ad hoo, basis.

LETHODS OF WORK

4. Except as otherwise herein stated, in general the Committee will determine its own methods of work, including preparation of its agenda, establishment of working groups, keeping of records and other procedures. The Committee may at any time decide to meet in private sessions of members only.

- continued

INDC Terms of Reference

SECRETARIAT

5. Subject to the availability of funds the Director General will provide the administrative and secretariat services required for the work of the Committee, including interpretation and translation services, meeting facilities, distribution of documents, maintenance of records, etc., as required. The IAEA will also provide the services of a Scientific Secretary.

Ν

٦

MEETINGS

6. INDC will normally meet once a year. It is recognized that it will be desirable for INDC to meet from time to time away from IAEA Headquartors to familiarize itself with nuclear data activities in IAEA Member States. Special arrangements will be made to provide secretariat services for meetings held away from IAEA Headquarters.

TRAVEL EXPENSES

7. The IAEA will meet the travel expenses of members of INDC for attendance at its meetings. It will not meet the travel expenses of advisers and specialists who accompany members to meetings of INDC.

RELATIONS WITH OTHER INTERNATIONAL ORGANIZATIONS

8. The Director General may invite international organizations to be represented at meetings of INDC or at particular sessions during such meetings.

Vienna, October 1967

1

Д,

× ...

International Nuclear Data Committee

METHODS OF WORK

Revised Draft

Under the Terms of Reference of the International Nuclear Data Committee (INDC), hereinafter referred to as the Committee, approved by the Director General of the IAEA in October 1967, the Committee is authorized to determine its own Methods of Work, including preparation of its agenda, establishment of ad-hoc and standing subcommittees, and working groups, keeping of records and other procedures. The Committee will have the dual purpose of serving as a means of promoting international cooperation in all phases of nuclear data activitiy of general usefulness to nuclear energy programmes and other peaceful applications of nuclear science and technology and of advising the Director General of the IAEA in this field.

Scope

The Committee shall be concerned with:

- the availability of and requirements for nuclear data, (i)
- the collection, exchange and dissemination of basic nuclear (ii) data relevant to nuclear energy programmes and other peaceful applications of nuclear science and technology,
- (iii) the various aspects of measurements and interpretation of nuclear cross sections and other nuclear constants, and
- (iv) the instrumentation and techniques related thereto.

The Committee shall, as appropriate:

Nuclear Data Measurement and Interpretation

monitor current and existing nuclear data through its membership and critically review the existing state of knowledge of nuclear cross sections and other nuclear constants and reference data, identify those gaps in the knowledge which are of long range or of special significance, to the nuclear energy and other peaceful nuclear science and technology programmes of the countries concerned, recommend expeditious methods for obtaining the required data and assist in their dissemination and exchange ;

Nuclear Data Compilation, Evaluation, Exchange and Dissemination

promote the broad and reciprocal exchange and dissemination of nuclear data and related research information among IAEA Member States and associated international organizations, receive reports from and comment on the activities of relevant nuclear data compilation groups and recommend methods for adequate presentation of nuclear cross sections and other nuclear data;

õ

PENDIX

Equipment and Techniques

review the facilities, techniques and effort available for the determination of nuclear cross sections and other nuclear data, consider present and future needs for the techniques, equipment and facilities and recommend appropriate actions;

Research Materials

keep itself informed of special materials available for research and recommend to the IAEA and Member States arrangements for pooling, purchasing and exchanging samples as required for projects of joint interest;

5. Equipment and Personnel Exchanges

consider and recommend arrangements involving the pooling and exchange of equipment and personnel;

6. Research Proposals

at the request of the Director General of IAEA, review and comment on the relevant scientific and technical aspects of the research proposals in the nuclear data field which have been submitted to the IAEA for support;

7. Scientific and Technical Meetings

recommend the holding of, and assist in the organization of, scientific and technical meetings to further the objectives of the Committee and of IAEA in the field of nuclear data and their applications; and

8. Advice to Director General

advise the Director General on all matters of concern to the IAEA in the nuclear data field.

II. Limitations

It is recognized that the participation of Member States in the activities of the Committee will be on a voluntary basis and will be governed by their technical interests, national policies, and applicable laws, regulations and agreements.

III. Committee Organization

1. Chairman

The executive function of the Committee shall be vested in a <u>Chairman</u> who shall be a member of the Committee and who shall serve for two successive meetings, the date of taking up office being left to the discretion of the Committee. This office shall rotate in an order that is established by listing the Member States participating in the work of the Committee alphabetically, in English: UK, USA, USSR, etc. The responsibilities of the Chairman shall remain in effect between meetings, and he shall be kept informed by all Committee members and the Scientific Secretary of relevant activities and developments, preferably in writing.

Secretaries

There shall be appointed by the Chairman from the membership of the Committee an <u>Executive Secretary</u>. His term of office shall be the same as, and concurrent with, that of the Chairman.

The IAEA will appoint a <u>Scientific Secretary</u> who will come from the IAEA Secretariat and who will serve as a member of the Committee. He shall be a scientifically qualified individual and shall assist the Chairman in the preparation and conduct of meetings.

3. Scientific Advisers and Observers

Each member may be accompanied by advisers. Observers and ad-hoc members may be invited by the Director General, upon the advice of, and in consultation with, the Chairman and the Scientific Secretary of the Committee, to attend all or specified portions of meetings and participate in the Committee's deliberations.

1

Subcommittees

The Committee has established the following four standing subcommittees:

- Subcommittee on nuclear standard reference data;
- Subcommittee on discrepancies in important nuclear data and evaluations;
- Subcommittee on nuclear data for energy applications;
- Subcommittee on nuclear data for non-energy applications.

Other standing and ad-hoc subcommittees may be established by the committee as appropriate. Subcommittees may have non-Committee members. The current membership of each standing and ad-hoc Subcommittee and their reports to the Committee will always appear in the minutes.

Liaison Officers

- i) The IAEA may request a Member State or International Organization not represented on the INDC to nominate a liaison officer to provide a communication link between the INDC and the scientists producing and/or using nuclear data in that state.
- Liaison Officers shall be provided with lists of all official Committee documents, copies of which they may request from the Scientific Secretary. The Scientific Secretary shall send the tentative agenda to all liaison officers at the same time that it is sent to the participants.
- iii) Where active interest in items of an INDC meeting is indicated by a liaison officer, he may request approval from the Chairman of the INDC through the Scientific Secretary to attend that meeting as an observer at no expense to the IAEA.

IV. Meetings

Meetings shall normally be held at such a frequency as will take cognizance of the activities of committees with related objectives. It is desirable that the Committee meet from time to time away from IAEA Headquarters, to familiarize itself with nuclear data activities in IAEA Member States.

1. Local Secretary

When INDC meetings are held away from IAEA Headquarters, the host country shall appoint on an ad-hoc basis a <u>Local</u> Secretary, other than the Committee member, to assure appropriate local arrangements for the meeting in consultation with the Scientific Secretary. The Local Secretary will be permitted to attend all except executive sessions of the Committee.

2. Notification of Meetings

An invitation to each meeting shall be sent by the Director General of the IAEA to the Governments concerned so as to be received at least six months in advance of the meeting. The Scientific Secretary shall endeavour to keep the members informed as to who will be attending to facilitate the distribution of documents.

3. Agenda

A draft agenda shall be sent by the Scientific Secretary to the Committee members and to the Director General of the IAEA so as to be received at least sixty days in advance of the meeting. Comments on and additions to or changes in the draft agenda shall be sent by the Committee members to the Scientific Secretary with copies to the Chairman so as to be received at least thirty days in advance of the meeting.

 \sim

Friesenhahn et al., Report INTEL - RT- 7011 -01 (1974) Poenitz, Z. Physik <u>268</u> (1974) 359 Overley et al., Nucl. Phys. <u>A221</u>` (1974) 573 Stephany and Knoll, INDC (USA) - 62 "U" p. 129 (1973)

A general examination between 0.1 and 1.4 MeV shows that :

Below 0.5 MeV , i.e. across the 250 keV resonance , most of the data agree one with each other except for those of Friesenhahn which are much higher than the others . For example , at the peak of the resonance, Friesenhahn obtains 3.7 b whereas the other data peak around 3 b. Let us note right now that some data, those of Cadarache for example , will probably have to be increased by 10 per cent ore more due to a modification of the estimated value of the ⁶Li content in their glass (this will be discussed below) . Above 0.5 MeV the data points are more scattered , with Friesenhahn points being on top and those of Clement and Rickard being the lowest ones. There is almost a factor of 2 between the extreme values. There is , therefore , a serious problem which could not be solved at present. Nevertheless, comments on a few things can be made :

a) energy calibration of the neutron spectrometer in the 100 keV range. In order to determine more accurately the energy of the 6 Li (n, α) resonance near 250 keV, and thus avoid energy shifts when comparing the data, several laboratories have measured the energy of sharp and well defined resonances in other nuclei around 250 keV. A general consensus seems to have been reached to study the Na resonances, especially that around 300 keV, which is easy to measure. The energy of the maximum value of the total cross section, as obtained by various laboratories is. the following:

Karlsruhe:	299.5 keV <u>+</u> 0.1 keV	cyclotron
Columbia:	298.5 keV \pm 1.0 keV	synchrocyclotron
Saclay:	303.0 keV + 3.0 keV	linac
Cadarache:	302.0 keV + 4.0 keV	Van der Graaff
Harwell:	298.8 keV <u>+</u> 2.3 keV	linac
	299,31 keV + 0.12keV	synchrocyclotron



▶,



Deviations between these phase-shift calculations and the semi-empirical formula of J. L. Gammel (Fast Neutron Physics Part II, p. 2209) do not exceed 1.5 % (see Fig. 1). The points of attention are at present the differential cross-sections and especially the 180° cross-sections used in telescope-type recoil counters (see Fig. 1). At 14 MeV Gammel's semi-empiral formula yields a differential 180° cross - section which differs by 2.4% from the value calculated by Hopkins and Breit. Recent work by Shirato and Saitoh (J. Phys. Soc. Japan <u>36</u> (1974) 331) at 14.1 MeV and by Burrows (Phys. ReV <u>7C</u> (1973) 1306) at 24.0 and 27.2 MeV support the phase shift calculations.

The situation has been reanalysed by two papers by Lomon and Wilson (Phys. Rev. <u>9C</u> (1974) 1329) and by Voignier (Report CEA-R-4632 (1975), both concluding that the theoretical discrepancies are smaller than the actual experimental uncertainties for differential data and that therefore only very precise angular distribution measurements can improve our knowledge. The sub-committee however, would like to see these statements confirmed by proper error propagation from the input data to the calculated differential cross-sections. At present experiments are being conducted in Harwell between 14 and 28 MeV and at Duke University between 8 and 15 MeV .

25

4. $\frac{3}{\text{He}(n, p)}$ Cross Section

No new information superseding that given at the 2nd IAED Panel on Neutron Standard Reference Data nor any active user of this standard could be identified. If one excludes some evaluation work then this period of stagnation can even be enlarged by several years. This lack of interest over such an extended period is certainly due to the nonexistence of suitable detector systems and reduced emphasis should be given to this standard.

5. ⁶Li (n, a) Cross Section

In Figures 2 and 3 the very recent data (1972 and later) are plotted :

Coates et al., Proc. of Panel "Neutron Standard Reference Data"p. 105 Fort and Marquette, Report EANDC (E) - 148 'U' (1972) Clement and Rickard, Report AERE - R 7075 (1972) 0

٦.

The Scientific Secretary, with the approval of the Chairman, shall then issue a <u>tentative agenda</u> so as to be received by the participants at least two weeks in advance of the meeting and the final agenda shall be approved by the Committee prior to proceeding with the meeting.

1.

4. Documents to be discussed at meetings

Documents to be discussed at meetings shall normally be sent so as to be received by Committee members and other participants at least thirty days in advance of the meeting. The tentative agenda should relate the documents to the items on the agenda. Substantive agenda items should be supported by appropriate working papers which should be submitted to the Scientific Secretary and all other participants at least thirty days in advance of the meeting.

5. Chairman

The Chairman is expected to be in charge of the meeting. If he is unable to fulfil the duties of his office, the next Chairman, as specified in paragraph III(1), normally shall serve as Chairman pro tem.

6. Executive Secretary

The Executive Secretary is expected to assist the Chairman in the conduct of the meeting. He is also expected to prepare the official records of the meeting, to arrange with the Scientific Secretary for their reproduction and distribution, and to maintain records of the Committee business between meetings.

7. Scientific Secretary

The Scientific Secretary will be expected to provide liaison between the Committee and the IAEA, arrange for the Secretariat services required for the work of the Committee (including meeting facilities, interpretation and recording services during the Committee meetings, limited translation services, reproduction and distribution of documents, maintenance of permanent Committee archives at the IAEA, etc., as required) and provide a point of contact between the Committee and other Member States, not directly represented on the Committee, through their nominated liaison officers.

Scientific Advisers and Observers

8.a. Scientific Advisers

Scientific Advisers must come from the same Member State as the Committee member who may authorize their attendance at all or part of the Committee meetings. With the approval of the member, his advisers may also serve on subcommittees. If a member is unable to attend a meeting, one of his scientific advisers should be designated as alternate member by the Member and with the consent of the Committee.

8.b. Observers

- (i) Observers are defined to include experts, specialists or other individuals who are invited on an ad-hoc basis to attend all or specific portions of INDC meetings.
- (ii) Any Member of the Committee may request the Chairman to invite an observer for a specified portion or the whole of the meeting. The Scientific Secretary, with the approval of the Chairman, extends the invitation.

<u>Formal</u> Committee recommendations, including matters specifically referred to the Committee by the Director General, shall be adopted by common agreement amongst its members, and transmitted to the Director General of the IAEA. <u>Informal</u> recommendations shall be included in the record of the meetings and may also be issued in the form of special reports of the Committee.

2. Chairman's report

At the end of his term of office, the Chairman shall prepare a report on the activities of the Committee during his time in office, which shall be modified as appropriate, and approved by the Committee prior to transmittal to the Director General of the IAEA and further distribution.

Т

δ

Ν

3. Record or Minutes of Meetings

Copies of the draft record, or minutes of each meeting, prepared by the Executive Secretary, shall be sent by him to each of the members so as to be received in about sixty days, but not later than ninety days after the close of each meeting. Amendments or corrections to the draft record shall be submitted by the members to the Executive Secretary so as to be received by him within 120 days of the close of the meeting, after which the edited but unapproved record or minutes shall be issued by the Executive Secretary. The edited but unapproved record of the meeting shall be corrected and approved by the Committee at its next meeting and any further changes shall be reflected in the record of that meeting.

Technical minutes of each meeting shall contain those sections of the minutes, including appendices, having substantial technical content or describing activities and programmes supported by the Committee that are of general interest to the scientific and technical community. Administrative

ø

- (iii) Representatives of international organizations (e.g. NEA, CEC, etc.) may be invited by the Director General to participate in INDC Meetings as observers.
- (iv) At the beginning of each meeting, the Chairman shall consult with the Committee to determine which session the observers shall attend.

The Scientific Secretary shall keep the members informed well in advance of meetings regarding the attendance of observers and scientific advisers.

9. Executive Sessions

With approval of the Members, the Chairman may call for an executive meeting of the Committee.

10. Language

The official languages of the Committee are those of the IAEA (English, French, Russian and Spanish). The "working" language of the Committee shall be English although the IAEA Secretariat will be expected to provide interpretation services so that the Committee members may use any of the four official languages.

V. Reports and Recommendations

The Committee shall issue such reports and recommendations as it may deem appropriate.

0

matters, relating primarily to the operation of the Committee and its relations with other organizations, and information or discussions of a delicate nature, shall be excluded from the technical minutes.

The Executive Secretary shall indicate in the draft of the full minutes those sections which, in his judgement, should be included in the technical minutes. Suggested changes to the selection of material included, or in wording, shall be submitted by members to the Executive Secretary along with corrections to the draft minutes. The edited technical minutes shall be given a U distribution and may be issued without further approval of the Committee.

4. Committee Documents

The Committee may issue such documents, in addition to those referred to in V.1., 2., and 3. above, as may be required for the conduct of its business. Such documents shall be labelled with a numbering series preceded by the letters INDC. The series shall start on January 1, 1968. Numbers shall be assigned by the Scientific Secretary. All Committee documents formally submitted must be approved by the Committee prior to issuance.

5. Language of Documents and Recommendations

All documents and recommendations (V.1-4) shall be issued in English. In addition, subject to available funds at the IAEA, the Scientific Secretary will, on the request of any member, arrange for translations of such documents and recommendations in French, Russian or Spanish.

VI. Contributed Documents

All documents submitted to the Committee shall become a part of the official file of the Committee and shall be appropriately labelled and dated by the originator. Wherever possible the author's name and address should be included in the document. All documents submitted to the Committee by Member States shall be labelled with a numbering series preceded by the letters INDC and shall include a symbol to identify the country of origin. The series shall start on January 1, 1968.

D

VII. Committee Files

The Chairman, Executive Secretary and Scientific Secretary shall each keep a continuing official Committee file to be passed on to their successors. The file of the Scientific Secretary shall be kept in the IAEA Secretariat and shall be the permanent file and archives of the Committee. One copy of all official Committee correspondence shall be provided to the Chairman, the Executive Secretary and the Scientific Secretary for their files.

Rules concerning the distribution of Committee documents shall be established by the Committee. No documents from permanent file or archives may be permanently withdrawn or destroyed without prior approval of the Committee. The archives shall be open to any Member State.

VIII. Committee Secretariat

The IAEA Secretariat will provide administrative and secretariat services to the work of the Committee. Such services shall be arranged for by the Scientific Secretary.

IX. Relations with other International Organizations and other Committees

All formal contacts between the Committee and other international organizations shall be through or by the Director General of the IAEA, including the participation of observers (IV.8.). Technical liaison that may be required between the INDC and other committees shall be carried out by correspondence between the Chairman of the INDC and the Chairmen of those committees.

X. Amendments

Amendments or changes to the "Methods of Work" may be adopted by common agreement amongst the members of the Committee and unless otherwise agreed, will become effective at the start of the following meeting.

Q

F

ø

0

<u>Agenda item VI.B</u> 27 September 1974

NDS Working Paper 10

The attached summary sheet plus enclosures describe a continuing activity in the compilation of γ -ray lines from radionuclides which is being performed at the Nuclear Research Establishment (KFA) Juelich in the Fed. Rep. of Germany. We recommend the following <u>action</u> on the INDC Members concerned, i.e. to contact similar groups in their countries working on γ -ray compilations and inform them on the Juelich activities with the object to achieve coordination of compilation where possible and to keep NDS informed on this matter. <u>Title:</u> "Gamma Rays of all Radionuclides"

Authors: Gerhardt Erdtmann, Werner Soyka

Address: Central Institute of Analytical Chemistry, Nuclear Research Establishment, Post Office Box 365 KFA Juelich, Fed. Rep. of Germany 517 Juelich 1

This data compilation consists of all gamma-ray transitions (energies and intensities) observed in the decay of about 1300 known gamma-ray emitting nuclides. The radionuclide data are supplemented by data concerning their half life, parent and daughter nuclides and generating reactions. The work is based on literature published up to the end of 1971; some journals, such as Nuclear Physics A, Physical Review C, Bulletin of the Academy of Sciences of the USSR, Soviet Journal of Nuclear Physics and Nuclear Data B have been surveyed up to the middle of 1972.

The compilation is also obtainable in the form of a tabulation printed as a three-volume Juelich report. ("Die γ -Linien der Radionuklide" Volumes 1-3, KFA Juelich report JUEL-1003-AC (Sep. 1973), G. Erdtmann and W. Soyka). The compilation is presented in two sorts: Volume 1 lists the data sorted by ZA, volumes 2 and 3 list γ -and x-ray lines of all nuclides in order of increasing energy.

To give an idea of content and format of this publication, we <u>attach</u> the table of contents and two sample pages of the compilation.

<u>Inhaltsverzeichnis - Contents</u>

· .

Inhaltsverzeichnis (Forts.) - Contents (cont.)

.

Deutsch	English	Deutsch	English		Deutsch	English	Deutsch	English
					11. y-Energien		XVII	
	Band 1 - Volume 1		ž			Y-ray energies		XXXI
			,		12. γ-Intensit	äten	XVII	
Kungfaasung	Summary	VT	VTT		• • • • • • •	y-ray intensities		XXXI
ndi 214654mB			· •		13. Röntgenlin	ien .	xx	
Vorwort	Prelace	VIII -	X			X-ray lines	· ·	XXXIV
Einführung und Erläute	rungen	XII	×		14. Energien d	er Röntgenlinien	xx	
	Introduction and Ex-		XXVII			X-ray energies		XXXV
	planations				15. Intensität	en der Röntgenlinien	XX	
4 Hamburgh day Data		VIT				X-ray intensities		XXXV
1. Herkunit der Daten	Collection of data	VII	YXVTT		16. Vernichtun	gsstrahlung	XXII	
• • • • • • • • • • • • • • • • • • •		~ ~ ~ ~	AA 7 2 2			Annihilation radiation		XXXVII
2. Anoranung der Tabe	Arrangement of table 1	X 11	YYVTT		17. Paarbildun	zs-Linien	XXII	·
· · · · · · · · · · · · · · · · · · ·	All angements of subject		AAV 11		· · ·	Pair Peaks		XXXVII
5. NUKIIdsymbole	Nuclide symbols	ΧΊΤ	YYVTT		18. γ-Linien k	urzlebiger mesomerer Tochter-	XXIII	
h No Thurnhand Ann	Autile Symbols	¥777			nuklide	2		
4. Halowertzeiten	Half lifes	XIII	XXVIII			γ -ray lines of short lived		XXXVIII
5	muti iiquo	****	*****			mesomeric daughter		
5. Erzeugungsreaktion	Generating reactions	XIII	XXVIII			nuclides		
6 March 4 and 11 2 2 3 -		* 717	8AT 111		19. γ-Linien s	chwer trennbarer isomerer	VIXX	
b. Tochternuklide	Daughter nuclides	XIV	XXIX		Nuklide			
7 Nubbaunut-162a		¥ TV				Y-ray lines of difficultly		XXXXIX
7. Mutternuklide	Parent nuclides	X1V	XXXX			separable isomeric		
0 Defemanue		717				nuclides		
o. Reierenzen	References	A ¥	XXIX		20. Tabelle 2		XXV	
0 Idate den	Ant construction	VU				Table 2		XXXIX
y. Liste der y- und K	List of v- and X-rava	* *	xxx		21. Literatur		XLI	
10		VU T				Literature		XLI
10. Y-minisu	γ-ray lines	VAT.	xxx	:				

D ¥

¥

Ŋ,

57 La 142

Inhaltsverzeichnis (For	ts.) - Contents (cont.))				1	
	• • • • • • • • • • • • • • • • • • • •			57 LA 136	57 LA 140	57 LA 14	2
Tabellentei	1 - <u>Section of tables</u>			HALP LIPE: 9.87N GEN: NPA CE136 CHA BA136	HALP LIFE: 40.27H GEN: NTH LA139 NFA CE140	HALP LIPE: GEN: NPA C NFI S	92.0M 2E142 5.800
		Band,	Seite	DAU: PAR:	NFI 6.250 DAU:	DAD: PAR:	
		volume	page	REF: 68 JU 1,69 NE 1	PAR: BA 140 12.8D REP: 70 MA 3,69 GU 1	REF: 71 L	A 1,671RA 2
				0.03182 X	/U KA 1	0.03428	
Tabelle 1:	Table 1:			0.03640 X	0.02460 0.01000 A	0.03920	
Radionuklide geordnet nach	Radionuclides ordered	2 1	7	0.51100 78.00000 Å	0.03472 0.81000 A X	0.10610	0.15000 A
Andronakiide, georanet hat	hadionaciides ordered		2	0.54150 0.00500 A 0.73260 0.01200 A	0.03920 0.23400 A X 0.04020 0.04800 A X	0.11940	0.05000 A 0.05000 A
ordnungs- und Massenzahlen	by atomic and mass			0.76040 0.36000 A	0.06413 0.01000 A	0.16950	0.05000 A
und thre Y-Linien	numbers and their			0.81850 2.50000 A	0.10942 0.22000 A	0.29790	0.05000 A
	Y∼ray lines			0.89400 0.00500 λ	0.13112 0.53000 λ 0.17354 0.14000 λ	0.33200	0.05000 A
				0.93500 0.00200 A	0.24196 0.56000 A	0.35530	0.05000 A
Referenzen	References	1	249	0.98130 0.00010 A<	0.26655 0.60000 A 0.30690 0.03500 A	0.36730	0.10000 A 0.10000 A
Mahalla D.	M-1.3.			1.31050 0.11000 A	0.32875 21.30000 A	0.40840	0.05000 A
Tabelle 2:	Table 2:			1.46600 0.00300 R	0.43255 3.10000 X	0.42080	0.05000 A
Y-Linien der Radionuklide	The Y-ray lines of			1.49710 0.05300 A	0.43850 0.02100 A	0.43334	0.40000 A
geordnet nach der Energie	the radionuclides			1.55120 0.01200 Å	0.48703 45.70000 A	0.53200	0.15000 A
	ordered by energy			1.66690 0.01200 A	0.51095 0.35000 A	0.53830	0.05000 X
	ordered by energy			1.79140 0.00700 A	0.61820 0.04000 A	0.57160	C.05000 A
				1.82200 0.00400 A 1.95500 0.00200 A	0.75179 4.50000 A 0.81580 23.60000 A	0.57809	1.35000 A
Teil I:	Part I:			2.08060 0.02100 A	0.86786 5.60000 A	0.60180	0.05000 A
				2.12//0 0.04300 A 2.28600 0.00050 A	0.91960 2.50000 A	0.61950	48.90000 A
Y-Linien von 0-0.49890 MeV	Y-ray lines between	2/1	3	2.33250 0.00250 A	0.93690 0.06000 A	0.79310	0.05000 A
Υ.	O and 0.49890 MeV			2.48540 0.00350 A	1.08520 PAIR PEAK	0.87820	0.20000 A
				57 [1 138	1.08800 0.00300 A	0.89485	8.50000 A
Teil II:	Part II:				1.59620 96.00000 A	0.94650	0.10000 Å
				HALP LIPE: 1.09E+11A GEN: NFA LA139	1.90315 0.00600 A 2.01040 0.43000 A	0.96220	0.40000 A
Y-Linien von 0.49900-8 Mev	Y-ray lines between	2/11	425	NFA CE136	2.34820 0.84000 A	1.00670	0.25000 A
	0.49900-8 MeV			DAU:	2.53340 0.00400 A	1.02130	0.05000 A
				PAR: 858.72 21.1	2.54770 0.10000 A	1.03920	0.10000 X 2.80000 X
					3.11850 0.02700 A	1.05650	0.05000 A
				0.03182 14.90000 A X 0.03219 28.60000 A X	3.31960 0.00500 <u>N</u>	1.06180	0.15000 A 0.15000 A
				0.03640 8.00000 A X		1.07420	0.10500 A
				0.41400 PAIR PEAK	57 LA 141	1.10010	0.05000 A
				0.78800 33.00000 A 0.92500 PATR PEAK	HALP LIPE: 3.87H GEN: NFI 5.730	1.10480	0.05000 A 0.10000 A
				1.43600 67.00000 A	DAU: CE141	1.11670	0.10000 Å
					PAH: REF: 69 GU 1	1.13060	0,50000 A 0,15000 A
					1 37500 2 00000 1	1.16016	1.85000 A
					1.3/390 2.00000 A	1.19090	0.40000 A

111

- 167 -

.

0.37150 MeV

NUCLIDE	ENERGY	INTENSITY	OTHER LI	INES	PRODUCTION	REMARKS .
AU 200M 18.7H	0.36799	84.0 A	0.36799 0.49777 0.57929 0.25587 0.75950	84.0 A 79.8 A 78.1 A 77.3 A 72.2 A	CHA PT198 CHA HG202	
KR 89 3.18M	0.36880	2.0 %	0.22060 0.58640 0.49780 1.53340 1.47210	25.0 A 21.0 A 11.0 A 11.0 A 9.5 A	NFI 4.730	à.
LO 166 3.38	0.36900	41.O R	0.22800 0.10200 0.33800 0.36900 0.27600	100.0 R 60.0 R 60.0 R 41.0 R 25.0 R	CHA TA182	PA:HF 166 6.0K
HP 169 3.3M	0.36930	10.0 A	0.49230 0.05407 0.51100 0.05297 0.06130	85.0 A 37.0 A X 23.0 A 20.0 A X 12.0 A X	CHA 18170	
PA 234 6.7H	0.36980	3.4 X	0.09844 0.13120 0.09466 0.88080 0.88320	27.0 X X 20.0 X 15.0 X X 13.0 X 12.0 X	NAT U 238	PA:TH 234 24.10D 0 238 4.51E+09A
GD 147 38.08	0.37050	13.2 λ	0.22990 0.76550 0.39650 0.92800 0.37050	57.0 A 49.5 A 26.2 A 16.2 A 13.2 A	СНА SM147 СНА SM144	
J 136B 48.05	0.37050	19.0 x	1.31330 0.38150 0.19750 0.37050	100.0 A 98.0 A 85.0 A 19.0 A	NPA XE136 NPI 6.470	
BI 196 4.6M	0.37100	48.0 R	1.04900 0.68850 0.37100 0.33650 0.13800	100.0 R 64.0 R 48.0 R 15.0 R 11.0 R	CHA TA181 CHA RE185	
HG 191 55.0M	0.37100	11.0 R	0.25260 0.42030 0.57870 0.24140 0.27470	100.0 R 32.6 R 30.9 R 21.3 R 15.0 R	СНА А0197	
IR 190 11.0D	0.37110	20.2 X	0.18670 0.60530 0.51840 0.40720 0.55780	51.0 A 34.5 A 31.2 A 26.5 A 25.0 A	NPA PT190 NFA IR191 CHA OS190	
RE 190 3.1M	0.37150	25.5 A	0.18690 0.55770 0.82890 0.56910 0.36140	52.6 A 40.4 A 31.5 A 28.8 A 27.7 A	NPA 05190 NPA 18193 CHA 05192	

363

- 168 -

1

۴ ۲

¥

D

Δ

Agenda Item XI.B 1 October 1974

NDS Working Paper 8

Publication of IAEA Meeting Proceedings

The Agency acts as a regular publishing house and edits journals. handbooks, proceedings of conferences, seminars, panels and other meetings, several report series, a bulletin, indexes to nuclear literature (INIS) and neutron data (CINDA) etc. Recently some of the Agency's publications which do not have top priority experienced a considerable delay, among these also the Proceedings of the Second Panel on Neutron Standard Reference Data, held by NDS in Vienna in November 1973.

The main general reason for this delay is the drastic increase, particularly in the last two years, in the annual first priority items to be published by the Agency, due mainly to an equivalent increase in the number of INIS pages, without a commensurate increase in relevant staff and/or facilities. This unsatisfactory situation is recognized by the Agency and measures are under discussion to remedy it with a minimum budgetary increase.

The purpose of this working paper is threefold:

- to outline the priorities in the Agency's publications;
- to give a detailed account for the delay in the publication of the proceedings of the Second Standards Panel; and
- to make a proposal regarding the mode of publication of proceedings of smaller-than-conference meetings organized by NDS.

Priorities for IAEA Publications

First priority receive the following IAEA publications:

- a) Periodicals and other regular publications such as
 - Journal of Nuclear Fusion;
 - Atomic Energy Review Journal;
 - IAEA Bulletin:
 - Quarterly issue of Meetings on Atomic Energy;
 - INIS Atomindex;
 - CINDA;

- b) Conference Proceedings: approximately 12-15 per year They should be published not later than 6 months after the Conference.
- c) Other publications with "ad-hoc" priorities such as
 - Documents requested by Director General such as for Secretariat, Board of Governors, General Conference etc;
 - Market survey of reactors in developing Member States;
 - INIS Thesaurus.

The remaining Agency publications have second priority and have to await the completion of first priority items. Second priority publications ares

- the Safety Series;
- the Panel Proceedings Series;
- the Technical Report Series;
- the Legal Series;
- the Bibliographical Series etc.
- 2. Proceedings of the Second Panel on Neutron Standard Reference Data, Vienna, November 1972

APPENDIX XXV

1

We wish to state at the beginning that the Proceedings of this Pancl are not the only ones in the past two years that have undergone a considerable delay in publication. An even longer delay occurred e.g. for publications by the Trieste Centre for Theoretical Physics, such as seminar proceedings and others.

In the following we give the time table for the publication of the Standards Panel Proceedings:

20 - 24 November 1972	Time of the Panel
February - June 1973	Tape recordings of discussion transcribed by NDS secretaries, following explicit wish of panel participants to have all discussions published.
15 - 30 April 1973	Preliminary conclusions, recommendations and summaries completed by scientific secretary and sent to participants for review.

Glossy prints of all figures and final versions of formal presentations were requested at the same time as necessary.

1 June 1973 Comments on preliminary conclusions and alterations of papers received.

April - October 1973 Technically edited well-written versions of all significant discussions were prepared from tapes and transcripts by the scientific secretary.

15 November 1973 Complete manuscript (except for foreword) submitted to the Agency's Publications Committee for approval.

Mid-January 1974 Manuscript approved for publication in the Agency's Panel Proceedings Series by the Publications Committee.

- Beginning July 1974 Editor from Publications Division starts final editing of the manuscript.
- Mid-August 1974 Editing completed and edited manuscript submitted to typing pool of the Publications Division (almost all papers required retyping either because of poor original presentation or because of format changes required by the Agency).
- Beginning October 1974 Typing and proof-reading completed, reproduction started.
- November/December 1974 Proceedings published.

3. Proposal for proceedings of future NDS Meetings

Note first that Conference papers have always to be submitted to the Agency prior to the Conference and in a prescribed format. A Conference is also always attended by an editor. The editing can thus start already before the Conference and, with the exception of discussion remarks, is largely completed at Conference time. The same applies to a Symposium.

There exist no definite rules for panel papers and proceedings nor does an editor attend a panel. The scientific secretary has to collect papers, written statements etc. after the meeting and to do the first editing, scientific corrections etc. in correspondence with the authors. Normally it takes thus about half a year after the Panel until the whole manuscript of a Panel's Proceedings is completed and ready for submission to an editor in the Agency's Publication Division. It should be noted, however, that only for the Agency's Panel Proceedings Series and for the Technical Report Series, not for an LAEA Technical Report (costfree document), an editing by the Agency's Publication Division is required as well as a retyping of the papers. Proceedings published as an IAEA Technical Report are thus directly reproduced from the submitted individual manuscripts; this shortens the publication time by several months.

It follows from the above and from the fact that they belong to the first priority publications, that Conference Proceedings also in the future can be expected to be published about half a year after the Conference. This statement would e.g. apply to the Third International Nuclear Data Conference provisionally planned for 1977 or 1978 this being the only IAEA Conference in the field of nuclear data in the years to come.

Almost all the other meetings to be convened by NDS in the next few years (with the exception of INDC and, possibly, training courses) belong to the categories of Advisory Group Meetings (e.g. panels, specialists meeting etc.) or Consultants Meetings. Their proceedings can be published either

- in the Panel Proceedings or Technical Report Series, or
- as an IAEA Technical Report, or
- as an INDC report with appropriate distribution.

Note that only the Panel Proceedings and Technical Report Series are sold by the Agency and neither of the two other alternatives.

The decision in which of these three alternative forms proceedings of an NDS Meeting will be published, should be taken well in advance of the meeting and be based for each individual case on the following considerations:

- 1. Anticipated interest in and selling value of envisaged publication;
- Anticipated time delay between meeting and publication (depending e.g. on workload of Agency's Publication Division);
- Meeting category (advisory groups or consultants meeting) and importance;
- 4. Speed of development of field covered by the meeting.

It is strongly recommended that NDS not be advised to reduce the number of its meetings, as long as they are to be considered technically relevant and necessary, but be allowed to choose the most appropriate and speedy publication mode for each individual meeting.

ø
In the past normally Panel Proceedings were published in the Panel Proceedings Series (Second Standards Panel) or as IAEA Technical Reports (Evaluation Panel, 1972, Compilation Panel 1969), Consultants Meetings Proceedings as INDC reports (annual 4C-Meetings, Reactor Neutron Dosimetry Cross Sections 1973).

With the present publication delays in mind, NDS decided to have the Proceedings of the Bologna Panel on Fission Product Nuclear Data published as IAEA Technical Reports with a possible optimum reproduction standard. This will entail a savings in publishing time of at least 1/2 year. For such an important meeting on a rapidly developing field it was felt that an early costfree publication and distribution to the working community, although not in the finest possible shape, should be preferred to a sold publication of better quality, but much later issue.

Normally NDS Meetings address themselves to well-defined rather small customer communities, a fact which limits the selling value of their Proceedings. Normally therefore should Proceedings of NDS Advisory Groups Meetings be published as IAEA Technical Reports and those of Consultants Meetings (and those Advisory Group Meetings dealing with compilation and evaluation of nuclear data) as INDC reports. As for the first time for the Fission Product Nuclear Data Panel, potential meeting participants will be asked in future to submit their papers to the NDS in Agency publication format. It is hoped that in this way a publication delay such as has occurred for the Second Standards Panel can be avoided or reduced in future. It should thus be possible to publish the Proceedings of an Advisory Group Meeting about 1/2 - 1 year, that of a Consultants Meeting about 1/2 year after the meeting.

INDC is asked to comment on this proposal. Note that in any case the Agency's Publications Committee has the last decision whether a submitted manuscript is going to be published and in what form. 1

- 172 -

Final Draft

Appendix XXVI

Formal Recommendations to the Director General of IAEA

Energy applications of nuclear data - fission product and reactor dosimetry nuclear data

INDC discussed the recommendations resulting from the following NDS Meetings:

- 1. Fission product nuclear data panel, Bologna, Nov. 1973
- 2. Neutron data for reactor dosimetry, Vienna, September 1973.

Inasmuch as these recommendations encompass an extremely large spectrum of general information, data and functions, the Committee recommends a cautious and careful development of support by IAEA/ NDS in the following sense for future efforts in the domain of fission product and reactor dosimetry nuclear data:

- (a) to observe and coordinate the present work being done,
- (b) to disseminate the existing information on compilations and evaluations via bibliographic listings, and
- (c) to encourage the review of requirements for new data and data compilations and evaluations.

By this recommendation the Committee endorses in principle the following recommendations emanating from the two meetings, but urges that careful consideration be given in each individual case to the feasibility of its realization and to economic approaches:

(a) Fission Product Nuclear Data

- that a second IAEA panel be held in the fall of 1976;
- that newsletters on compilations and evaluations and on experimental activities be published;
- that an improved review of requirements for this type of data be performed as part of the preparation and potential results of the suggested second panel;
- that collection of information obtained from benchmark experiments on fission product decay afterheat relevant to fission product nuclear data be inaugurated.

(b) <u>Reactor Dosimetry Data</u>

- that information concerning the technical development of an international consistent set of reactor neutron dosimetry cross sections be collected;
- that on-going cooperative efforts between the IAEA and member states on benchmark experiments, intercalibration of standard sources, etc. be encouraged;
- that a Consultants Meeting be held in 1975 or 1976 on Integral Cross Section Measurements in Standard Neutron Fields for Reactor Dosimetry; and
- that the programme for this meeting be considered by the International Working Group on Reactor Radiation Measurements (IWGRRM) to be reconvened by IAEA.

INDC notes the plans of IAEA to reconsider the terms of reference of the IWGRRM and recommends to the IAEA that it asks IWGRRM to maintain nuclear data for reactor neutron dosimetry and their testing in benchmark facilities as important continuing components of its activities.

INDC finally recommends that all relevant nuclear data centres be approached by appropriate members to seek the centres' assistance in reviewing the status of half life and decay scheme data relevant to reactor neutron dosimetry and in updating them as required.

In summary, INDC recommends a general strengthening of cooperative efforts of existing programmes concerned with both fission product and reactor dosimetry nuclear data. It is concerned, however, that IAEA support in the sense and areas explained above must be carefully considered so as not to have a detrimental impact on other important and continuing activities. It is felt that additional help may need to be made available even for these limited areas.

2. Non-energy applications of nuclear data

Different meetings, numerous documents (recently INDC(NDS)-59/W+spec.and INDC(NDS)-60/W+spec.) show and emphasize at the IAEA the importance of "non-neutron" nuclear data in the field of "non-energy" applications in the last years.

To clarify and quantify the needs for nuclear and related atomic data in the main fields of "non-energy" applications (neutron, charged particle, photon activation and in-beam analysis in biomedical research and practice, in industry and in environmental control, isotope tracer techniques, radiation therapy, radiation protection and dosimetry etc.) and to promote the coordination of the existing "non-neutron" nuclear data centres and groups, INDC issues the following recommendations:

- 1. The IAEA should invite member states to form proper ad-hoc committees or study groups to establish their nuclear data needs for "nonenergy" applications and, as appropriate, formulate request lists with the assistance of the INDC correspondents.
- 2. The nuclear data use questionnaire prepared by the Nuclear Data Section should be sent to a broad circle of the "non-energy" users of nuclear data in each member state through the INDC correspondent concerned to find out their real needs in this respect and to evaluate the responses very carefully. Wherever possible this survey should be conducted at a personal interview, i.e. in the frame of local study groups.
- 3. The IAEA, in due course, should ask outstanding specialists or groups of them (consultants meetings) concerned with a specific field of application, to analyse critically, in collaboration with nuclear physicists, their needs for nuclear data and to compare them with the accuracy and availability of the existing nuclear and related atomic data.
- 4. The Committee values the activity of the existing "non-neutron" nuclear data centres and groups and judges it important to continue this work, in most cases with increased support. It asks IAEA and its member states to support the above activity, especially the international coordination of this work and the exchange of appropriate "non-neutron" nuclear data and references, by continuing to convene meetings of "non-neutron" nuclear data centres and groups.
- 5. In this context the committee recognizes the valuable contribution of the Agency's Specialists Meetings on Charged Particle and Photonuclear Reaction Data (24-26 April 1974, Vienna, INDC(NDS)-59/W+spec.) and Nuclear Data for Applications (28 April - 3 May 1974, Vienna, INDC(NDS)-60/W+spec.) in identifying many of the problems of compiling these data and making them easily available to users and in suggesting solutions to some of these problems.

During the INDC meeting it has not been possible to give adequate consideration to the many recommendations of these specialists meetings. The Committee therefore requests that the Nuclear Data Section formulate the details of necessary actions on the basis of the recommendations of these specialists meetings and discuss them with INDC members by correspondence. It is also recommended that this matter be studied further by the subcommittee on nonenergy applications of nuclear data during the coming year and be reconsidered for final recommendation at the next meeting of the Committee.

- 6. A serious difficulty in the use of nuclear data in these applied fields is that many workers are unaware of the existence of recent compilations and do not know where to look for such information. To help' with this problem, the INDC recommends that the Nuclear Data Section maintain on a continuing basis and ensure publication of an up-to-date catalogue of compilations of pertinent data, as well as a list of groups working on compilation and evaluation. The Nuclear Data Section should also be able to answer enquiries on the availability of data.
- 7. To make easier the compilation and evaluation work the Nuclear Data Section is requested to repeat the recommendation to the editors of the nuclear physics journals to instruct the authors of the papers to follow the recommendations of the International Working Group on Nuclear Structure and Reaction Data (IWGNSRD), 1972, on the format and way of presentation of the new data.

3. Possible involvement of the International Centre for Theoretical Physics, Trieste, in the development of nuclear theory for neutron data evaluation.

INDC notes a number of projects of potential interest for investigation by the International Centre for Theoretical Physics at Trieste. In accordance with the working procedures and programmes of this centre and in compliance with the potential workload implied, INDC considers a limited series of 2 to 3 month-long workshops at 1 to 2 year intervals would be a feasible method of conducting these projects. Given the fact that the actual selection of 2 to 3 topics of current relevance to neutron data evaluation would still have to be provided by INDC members and liaison offficers and that those topics can be discussed in more detail at the consultants meeting in 1 year's time, INDC recommends that the technical and financial feasibility of holding such workshops be investigated and supported.

APPENDIX XXVII

List of actions arising from the 7th INDC meeting

Number	Action on	Page	Action
1	NDS/IN D C Secretariat	4	Issue the "official minutes" of the 6th INDC meeting.
2	NDS/INDC Secretariat	6	Advise NEANDC members of INDC about the required distribution of the fu- ture progress reports.
3	Joly	6	Send the final "Report of Sub-Commi <u>t</u> tee on discrepancies in important data and evaluation" to NDS.
4	NDS/INDC Secretariat	6	Issue the document received as result of action 3 as an INDC-"U" document.
5	Schmidt	8	Peport back to INDC on possible coop- erative measurements programmes be- tween various Asian laboratories.
6	NDS/INDC Secretariat	1 P	Send Sub-Committee reports and delib- erations to those sub-committee mem- bers unable to attend the 7th INDC meeting.
7	All members	28	Urge that revised national WRENDA re- quest lists be submitted through the established channels in due time, in order to reach NDS before 1 February 1975.
8	All members	30	In revising WRENDA (see action 7) explain if a request is withdrawn because satisfied.
9	All members	30	In the progress reports on nuclear data, put WRENDA reference numbers on

those measurements which are performed

in response to WRENDA requests.

Number	Action on	Page	Action
10	NDS/INDC Secretariat	30	Prepare a paper on WRENDA in advance of next INDC meeting.
11	Gemmel1/NDS	30	Choose members to prepare papers on WPENDA (at least 1 for, 1 against) in advance of next INDC meeting.
12	All members	33	Advertise widely in their own coun- tries the IAEA Handbook on Neutron Activation Cross Sections (Tech. Report Series,n°156) and inform that it will cost only 13 US dollars if ordered through official channels.
13	NDS/INDC Secretariat	33	Enquire about the possibility of send- ing the Handbook on Neutron Activation Cross Sections costfree to all INDC mem bers.
14	Usachev/CJD	36	Ensure that adequate documentation is included on the magnetic tapes contai <u>n</u> ing evaluations sent out by the Obninsk Nuclear Data Centre (CJD).
15	NDS/INDC Secretariat	36	Ask the 4 Centres to encourage users of Standard data files to supply feedback information to the centres and origina- tors of the evaluations.
16	NDS/INDC Secretariat	40	Ask CCDN to distribute information on the results of their CINDA-against-INIS comparison to INDC participants.
17	NDS/INDC Secretariat	44	Provide as soon as possible information to all members about present composi- tion and responsibilities on NDS Staff.
18	NDS/INDC Secretariat	45	Translate the Bulletin report, vol.l, by the Leningrad Nuclear Data Centre and distribute to INDC participants as INDC-G-report.

- 177 -

Number	Action on	Page	Action
19	All members		Inform groups working on γ -ray com- pilations in their respective coun- tries on the KFA, Jülich FRG, publi- cations (G.Erdtmann and W.Soyka,KFA Jülich report JUEL-1003-AC, vol.1-3, Sept.1973) and continuing activities with the objective to achieve coordi- nation of compilation work where pos- sible. Keep NDS informed. The same for the continuing activities of the Idaho group of R. Heath et al. and its forthcoming third edition (1974) of the "Gamma Spectrum Catalogue - Ge and Si-Detectors" ANCR-1000-2.
20	NDS/INDC Secretariat	49	Publish in Spring 1975 under the same cover, but separately identified, the following request lists: WRENDA 1975, Safeguards and Fusion request lists.
21	NDS/INDC Secretariat	49	If feasible, provide for possibility of retrieval from request files accord- ing to data type.
22	NDS/INDC Secretariat	49	Edit, publish and submit to the Direc- tor General of IAEA The Chairman's Biennial Report.
23	NDS/ INDC Secretariat	49	Enquire if the summary of conclusions and recommendations of the Second IAEA Standards Panel has been issued as INDC formal document ("U" distribution) and arrange issue if required.
24	Gemmell	49/72/77	Inform the Director General of INDC concern at the long delays experienced in publication of NDS Panel meeting proc e edings.

- 179 -

Number	Action on	Page	Action
25	NDS/ INDC Secretariat	53	Investigate and implement, if possible, the feasibility of journals for advise on the availability of the evaluated standards on file at NDS and of publish ing a curve book of computer output.
26	All members	53	Send comments by 30 Nov. 1974 to Liskien and Joly on draft reports of Standards and Discrepancies Sub-Committees respec tively.
27	Condé,Cierjacks and Motz.	54	Exchange information on U-238 fission compared with Sowerby evaluation and present outcome to INDC.
28	Joly, Cierjacks and Motz.	54	Exchange information on Pu-239 fission compared with Sowerby evaluation and present outcome to INDC.
29	Joly	54	Supply to INDC participants combined 1973/1974 report on Discrepancies by 31 Dec.1974.
30	NDS/INDC Secretariat	5.4.	Ask the Data Centres to give maximum priority to compilation and exchange of measurements and available evalua- tions on those data dealt with by the INDC Subcommittees on standards and
31	Schmidt & Smith	56	discrepancies. Advise Chairman (Joly) of the Discrep- ancies Sub-Committee by 31 Dec.1974 of known discrepancies in delayed neutron emitters which have serious repercus- sions on fast reactor properties (e.g. breeding ratio).
32	All members	58	Consult before 31 Dec.1974 the scientists concerned in their own countries and send to NDS suggestions on 2 or 3 topics which can be handled by the Trieste Centre. Suggest to NDS names of possible

lecturers.

.

.

- 180 -

Number	Action on	Page	Action
33	NDS/INDC Secretariat	59	Complete the information survey on men and equipment in developing countries.
34	Schmidt	5.9	Discuss Schmidt/Smith proposals with developing countries during the Asian trip and submit a report on the re- sponse and findings to INDC.
35	All members	59	Report to NDS on any discussions on joint nuclear data programmes with developing countries.
36	All members & liasion officiers	60	Advise NDS of desired distribution for the new "N" and "W" categories of non- -neutron nuclear data reports (see W. P.3) and send corresponding distribu- tion lists to NDS.
37	NDS/INDC Secretariat	60	Investigate the possibility of regional data centres distributing INDC documents within their service area. Proceed with bulk supply delivery arrangements of INDC documents wherever possible.
38	All members concerned	60	To alleviate the IAEA costs for the dis tribution of INDC documents, inquire into the possibility of distributing INDC documents from local distribution points (See INDC-NDS-63"L",page 4,point B.3).
39	Schmidt	G.D	Inquire about the possibility of having USSR technical reports translated on magnetic tapes.
40	NDS/INDC Secretariat	62	Provide INDC participants with copies of the Proceedings of Fission Product Nuclear Data Panel, Bologna, (November 1973).

Number	Action on	Page	Action
41	All members	65	Send comments to NDS on Lott's proposal before 31 Dec.1974.
42	NDS/INDC-Eccretariat	70	Formulate the details of necessary actions on the basis of the recommend <u>a</u> tions of the last Specialists'meeting on Charged Particle and Photonuclear Reaction Data (see INDC-NDS-59/W+spec.) and Nuclear Data for Applications (see INDC-NDS-060/W+Spec.) before 31 Dec.1974, and discuss them with INDC members by correspondance for the approval.
43	Members concerned	70	Reply to NDS on action 42 before 28th February,1975. Send copy of the corr <u>e</u> spondence to the Acting Chairman of the Standing Sub-Committee on Non-Energy Applications (Berenyi).
44	NDS/INDC Secretariat	70	Ask those jornals which have not yet accepted Keywords for nuclear data in the abstract to accept them.
45	All members	72	Send to NDS, before 15th Nov.1974, defi- nite proposals about the programme of the Consultants'Meeting on "Nuclear Theory in Neutron Nuclear Data Evalua- tion" to be held in Trieste.
46.	Gemme 11	74	Discuss informally with the NEANDC Chairman about the possibility of com- bining some technical aspects of work of both committees and send to the chair man of NEANDC the report of the Ad-hoc Sub-Committee on INDC/NEANDC joint acti- vities.

- 181 -

- 182 -

Number	Action on	Page	Action
47	NDS/INDC Secretariat	76	Incorporate the proposed changes in Method of Work document which arise as a result of IAEA decision not to fund attendance of Committee members and advise the Director General of IAEA of the possibility that if lack of con- tinuity of members attendance should arise, it will have serious consequence on the Committee's work.
48	NDS/ÎNDC Secretariat	76	Pevise draft "INDC Methods of Work" document in respect of items affected by the proposal to change the period between meetings to 18 months (e.g. III.1, where chairman is appointed for a 2 year term commencing 1 June of even numbered years).
49	All members	76	Examine draft "INDC Methods of Work" paper and send all comments to NDS by 31 Dec.1974.
50	Members concerned	77	Send to NDS new lists or revisions of "National Nuclear Data Committees" existing in their respective countries with complete information on membership (names, address and professional spe- cialities and responsibilities).
51	NDS/ INDC Secretariat	77	Compile information received as result of action 50 and issue it as INDC(SEC) document with L+N distribution in annual intervals.
52	Liskien	· · ·	Send to NDS and "non EANDC" INDC parti <u>c</u> ipants copies of the "1973 Progress Report in the European Community" EANDC(E)-161"U".
53	NDS/INDC Secretariat	-	Distribute the document mentioned in action 52.

Number	Action on	Page	Action
54	NDS/INDC Secretariat	-	Make an attempt to include in WRENDA 75 status comments on the basis of the major comments and conclusions reached by the Standards and Discrepancies Sub- -Committees of INDC during and after the 7th INDC meeting.
55	All members	-	Keep the NDS informed of all nuclear data developments in their respective countries of interest to IAEA.
56	All INDC participants and members of sub- -committees.	-	Send copies of all correspondence on nuclear data to the NDS/INDC Secretar- iat.
57	NDS/A. Lorenz	-	Consider including questions regarding usefulness of major videos, handbooks, tabulations, etc in the Nuclear Data use questionnaire.
58	All participants	-	Send before 1 Dec.1974 to NDS lists of national or regional data Centres and groups and professional societies, organisations, commissions, unions,etc. to which the Nuclear Data Use question- naire should be sent.
59	Chairman "Sub-Committee on Nucl.Data for Non- -Energy Applications" and Eisenlohr/IAEA.	2 -	Inquire for the next INDC meeting about the problem of sensitivity studies of the nuclear data requested by the IAEA working group on Physical Data for Ra- diation Dosimetry, Radiation Biology and Radiotherapy as presented by Dr. Eisenlohr to the 6th INDC meeting in 1973.
60	Smith	-	Inform Rowlands of US work on (γ,n) and (α,n) reactions in reply to Rowlands

telex.

Number	Action on	Page	Action
61	Rogosa	6	Keep INDC informed about his further contacts with Prof.H.Coldstein on im- portant nuclear data for shielding.
62	4-Centres Heads.	7	When it is noted that CINDA entries are missing (or delayed) from a particular country, advise immediately the respon- sible Centre for appropriate action.
63	Fuketa	7	Send to NEA/CCDN and to NDS the Japanese CTR nuclear data request list (using the IFRC priority criteria) as soon as possible.
64	All members	8	Enquire in their own countries about possible bilateral arrangements for hel <u>p</u> ing developing countries in proposed measurement programmes. Keep NDS in- formed.
65	Schmidt	8/9/37	Continue to discuss with Rosen, NEA, about the possibility of issuing an "Evaluation Newsletter".
66	All members	9/78	Look at the best way to improve the ef- ficiency of the work of INDC by conden <u>s</u> ing the agenda of future meetings.
67	All members	9	Urge nuclear physicists in their respec tive countries to send experimental neutron data to the "Neutron Data Centre" in their area.
68	All members	9	Urge nuclear physicists in their respec- tive countries to send experimental data on nuclear levels, decay schemes and related subjects to ORNL Nuclear Data Project.
69	NDS/INDC Secretariat	9	Continue to inform INDC members of UNISIST developments likely to affect Data Centres.