

KERNFORSCHUNGSZENTRUM KARLSRUHE

Dezember 1969

KFK 1075
EANDC(E)-124''U'
INDC(GER)-008/U

Institut für Neutronenphysik und Reaktortechnik

Neutron Nuclear Data Compilation and Evaluation
- past, present and future -

J. J. Schmidt



GESELLSCHAFT FÜR KERNFORSCHUNG M. B. H.
KARLSRUHE



NEWSLETTER

DECEMBER 1969

CODATA BULLETIN

The first issue of the CODATA *Bulletin* is now available on request and free of charge from the CODATA Central Office. The *Bulletin* comprises the first report of the CODATA Task Group on Computer Use, entitled „Automated Information Handling in Data Centers“ (see pages 5 and 7, CODATA Newsletter 2, August 1969).

INTERNATIONAL COMPENDIUM OF NUMERICAL DATA PROJECTS

The CODATA *International Compendium of Numerical Data Projects*, described on pages 1-5 of CODATA Newsletter 2, was published in September 1969 by Springer-Verlag, Berlin, Heidelberg, New-York, (Title Number 1611), and is now available from the retailer at a price of DM 48,-; US \$ 13.20; £ 5 10.

CODATA CENTRAL OFFICE

Two new staff members will join the CODATA Central Office on 1 January, 1970, Dr. Tangis V. Golashvili (U.S.S.R.) as Scientific Officer, and Mlle. Marie-France Liénard (France) as Secretary/Translator. These appointments will bring the Central Office staff to its full complement of five.

CODATA NATIONAL MEMBERSHIP

ITALY

The Italian National Committee for CODATA has now been formed with the following membership:

Prof. Michele Caputo,
Istituto di Fisica „A. Righi“,
Università di Bologna,
Via Irnerio, 46,
40 126 B o l o g n a.

Prof. Marcello Carapezza,
Istituto di Mineralogia e Petrografia,
Università di Bologna,
Piazza di Porta S. Donato, 1,
40 126 B o l o g n a.

Prof. Guido Sartori,
Istituto di Chimica Generale,
Università di Roma,
Città Universitaria,
00100 R o m e.

Prof. Paride Stefanini,
Direttore II Clinica Chirurgica,
Policlinico, Università di Roma,
00161 R o m e.

ARTIKEL
BEGINNT SEITE 3

CODATA UNION MEMBERSHIP

1. INTERNATIONAL ASTRONOMICAL UNION (IAU)

The Executive Committee of the International Astronomical Union (IAU) has recently set up a special working group to consider activities and problems in the field of astronomy, which are of relevance to the work of CODATA. The membership of the working group is as follows:

Prof. C. W. Allen,
University of London Observatory,
Mill Hill Park,
London, N. W. 7, U. K.

Prof. A. Blaauw, Director,
Kapteyn Astronomical Laboratory,
Broerstraat 7,
Groningen, THE NETHERLANDS

Prof. Dr. W. Fricke,
Astronomisches Rechen-Institut,
Mönchhofstraße 12-14,
6900 Heidelberg, GERMANY-BRD

Dr. Charlotte Moore-Sitterly, Consultant,
National Bureau of Standards,
Washington, D.C. 20234, U.S.A.

Dr. Charlotte Moore-Sitterly is also the present IAU Member on CODATA.

In the International Astronomical Union, the current activities in the numerous specialized fields of astronomy and astrophysics are dealt with by 38 commissions, of which four, those on Documentation, Fundamental Spectroscopic Data, Stellar Spectra, and Spectral Classifications and Multi-band Colour Indices, are concerned with the work of CODATA.

The activities of the Commission on Fundamental Spectroscopic Data are most uniquely and naturally co-ordinated with those of CODATA. The report of this Commission (Trans. Intern. Astron. Union, 134, 229-266, 1967) prepared for the last General Assembly of the IAU (1967) summarizes the general programmes dealing with spectroscopic data.

The next General Assembly of the International Astronomical Union will be held at the University of Sussex, Brighton, U.K., from 18-27 August, 1970.

2. INTERNATIONAL UNION OF CRYSTALLOGRAPHY (IUCr)

At the Eighth General Assembly of the International Union of Crystallography held at Stony Brook, U.S.A., in August, 1969, Dr. F. W. Matthews, Corporate Planning Office, Canadian Industries Ltd., P.O. Box 10, Montreal 101, Quebec, Canada*, was elected to succeed Dr. Olga Kennard as Chairman of the IUCr Commission on Crystallographic Data. Dr. Matthews was subsequently nominated as the IUCr Member on CODATA. In this capacity he is succeeding Dr. Olga Kennard who has served as the IUCr Member since the formation of CODATA.

Of the 13 commissions of the International Union of Crystallography, the aims of the Commission on Crystallographic Data, „to promote the collection and publication of crystallographic data, and to co-operate with other bodies working in the same field“, are most uniquely associated with those of CODATA.

Recent activities of the Commission have included the preparation of a memorandum on the publication of powder data in primary journals. A previous memorandum on single crystal data had widespread influence in ensuring that all essential data are presented in an easily retrievable format; it is hoped that the new memorandum will have a similar effect. Revision of the single crystal memorandum is being considered in the light of new requirements. The Commission also initiated an international discussion on the desirability of publishing certain numerical data in primary journals and various alternative storage techniques, e.g., computer based data banks, document storage using microfilm and microfiche. The results of these discussions were considered at a joint meeting of the IUCr Commissions on *Acta Crystallographica*, Crystallographic Computing, Crystallographic Data, and *Structure Reports*, on the „Storage, Evaluation and Utilization of Crystallographic Data“, held during the Eighth General Assembly of the Union.

In addition to the four IUCr Commissions mentioned above, those on *International Tables*, Crystallographic Nomenclature, and Neutron Diffraction are concerned with the work of CODATA.

CODATA TASK GROUPS

1. TASK GROUP ON COMPUTER USE

Two new members have been appointed to the CODATA Task Group on Computer Use, as follows:

Dr. B. V. Alexeyev,
Computing Center,
Academy of Sciences of the U.S.S.R.,
Leninskiy Prospekt 14,
Moscow, B-71, U.S.S.R.

Dr. Olga Kennard,
University Chemical Laboratory,
Lensfield Road,
Cambridge, U.K.

The first report of the Task Group, entitled *Automated Information Handling in Data Centers*, has now been published as the first issue of the CODATA Bulletin (see above).

2. TASK GROUP ON DATA FOR CHEMICAL KINETICS

The CODATA Task Group on Data for Chemical Kinetics has now been formed with the following membership:

Chairman: Dr. Sidney W. Benson,
Stanford Research Institute,
Menlo Park,
California 94025, U.S.A.

Members: Dr. D. L. Baulch,
School of Chemistry,
The University of Leeds,
Leeds LS2 9JT, U.K.

Dr. E. T. Denisov,
Institute of Chemical Physics,
U.S.S.R. Academy of Sciences,
Vorobyevskoye Chaussee 2-b;
Moscow V-334, U.S.S.R.

Prof. J. E. Dubois,
Laboratory of Physical Organic Chemistry,
University of Paris,
1, rue Guy de la Brosse,
Paris 5e, FRANCE

Prof. J. Durup,
Laboratory of Physical Chemistry,
Orsay, FRANCE

Dr. David Garvin,
Institute for Materials Research,
National Bureau of Standards,
Washington, D.C. 20234, U.S.A.

* Present address: Central Technical Information Unit,
Imperial Chemical Industries Ltd.,
Imperial House, Millbank,
London, S.W.1, U.K.

TASK GROUP ON DATA FOR CHEMICAL KINETICS

Members (cont.):

Prof. H. Hartmann,
Institute of Physical Chemistry,
University of Frankfurt,
6000 Frankfurt/Main 1, GERMANY - BRD

Dr. K. U. Ingold,
Division of Chemistry,
National Research Council of Canada,
Ottawa 7, CANADA

Prof. J. A. Kerr,
Department of Chemistry,
The University of Birmingham,
Birmingham 15, U.K.

Dr. Masao Koizumi,
Tohoku University,
Sendai, JAPAN

Dr. T. W. Newton,
Los Alamos Scientific Laboratory,
University of California,
Los Alamos,
New Mexico 87544, U.S.A.

Prof. H. G. Wagner,
Institute of Physical Chemistry,
University of Göttingen,
3400 Göttingen, GERMANY - BRD

SECOND INTERNATIONAL CODATA CONFERENCE

On the Generation, Compilation, Evaluation and Dissemination of Numerical Data for Science and Technology will be held at St. Andrews, Scotland, from 7-11 September, 1970.

The Conference programme will include: current activities of CODATA Task Groups; reports from new data centres; computer processing and transmission of data; output of data centres; computerized and automated storage and retrieval of data (data banks) and literature in data centres; industrial data; and the role of CODATA in a world-wide information network. In addition, working groups and panels will discuss specific problems in the work of data centres and compilers.

Organization of the Conference will be similar to that of the first International CODATA Conference: invited and selected papers will be presented, and organized panel discussions will take place in the

mornings and evenings, while afternoons will be available for informal discussion groups, computer demonstration or recreation. Attendance at the Conference will be limited to ca. 100, and the conference language will be English.

The first notice, giving details of the programme, location, registration and reservation, and application forms are available from the CODATA Central Office. Applications should be returned not later than 1 March, 1970, to:

Mr. N. H. Robinson,
British National Committee on
Data for Science and Technology,
The Royal Society,
6, Carlton House Terrace,
London, S.W. 1, U.K.

NEUTRON NUCLEAR DATA COMPILATION AND EVALUATION - PAST, PRESENT AND FUTURE

J. J. SCHMIDT*

Institut für Neutronenphysik und Reaktortechnik, Kernforschungszentrum, Karlsruhe, Germany - BRD

ABSTRACT

Whereas in other physics domains the terms „compilation“ and „evaluation“ have about the same meaning and are almost interchangeably used, they have acquired quite different and distinct meanings in the field of neutron physics and nuclear data. This peculiar distinction in the case of neutron physics data comes about in the main not only because of the very great numbers of those data but also because the accuracy available, even now after years of extensive research, is still not adequate enough to the stringent needs of nuclear reactor technology and other applied branches of nuclear physics. As a consequence, continuous centralized efforts of gathering the data are needed as an essential prerequisite to their effective comparison, evaluation and utilization.

Thus in the field of neutron physics *compilation* means the gathering of experimental references and of experimental nuclear data contained in these references for a certain neutron reaction with a given nuclide in a given energy range. Today it involves in addition the storage and organization of the compiled information in computer data files; for this purpose data storage and retrieval programmes have to be prepared in order to satisfy various requests from the data files. Compilation also involves extensive extraction and documentation of information regarding experimental details (frequently unavailable elsewhere) and the publication of data compendia.

Evaluation denotes the comparison and critical assessment of the compiled experimental data and the selection by some appropriate averaging procedure of a complete and self-consistent set of preferred values. Much more than that, the requirement of completeness, particularly for reactor physics purposes, involves the necessity of using appropriately parameterized nuclear theories and considerations

of nuclear systematics to fill in gaps and to help to remove inconsistencies in the available experimental information. Furthermore, the effective utilization of the evaluated data necessitates, as a large part of the whole evaluation effort, the development of computer libraries of evaluated data, together with a variety of associated computer programmes for data checking and handling, which serve as input to programme systems converting the evaluated data into forms suitable for use in nuclear reactor and other applied nuclear physics calculations. As a final indispensable laborious part, evaluation includes careful and comprehensive written documentation.

In response to the increasing demands of the nuclear community a world-wide organizational effort has developed particularly in the last ten years in the compilation and evaluation of all experimental information in the field of neutron nuclear data. Supranational committees like the European American Nuclear Data Committee (EANDC) and its local subcommittees and more and more also the International Nuclear Data Committee (INDC) have made substantial contributions to the international organization and co-ordination of this effort. At present the task of getting the bibliographic and experimental information systematically compiled all over the world, stored and distributed to a variety of customers is subdivided primarily among four centres for neutron nuclear data at Obninsk in the U.S.S.R. (NDIC), at the IAEA in Vienna (NDU), through the ENEA at Saclay in France (CCDN) and at Brookhaven in the U.S.A. (NNCSC) with separate service areas. More and more these centres also provide for the storage and exchange of evaluated neutron nuclear data files originating from various laboratories all over the world.

* Now Head, Nuclear Data Unit, International Atomic Energy Agency, Kärtner Ring II, A-1011 Vienna, Austria.

NEUTRON NUCLEAR DATA COMPILATION AND EVALUATION - PAST, PRESENT AND FUTURE

Neutron nuclear data compilation and evaluation actually dates back as far as the Manhattan District Project during World War II. The nuclear data needs for the development of the atomic bomb started and forced a rather ambitious programme of measurement, compilation and evaluation of important neutron nuclear data for this project. Physicists as eminent as Enrico Fermi and Eugene Wigner were among the first nuclear data compilers and evaluators. At that time the data output of the experiments and thus the data handling problems were still rather small. In 1952 it was still possible for all information which had been gathered so far to be put together in one fairly small volume (1).

It was at Brookhaven National Laboratory, at the instigation of the USAEC Neutron Cross Sections Advisory Committee, where the information for the AECU-2040 report had been compiled and the first systematic neutron data compilation activities been set up in what was to become the well-known Brookhaven Sigma Center under the vigorous guidance of Donald Hughes. Three years later in 1955 as an enlarged successor of the AECU-2040 report (1) the first edition of the well-known BNL-325 work came out (2) just in time for the opening of the First Geneva Conference on Peaceful Uses of Atomic Energy and gained world-wide distribution and acknowledgement through this conference. Whereas data compilation in the U.S.A. before this conference had mostly responded to military purposes and demands, so from this conference on it became more and more directed towards peaceful applications. By the time of the Second Geneva Conference on Peaceful Uses of Atomic Energy in 1958 nuclear data information was almost completely released and in particular a second edition of BNL-325 was published (3).

This second edition of BNL-325 still represented a fairly comprehensive review of available neutron data measurements mainly in the form of graphs with a few tables. The graphical display of measured neutron cross sections as a function of neutron energy over the range from about 0 to 20 MeV for most elements, and many isotopes from hydrogen to americium, with eye-guide curves through the experimental data, highlighting the physical behaviour of the cross sections, found the particular interest of neutron experimentalists and reactor physicists throughout the world. At that time in the nuclear reactor field thermal reactor design was still predominant, and reactor physicists could find in BNL-325 tabulated best values of thermal neutron cross sections and fission parameters for the purpose of reactor physics calculations. Tables with resonance parameters for many isotopes were also given and served many fundamental and applied purposes in the nuclear community. However, the bulk of the neutron cross section data appearing in the graphs in BNL-325 were not generally well-documented, and were not yet available in tabular form outside the Brookhaven Sigma Center.

In 1958 R. J. Howerton from the Lawrence Radiation Laboratory, Livermore, published in three volumes the results of an extensive several year's work on compilation of experimental neutron cross section data (4). Complementary in a sense to BNL-325, this publication contained experimental neutron cross sections in tabular form as a function of neutron energy, together with the experimental errors in energies and cross sections. This particular feature made it one of the widely used standard works on neutron cross sections in the years to come, of particular usefulness to neutron data evaluators for various applied purposes and to reactor designers. As in BNL-325 the whole range of atomic weights was covered; neutron energies ranged from 1 keV to 14.5 MeV. In 1961 this work was complemented by a similar tabular collection of available neutron scattering angular distribution data (5).

As was indicated above, at the beginning of the nuclear reactor development in the fifties the interest was still centered on thermal neutron reactors and rather crude calculational methods; at that time only the rather limited amount of neutron nuclear data infor-

mation in the range of thermal and low resonance energies was essentially needed. Since the second half of the fifties and the beginning of the sixties the situation has changed completely. Neutron nuclear data compilation and evaluation rapidly evolved into a large international effort going on amongst various laboratories and centres. This has been the consequence mainly of the fact that interest has become more and more focussed on the development of fast and intermediate reactors, and thus on the much larger energy range between MeV and MeV energies. Simultaneously the rapid computer development allowed and forced steadily increasing refinements of the reactor theory methods; these went parallel with and were also provoked by the increasing refinements of the measurement techniques of experimental reactor physics. These refinements in reactor theory and experiment opened the possibility of much more detailed and reliable predictions of reactor physical properties with almost the only condition that the neutron nuclear data involved be known to sufficient completeness, detail and reliability over the whole energy range of reactor neutrons. Since then it has become indispensable that compilation and evaluation of neutron nuclear data for a given element or isotope should cover in a much more comprehensive way the whole neutron energy range from almost 0 to at least 15 MeV, and all possible neutron reactions occurring in that range. Moreover it has been increasingly recognized that the data must be available on punched cards or magnetic tape so that the computer can be used to prepare derived quantities (such as multigroup constants) needed for reactor calculations.

As a matter of fact the neutron nuclear data field is concerned with the following data types (6):

- a) microscopic cross sections for all neutron induced reactions between 0 and at least 15 MeV (for example, (n,f) , (n,γ) , (n,n) , (n,n') , (n,p) , (n,α) , $(n,2n)$ and other threebody break-up reactions), together with quantities involving cross section ratios such as $\alpha = \sigma_{n,\gamma} / \sigma_{n,f}$ and $\eta = \nu / 1 + \alpha$;
- b) angular distributions for elastically scattered neutrons and elastic scattering polarization data;
- c) angular and energy distributions for inelastically scattered neutrons;
- d) differential angular and energy dependent excitation data for outgoing neutrons, protons, α -particles, gamma-rays, etc., outgoing combination of these particles;
- e) number, energy spectra and angular distributions of prompt and delayed fission neutrons and the half-lives of delayed neutron precursors;
- f) resolved and statistical resonance parameters, statistical distributions of resonance partial half widths and level spacings;
- g) Legendre polynomial coefficients of scattering angular distributions;
- h) nuclear temperatures and single particle level densities derived, e.g., from neutron inelastic scattering to the „continuum“ range of residual nuclear energy levels and similar physically significant parameters derived by experimenters from their measurements;
- i) fission product yields and cross sections;
- j) „clean“ integral data having immediate application in experimental neutron physics and in evaluation. The principal types are average cross sections measured in well-defined neutron spectra, such as thermal reactor and neutron fission spectra, together with so-called infinite dilution resonance integrals for neutron absorption and fission processes.

In the second half of the fifties and later on the requirement mentioned above of a comprehensive nuclear data basis for reactor calculations and other applied purposes and the increasing installation of large computers led to an increasing systematization of the evaluation efforts. Shortly after the edition of UCRL-5226, Howerton published a volume frequently used in later evaluation work of semi-empirical curves of the most important neutron cross sections for almost all elements in the neutron energy range 0.5 to 15 MeV, which was based on the available still scarce experimental data and supplemented by inter- and extrapolations and by theoretical estimates (7).

Compilation and evaluation work was also going on in a number of the U.S. laboratories; among these Los Alamos, Nuclear Development Corporation of America, General Atomic, Atomics International and Hanford should be mentioned in particular.

In Western Europe at about the same time, pioneering work in neutron data compilation and evaluation was done by two closely collaborating British groups headed by H. Parker at the Atomic Weapons Research Establishment, Aldermaston, and by J. S. Story at the Atomic Energy Establishment, Winfrith. At least in Europe these groups were the first to make comprehensive data compilations and evaluations, and to establish an extensive computer library of evaluated neutron cross sections in the energy range from 0.025 eV to 15 MeV for a large variety of nuclides most important for further applications particularly in reactor calculations (8). The work was shared between the two groups in the following way: Winfrith concentrated on thermal and resonance neutron cross sections, whereas Aldermaston was engaged in fast neutron cross sections. Somewhat later from 1960 on also in the German Nuclear Research Centre at Karlsruhe systematic compilation and evaluation work was started. Also Swedish and Italian research groups became engaged in evaluation work.

In the beginning of the sixties also the Institute of Physics and Power Engineering at Obninsk in the U.S.S.R. entered the evaluation field. The results of this extensive work became widely distributed in the form of published tables of energy averaged group cross sections for many important nuclides (see for example (9) and (11)) and found useful application also in Western Laboratories.

In the first stages of all these developments the necessary literature references and the data information contained in these references had to be collected as before by very cumbersome manual procedures. Immediately huge gaps in the experimental information became apparent: for important nuclei the parameters of only few resonances were known, only few reliable data on neutron capture in reactor materials were available, the knowledge of inelastic level excitation cross sections was still very sparse, to give only a few typical examples. Simultaneously there was still no co-ordination between reactor evaluation, experimental and theoretical nuclear physicists: in particular, the nuclear physicists were not well-acquainted with the data needs of the reactor physicists.

Already in 1956 the fact that most nuclear data measurements were being performed in the U.S.A., U.K. and Canada, and the desire to co-ordinate more effectively the nuclear data efforts of these three countries led to the foundation of the Tripartite Nuclear Cross Section Committee (TNCC). With the increasing release of nuclear data information particularly from the U.S.A., beginning with the first Geneva Conference, and with the increasing nuclear data efforts in Western Europe, the need for collaboration with Western European Countries and laboratories became apparent. Thus in 1960, under the sponsorship of the ENEA, the European American Nuclear Data Committee (EANDC) was founded in which now all OECD countries participate (12). The EANDC meets at intervals of about nine months.

The primary responsibilities of the EANDC are the stimulation and co-ordination of nuclear data research within the OECD area. In order to achieve these aims, one of the continuing most important actions of the EANDC consists in the critical consideration of lists of requests for neutron nuclear data measurements, received from

reactor and other applied nuclear physicists, which are compiled and sent to the EANDC by the various national and supranational data committees in the OECD area. These request lists specify the neutron nuclear data to be measured for given materials and energy ranges, and the desired experimental resolution, accuracy and priority according to the needs of the physicists involved in various national and supranational nuclear power development programmes. Recently a joint request list has been produced and has been widely distributed among experimental physicists in the OECD member countries: it is called RENDA (Requests for neutron data measurements), and has been prepared by a computerized system which allows for rapid up-dating (13).

In order to help fulfil these requests the EANDC discusses and stimulates the development of measurement techniques and the establishing of new experimental groups and facilities. It advises on the allocation of enriched isotopes and other special samples needed for the requested measurements. It simultaneously encourages the co-ordination and distribution of the experimental work along various research lines and according to the experimental capabilities and experiences of the various laboratories. Upon the advice and recommendation of EANDC, Euratom established the Central Bureau for Nuclear Measurements at Geel/Belgium as the European counterpart of the American National Bureau of Standards and the British National Physical Laboratory. The Geel Centre is primarily concerned with nuclear standardization problems, precision measurements of neutron standard cross sections and data, and the fabrication, assay and isotopic analysis of targets and samples.

Upon the recommendation of the scientific council of the International Atomic Energy Agency, an international group of experts in the neutron nuclear physics data field, with participants from Western, Eastern and Developing Countries, was first convened in Vienna in 1963. This group, known as International Nuclear Data Scientific Working Group (INDSWG), met five times between 1963 and 1966 and explored the possibility of an extension of the scope of EANDC to a world-wide scale, concerning particularly the free exchange of information on neutron nuclear physics experiments and facilities, and of neutron nuclear data and bibliographic references amongst all countries concerned. A successful operation of the INDSWG evolved rather slowly and led in 1967 to the foundation of the International Nuclear Data Committee (INDC). According to its Terms-of-Reference this committee has „the dual purpose of serving as a means of promoting international co-operation in all phases of nuclear data activity of general usefulness to nuclear energy programmes, and of advising the Director General of the IAEA in this field“. In all those countries not directly represented in the INDC, liaison officers are or will shortly be appointed to provide communication links between the data activities in their countries, the Nuclear Data Unit (NDU) of the IAEA, and INDC.

Several large conferences have been held upon the recommendation and/or with the sponsorship of the EANDC and of the INDSWG. Particular mention may be made of the Conference on Neutron Time-of-Flight Methods at Saclay in 1961, the Conference on Automatic Acquisition and Reduction of Nuclear Data at Karlsruhe in 1964, the International Conference on the Study of Nuclear Structure with Neutrons at Antwerp in 1965, and the IAEA Conference on Nuclear Data for Reactors in Paris in 1966. A second IAEA Conference on Nuclear Data for Reactors will be held in Helsinki in June 1970; this will be the first Conference sponsored by the INDC. These conferences, which covered both fundamental and applied aspects of neutron physics measurements, compilation and evaluation, had many merits, one of which was bringing nuclear physicists, compilers, evaluators, and reactor physicists together, and helping them to understand each other's problems.

As a primary result of all these international discussions and co-ordination efforts, particularly those of the EANDC during the last years, new experimental facilities, especially electron linear accelerators and Van de Graaff machines, were built in many laboratories, and the experimental capabilities, especially the energy resolution, were very much improved. The consequence of this great progress on the experimental side has been a very large increase in the

amount and quality of neutron nuclear data produced. With a strong neutron source like a modern electron linear accelerator, and high resolution experimental techniques like the neutron time-of-flight method, of the order of a few hundred resonances in individual nuclei can be resolved. A single measurement series in the resonance range commonly yields several thousand data points; for more important nuclei like Au ¹⁹⁷ or Pu ²³⁹ quite a few such measurements are available. One typical inelastic scattering experiment covers the cross sections for excitation of, say, ten different nuclear energy levels over a larger neutron energy range. One typical elastic scattering angular distribution measurement covers of the order of ten different angles at 20 or 30 neutron energies. This data explosion created a series of new problems, such as the necessity of on-line conversion of the experimental raw data into cross section data, or the computerized parametric analysis of neutron resonance measurements by the experimental physicists themselves. In particular, new ways had to be found in order to make this vast amount of reference and data material available to the reactor physicists in a rapid and useful way.

It became rapidly apparent that the Brookhaven Sigma Center could not keep pace with the increasing production of neutron nuclear data both in Western Europe and in the U.S.A. and Canada. Recognizing this fact the EANDC recommended in 1963 the creation of a centre for the compilation and dissemination of neutron cross section information and data in Western Europe and Japan (14). This recommendation was carefully explored and finally supported by a Study Group of experts convened by the European Nuclear Energy Agency (ENEA), and led in 1964 to setting up the Centre de Compilation des Données Nucléaires (CCDN) of the ENEA, near the Centre d'Etudes Nucléaires at Saclay in France. In 1965 a co-operative arrangement was made between the ENEA and the U.S. Atomic Energy Commission for the exchange of information between Brookhaven and Saclay.

In 1967 the Brookhaven Sigma Center, within the framework of the USAEC programme, was enlarged to the National Neutron Cross Section Centre (NNCSC) comprising now in one large unit the formerly dispersed compilation, evaluation and programming efforts. Upon the recommendation of INDSWG in 1964, a Nuclear Data Unit (NDU) was created at the IAEA in Vienna, with the particular objectives of compilation and dissemination of neutron nuclear data in non-OECD countries, and of the exchange of such information between OECD and non-OECD countries. The increasing nuclear data measuring efforts in the U.S.S.R. necessitated in 1964, the creation of a Nuclear Data Information Centre (NDIC) at Obninsk, which serves similar purposes for the many laboratories in the U.S.S.R. as does Brookhaven for North America, and which communicates through the NDU of the IAEA with the Western centres. After improvements had been made in the regional organization of the compilation efforts and some restrictions to a free release and exchange of information and data, particularly between Western and Eastern countries, had been overcome, the international co-operation now proceeds in an increasingly satisfactory way, according to mutually agreed contracts between the four world nuclear data centres and their sponsors. The work of the centres is surveyed and guided respectively by local Centre Committees (NNCSC, CCDN, NDIC), and by the INDC (NDU). During the last few years, Four-Centre meetings have become a regular custom at which items of common interest are discussed in order to strengthen and improve the co-operation among the four centres.

Concerning the technical tasks of the centres, one of the basic purposes is the collection and dissemination of neutron nuclear data references. Originally many users of neutron data, in particular evaluators in various laboratories, had tediously built up their own reference indexes; much parallel and often not fully comprehensive work was done in this way. One of these indexing activities had a unique feature which later enabled it to be adopted and developed on a world-wide co-operative basis. This was the computerized reference index CINDA (Computer Index of Neutron Data) first started in 1956 by Professor H. Goldstein and his collaborators at the Nuclear Development Corporation of America (later absorbed by United Nuclear Corporation) in the U.S.A. It was not until 1963

that this work gained international recognition and that a systematic and co-ordinated scanning of the literature all over the world was started and supported by a net of voluntary readers, individuals in many laboratories and other scientific institutions and in the centres themselves. The CINDA entries are collected and stored in the centres mentioned above, except that in the U.S.A., the CINDA work is now centralized at the Division of Technical Information Extension (DTIE) at the Oak Ridge National Laboratory, and not at Brookhaven. Each year a print-out of the whole content of the CINDA reference file is published and distributed to a large number of centre users throughout the world; in addition, half-yearly supplements are published. The last edition of CINDA as of May 1969, CINDA 69 (15), contains about 60,000 entries corresponding to about 20,000 literature references; it also contains references to data evaluations and to theoretical articles and reports of interest in the neutron data field. Although coverage of the literature is not yet as complete as could be desired, there has been a steady improvement with each edition, and CINDA is coming more and more into general use as a primary reference source, particularly by evaluators and in the experimental laboratories. The real importance of CINDA is that the number of journals and report series considered containing neutron nuclear data is now so large that it is no longer possible for individuals to maintain private indexes covering the whole field.

The situation in the field of compilation of the data, being the second main purpose of the centres, is not yet so satisfactory. The data files in the centres contain now of the order of 10 data points, but neither the back-coverage of data sets is complete, nor are the centres yet keeping pace with the current production of new information. There are several reasons for this: At the best a large amount of time and effort is required to establish the suite of programmes needed for a computer based data storage and retrieval system in a fully operational way. In addition, historical reasons and the use of different computers at the four data centres have necessitated the development of separate sets of programmes at each centre (NNCSC: SCISRS-I (16), CCDN: NEUDADA (17), NDU: DASTAR (18), NDIC: programme without particular name known to the author (19)). For about two years, a new improved data storage and retrieval system called SCISRS-II has been under development, with the main initiative and work coming from the NNCSC, supported (for example, by attachment of staff) by the CCDN and NDU, and with particular emphasis on compatibility with various computer types. In order to facilitate the transmission of experimental data between the four centres, a computer format for the centre-to-centre exchange of experimental data and associated characteristic physical information has been developed in a joint effort by all four centres, the main characteristics of which were established at the last Four-Centre Meeting in Vienna in December 1968.

In February 1969, the IAEA convened a Panel on Neutron Data Compilation at Brookhaven, with the principal objective of reviewing the capability of the four centres to meet the data demands of the nuclear community, consisting of theoretical and experimental neutron physicists, evaluators, reactor physicists, and other existing and potential users (10). Recognizing the fact that with the present available manpower the centres could not compile the data in an encyclopaedic way, the Panel identified the following areas of data which are likely to be of special importance in the next few years, and should therefore be covered most comprehensively (6):

- a) data for fissile and fertile nuclides,
- b) data relating to cross section standards,
- c) data for reactor structural and coolant materials,
- d) data for shielding materials,
- e) data for transactinium nuclides produced during reactor operations.

It is hoped that the Panel can serve as a base from which to launch a vigorous campaign to promote effective use of the facilities that the four data centres can now provide. In the future, these should be extended so that dissemination of information is as prompt and effective as possible by modern means, and so that a variety of services can be provided which will give the best possible knowledge of, or comparison with, all existing information. The aim of these measures is to provide utmost incentive to all experimental neutron physicists for the immediate release to the data centres of all publishable results.

For historic reasons, the development of the CINDA reference file has been separate from the development of the various data storage and retrieval systems. Efforts are continuing in the data centres to deal with the general problem of correlating the contents of the data libraries with the appropriate entries in the CINDA reference file.

In the field of evaluation of neutron nuclear data, international co-ordination is still rather poor. As in the beginning most of the evaluation work is still performed in national laboratories in close contact to national reactor and other technological development programmes. In order to keep pace with the steadily increasing amount of the available compiled data information, the evaluation effort in the last few years had to be much intensified in the already existing groups. In addition, quite a few new groups were created which work partly in close bilateral co-operation or contact with the already existing groups. Such co-operation developed for example between a French group at Cadarache and the British groups at Aldermaston and Winfrith, between a group at the Technion Institute at Haifa in Israel and the German group at Karlsruhe. In the U.S.A., the national evaluation effort has become better co-ordinated and is now concentrated in the Cross Section Evaluation Working Group (CSEWG). This group was founded in 1966, its work is directed by the Brookhaven NNCSC, and its members come from about 15 different laboratories and industrial firms, each representing small evaluation groups (20). In the U.S.S.R., the NDIC acquired a similar role: part of its function is to co-ordinate the scientific work in the U.S.S.R. on the measurement and evaluation of nuclear data (19).

Today many of the larger nuclear laboratories in the world have comprehensive computer libraries of evaluated neutron data. Formats which found particularly wide distribution are those developed at Aldermaston and Winfrith in the U.K. (UKNDL - United Kingdom Nuclear Data Library (21)), at Brookhaven in the U.S.A. (ENDF/B - Evaluated Nuclear Data File B (22)) and at Karlsruhe in Germany (KEDAK - Karlsruhe Evaluated Nuclear Data File (23)). The NNCSC, CCDN, and NDIC have taken over the task to compile, store, and distribute upon request, evaluated data files in their respective service areas; exchange of evaluated data through the NDU at Vienna is only in its beginnings. It is to be hoped that, as already with experimental neutron data, the free exchange of evaluated data throughout the world will become possible.

Regarding evaluation work in the neutron data centres, so far larger efforts have only been undertaken by the NNCSC, and by the NDIC. Less work, with an emphasis on neutron standard cross sections, has been performed by the NDU (review work on the 2200 m/sec constants for the main fissile nuclides (24) in collaboration with physicists from Canada, the U.K., and the U.S.A.), and by the CCDN (review work on the $\text{Li}^6(n,\alpha)$ cross section (25) in collaboration with some Swedish physicists).

Some of the evaluation work mentioned above has been extensively documented in tables, graphs and physical descriptions. A fairly comprehensive review of references for presently (1969) available neutron nuclear data evaluations may be found in Newsletter No. 9 of the Saclay CCDN, which succeeded corresponding reviews in the Newsletters No. 5 and No. 7 of the CCDN for 1967 and 1968, the first systematic survey being given by K. Parker et al. (26) in 1966. Particularly illustrative examples are given by the comprehensive documentation of the Aldermaston/Winfrith (see, e.g., (27)), and of the Karlsruhe (28) evaluations and data libraries. The most recent editions of the well-known BNL-325 work mentioned above (29) represent a substantial step towards a comprehensive documentation of compiled experimental data, and also involve much data evaluation; they comprise as the earlier editions the whole range of atomic weights.

Computerized automatic evaluation is still in the beginning. Recently, a group at Atomic International, in co-operation with IBM, has begun to develop semi-automatic evaluation procedures in a programme called SCORE (30). This programme uses graphical display units developed by IBM, and allows continuous man-machine interaction during evaluation. The experimental data information stored in the computer can be made visible in tabular or graphical form on a screen, and can be changed, deleted, corrected, and averaged in least squares or spline fits by light pen or typewriter manipulation in desired, programmed ways. This procedure, although still expensive in its present form, promises to replace successfully the eye-guide curves drawn previously through experimental data sets, and, in addition, should considerably speed up the evaluation process in appropriate cases.

In conclusion, the experience in the last decade has been that the evaluation task in the neutron data field is very hard due to the large amount of data to be handled and the sheer quantity of work to be done, which is still not satisfactorily counter-balanced by an adequate number of skilled people working on evaluation, and by an effective co-ordination of the existing evaluation efforts. The evaluation task is made still harder by the large systematic errors and discrepancies encountered in many of the available, even modern, experimental data sets, despite the great and continuing progress in the experimental techniques. On the other side, the reliability requirements for the evaluated data of the data users in the reactor and other applied fields have been increasingly strengthened in recent years. While the bare calculational basic data input needs, at least for the most important nuclides and neutron cross sections, are satisfied to a fair degree by the existing main computer libraries of evaluated neutron data, the confidence level of theoretical design and prediction in the field of nuclear technology based on these evaluated data libraries, although certainly not exclusively due to data uncertainties, is still not to be considered satisfactory, and necessitates much more detailed investigations, particularly of important neutron cross sections and standards. This entails that merits and faults of individual experimental results are understood in greater detail, and judged to a higher degree of confidence, than was usually the case before. Certainly, it is the experimental physicist himself who is genuinely suited for a critical assessment and comparison of his own results with those of his colleagues, and for the explanation of observed discrepancies, however difficult in individual cases these tasks nowadays might be. The evaluator, if it is not the experimentalist himself, is supposed to draw attention to, and to comment critically and to the best of his knowledge on, discrepancies in experimental results, taking the assertions of nuclear theory and systematics into consideration. Nevertheless, while being in a worse position to resolve discrepancies than the experimentalist, the evaluator is expected to choose a reasonable average in the case of conflicting data, to assign realistic errors, and to complement and improve existing evaluated data files. In this situation, a much closer co-operation and co-ordination of the efforts of experimental physicists, compilers and evaluators, in close contact to and with effective response to the needs of the nuclear community as a whole, will be required over the next years. In this respect, the four neutron data centres are expected to play an increasingly important role in the future.

For careful reading of the original wording and many helpful and constructive criticisms and suggestions, which were thoroughly considered and in part directly incorporated in the revision of the first manuscript, the author is gratefully indebted to J.S. Story, A.B. Smith, R. F. Taschek and L. Stewart from the laboratories, to V. J. Bell, M. Goldberg, W. M. Good, and several of their colleagues from the data centres, and to the present Chairmen (1969) of the international data committees, G. H. Kinchin (INDC) and P. H. Weinzierl (EANDC).

LITERATURE REFERENCES

1. D. J. Hughes, M. Goldberg, J. A. Harvey, AECU-2040, 1952; for preceeding neutron cross section collections the reader is referred to articles by H. H. Goldsmith, H. W. Ibser, B. T. Feld, *Rev. Mod. Phys.* 19, 259, 1947, and by R. K. Adair, *Rev. Mod. Phys.* 22, 249, 1950
2. D. J. Hughes, J. A. Harvey, BNL-325, 1st ed., 1955
3. D. J. Hughes, R. B. Schwartz, BNL-325, 2nd ed., 1958
4. R. J. Howerton, UCRL-5226, Vols. I-III, 1958, UCRL-5226. Revised, 1959
5. R. J. Howerton, UCRL-5573, 1961
6. Report of the Panel on Neutron Data Compilation, Brookhaven National Laboratory, February 10-14, 1969, report INDC(NDU)-11/G, 1969
7. R. J. Howerton, UCRL-5351, 1958
8. K. Parker, IAEA Seminar on the Physics of Fast and Intermediate Reactors, Vienna, 1961, Proc. Vol. I, p. 207; B. R. S. Buckingham, K. Parker, E. D. Pendlebury, AWRE 0-28/60, 1960; E. P. Barrington, A. L. Pope, J. S. Story, AEEW-R 351, 1964; J. S. Story, M. F. James, W. M. M. Kerr, K. Parker, I. C. Pull, P. Schofield, Third Conf. on the Peaceful Uses of Atomic Energy, Geneva, 1964, Proc. Vol. 2, p. 168
9. L. P. Abagian, N. O. Bazazjanc, I. I. Bondarenko, M. N. Nikolaev, „Grupповые Konstanty dlja rasceta jadernyh reaktorov“, Moscow Atomizdat, 1964; English translation by Consultants Bureau, „Group constants for nuclear reactor calculations“
10. „Neutron Data Compilation“, report of a Panel sponsored by the IAEA and held in Brookhaven, February 10-14, 1969, technical report IAEA-111, 1969
11. M. N. Nikolaev, reference 10, p. 141
12. W. W. Havens, Jr., G. A. Kolstad, A. B. Smith, R. F. Taschek, „The European American Nuclear Data Committee“, *Physics Today*, 20, 1967
13. S. Schwarz, W. Häußermann, „RENDA“, EANDC-78 „AL“, 1968
14. D. W. Colvin, IAEA Conf. on Nuclear Data for Reactors, Paris, 1966, Proc. Vol. I, p. 383
15. „CINDA 69, An Index to the Literature on Microscopic Neutron Data“, edited by USAEC/DTIE, USSR/NDIC, ENEA/CCDN and IAEA/NDU, 1969
16. J. M. Friedman, M. Platt, BNL-883 (T-357), 1964, revised ed. 1967
17. NEUDADA, System Description, CCDN/SYS-2, ENEA, 1969
18. DASTAR, Neutron Data Storage and Retrieval System of the IAEA Nuclear Data Unit, internally documented
19. V. Zolotukhin, reference 10, p. 133
20. S. Pearlstein, Second Conf. on Neutron Cross Sections and Technology, Washington, 1968, Proc. Vol. II, p. 1041; S. Pearlstein, *Cross Section Evaluations Working Group (CSEWG) Newsletters*, 1967-69
21. K. Parker, AWRE 0-80/63, 1963
22. H. C. Honeck, BNL-50066 (T-467), ENDF 102, 1966, revised by S. Pearlstein, 1967
23. D. Woll, KFK 880 (EANDC(E)-112 „U“, EUR 4160e), 1968
24. C. H. Westcott, K. Ekberg, G. C. Hanna, N. J. Pattenden, S. Sanatani, P. M. Attree, *Atomic Energy Review of the IAEA*, 3, 1, 1965; revision of this work by G. C. Hanna, C. H. Westcott, H. D. Lemmel, B. R. Leonard, Jr., J. S. Story and P. M. Attree to be published shortly *ibid.*
25. A. Bergström, S. Schwarz, L. G. Strömberg, L. Wallin, *ENEA Neutron Data Compilation Centre Newsletter No. 3*, 7, 1966
26. *ENEA Neutron Data Compilation Centre Newsletter No. 5*, CCDN-NW/5, 1967; *Newsletter No. 7*, CCDN NW/7, 1968; *Newsletter No. 9*, CCDN-NW/9, 1969; for first basic reference see K. Parker, D. T. Goldman, L. Wallin, IAEA Conf. on Nuclear Data for Reactors, Paris, 1966, Proc. Vol. II, p. 293
27. D. S. Norton, „UKAEA Nuclear Data Library, February 1968“, AEEW-M824, 1968; E. D. Pendlebury, „Neutron cross sections of Li^7 in the energy range 0.001 eV - 15 MeV“, AWRE 0-61/64, 1964; K. Parker, „Neutron cross sections of U^{235} and U^{238} in the energy range 1 keV - 15 MeV“, AWRE 0-82/63, 1963, and AWRE 0-79/63, 1964
28. J. J. Schmidt, „Neutron cross sections for fast reactor materials“, Part I: Evaluation, Part II: Tables, Part III: Graphs, KFK 120 (EANDC-E-35 „U“, 1962-1966; I. Langner, J. J. Schmidt, D. Woll, „Tables of evaluated neutron cross sections for fast reactor materials“, KFK 750 (EANDC-E-88 „U“, EUR-3715e), 1968
29. J. R. Stehn, M. D. Goldberg, B. A. Magurno, R. Wiener-Chasman, „Neutron Cross Sections“, BNL-325, 2nd ed., Suppl. No. 2, Vol. I, August 1964; M. D. Goldberg, S. F. Mughabghab, B. A. Magurno, V. M. May, *ibid.*, Vol. IIA, February 1966; M. D. Goldberg, S. F. Mughabghab, S. N. Purohit, B. A. Magurno, V. M. May, *ibid.*, Vols. IIB, May 1966, and IIC, August 1966; J. R. Stehn, M. D. Goldberg, R. Wiener-Chasman, S. F. Mughabghab, B. A. Magurno, V. M. May, *ibid.*, Vol. III, February 1965; M. D. Goldberg, V. M. May, J. R. Stehn, „Neutron angular distributions“, BNL-400, 2nd ed., Vols. I and II, 1962
30. C. L. Dunford, R. F. Berland, R. J. Creasy, „SCØRE, an automatic cross section evaluation system“, NAA-SR-MEMO-12529, 1968; H. Alter, „Automated evaluation of experimental data“, Second Conf. on Neutron Cross Sections and Technology, Washington, 1968, Proc. Vol II, p. 1049

ICSU CODATA Central Office

Westendstrasse 19, 6 Frankfurt/Main, Germany-BRD, Tel. (0611) 748044, Cable: ICSUCODATA

Executive Director: Dr. Christoph Schäfer

Scientific Editor: Mr. Martin Lewis

The CODATA Newsletter is published twice a year, and is available free of charge from the CODATA Central Office. Signed contributions represent the personal views of the author, and not necessarily those of ICSU CODATA. Any part of the content of this publication may be reproduced, provided that credit is given to the CODATA Newsletter.